1469

First Alabama Bank

Shell County
formerly Shelby State Bank
FULL RELEASE OF MORTGAGE

State of Alabama) KNOW ALL MEN BY THESE PRESENTS: That,	
ShelbyCounty }	
WHEREAS,	
Ray Bailey Construction Company, Inc., did heretofore on the 27th day of August	
86 execute a mortgage to FIRST ALABAMA BANK OK Shelby County, formerly Shelby State	Bank
which said mortgage is recorded in Volume 088, page 678, Probate Office of Shelby	
County, Alabama.	
WHEREAS, the indebtedness secured by said mortgage has been paid to FIRST ALABAMA BANK	
XXX Shelby County in full,	
formerly Shelby State Bank	
NOW, THEREFORE, the undersigned, FIRST ALABAMA BANK OF Shelby County does formerly Shelby State Bank	
hereby acknowledge satisfaction and payment in full of said indebtedness and hereby releases and dis-	
charges the property described in said mortgage from the lien of same.	
IN WITNESS WHEREOF, said FIRST ALABAMA BANK KEX Shelby County hase caused these	
IN WITNESS WHEREOF, said FIRST ALABAMA BANK MALABAMA BANK	
its Vice President day to corporate the day of	
Q.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
FIRST ALABAMA BANK DEX Shelby County	
STATE OF ALABAMA BANK DEXX She Toy Commerty Shallow State Bank I CERTIFY THIS By INSTRUMENT WAS FILTE INSTRUMENT WAS FILTE INSTRUMENT WAS FILTE INSTRUMENTATION INSTRUMEN	
The second factor of the control of	
1987 JUN 17 PH 1: 09	
State of Alabama)	
Shelby County) JUDGE OF FROBATE	
I, the undersigned authority, a Notary Public, in and for said County, in said State, hereby certify	
Anthony F. Holmes whose name as Vice President of	
that, a corporation, is signed to the foregoing full	
formerly Shelby State Bank to me, acknowledged before me on this day, that, being informed	
of the contents of the instrument, he, as such officer, and with full authority, executed the same volun-	
tarily for and as the act of said corporation.	
day of $\frac{952}{1952}$.	
Given under my hand and official seal this the day of	
SEN JANO One Cold	
Notaty Public My Commission Expires June 13, 1989	
1-150-8/75 1-150-8/75 1-150-8/75 1-150-8/75	