## This Instrument was Prepared by

## Marcia Nolano

RELEASE OF LIEN

as an Employee of

SouthTrust Mortgage Corporation

P. O. Box 532060

Birmingham, Alabama 35253

**STMC # 1951602** STATE OF ALABAMA COUNTY OF SHELBY

KNOW ALL MEN BY THESE PRESENTS, That SOUTHTRUST MORTGAGE CORPORATION, FORMERLY KNOWN AS JACKSON COMPANY, does hereby acknowledge that the indebtedness secured by a certain mortgage dated FEBRUARY 27TH, 1989

executed by DANIEL L. ADERHOLD AND WIFE, MARTHA C. ADERHOLD

to SOUTH STATES MORTGAGE CORPORATION

recorded in book 228

page 607

of SHELBY County, Alabama and transferred to SOUTHTRUST MORTGAGE

CORPORATION BY ASSIGNMENT RECORDED IN BOOK 228 PAGE 612

SHELBY County, Alabama has been fully paid. Said mortgage is hereby released and forever discharged.

IN WITNESS WHEREOF, SOUTHTRUST MORTGAGE CORPORATION has caused its name to be hereto subscribed by LEE HIGGINBOTHAM, ITS VICE PRESIDENT AND BEN MACHEN, ITS SENIOR VICE PRESIDENT, and on this 19TH Day of JUNE , 1992.

SOUTHTRUST MORTGAGE CORPORATION

LEE HIGGINBOTHAM VICE PRESIDENT

ATTEST:

BEN MACHEN

SENIOR VICE PRESIDENT

STATE OF ALABAMA COUNTY OF JEFFERSON

I, LINDA FIECHTER EADS, A NOTARY PUBLIC IN AND FOR THE SAID COUNTY, IN SAID STATE, hereby certify that LEE HIGGINBOTHAM, WHOSE NAME AS VICE PRESIDENT, AND BEN MACHEN, WHOSE NAME AS SENIOR VICE PRESIDENT OF SOUTHTRUST MORTGAGE CORPORATION, are signed to the foregoing instrument, and who are known to me, acknowledge before me that being informed of the contents of said instruments, they as such officers and with full authority, executed the same as the act and deed of said Corporation.

WITNESS my hand and official seal in said County and State

this 19TH Day of JUNE , 1992.

NOTARY PUBLIC

NOTARY PUBLIC, STATE OF ALABAMA AT LARGE. MY COMMISSION EXPIRES MY COMMISSION EXPIRES: OCT. 31, 1993. BONDED THRO NOTARY PUBLIC UNDERWRITERS

PLEASE RETURN TO: SOUTHTRUST MORTGAGE CORPORATION P.O. BOX 532060 BIRMINGHAM, AL 35253

Inst # 1992-12626

06/30/1992-12626 11:29 AM CERTIFIED

SHELBY COUNTY JUDGE OF PROBATE 7.50 OD1 MCD