
	85,000.°°
THI (UMENT PREPARED	.38
NAME	
WARRANTY DEED (Witnout Surviorship)	
State of All Man I	By These Presents,
FULTON COUNTY	
That in consideration of Ten and no/100 (\$10.00) -	DOLLARS
to the undersigned grantor THOMPSON PROPERTIES AG 1	
in hand paid by PAN-AMERICAN INVESTMENT COMPANY,	
	the said THEMPSON PROPERTIES AG 115 674,
the receipt whereof is acknowledged. Limited, a limited partnership	
do grant, bargain, sell and convey unto the said PAN-AME	
the following described real estate, situated in Shelby	County, Alabama,
to-wit: Provided by Exhibit "A" and attached	hereto and made a part here of:
mortgages to A) R. Lee Walthall and wife, Barbarmount of \$75,328.00 and Dated April 15, 1974 dated May 8, 1974 and recorded in Mortgage Boothe Judge of Probate of Shelby County, Alabama	B) Pan-American Investment, Inc., 339, at Page 197, in the Office of
	19790904000113290 1/5 \$ 00 Shelby Cnty Judge of Probate, AL
	09/04/1979 12:00:00AM FILED/CERT
corporation, its successors	can Investment Company, Inc., a
heirs and assigns forever. Thompson Properties AG 115 675 And said do, for itself and for its	Ltd., a limited partnership, heirs, executors and administrators, covenant
with the said Pan-American Investment Company, In	nc., a corporation, its successors,
heirs and assigns, that it is lawfully seized in fee si	mple of said premises; that they are free from all
	e as aforesaid; that it will, and its heirs,
executors and administrators shall warrant and defend the INC.	same to the said PAN-AMERICAN INVESTMENT, CO.,
heirs and assigns forever, against the lawful claims of all Thompson Properties AG 11	persons. 5 674, Gen. Partner
In Witness Whereof, Ltd. have hereunto se	et by its hand and seal
this day of July	19 19

Form 3013,

Mandey Letter

WITNESSES

Judge of Probate COMMONWEALTH LAND TITLE INSURANCE COMPANY	This form furnished by ALABAMA TITLE COMPANY, INC. Accents for COMMONWEALTH LAND TITLE INSURANCE CO. 615 No. 21st Street Birmingham, Alabama 35203	(WITHOUT SURVIVORSHIP) STATE OF ALABAMA, County.	TO WARRANTY DEED	RETURN TO
State of I, hereby certify that whose name	COUNTY)		blic in and for said County, in sa	
me on this day, that, he came be			executed the same vo	luntarily
Given under my h	and and official seal this	day of	A. D., 1	19
Shel	0904000113290 2/5 \$.00 by Cnty Judge of Probate, AL 4/1979 12:00:00AM FILED/CERT		Notary	Public
State of	COUNTY	General Acknowled	gment	
Ĭ,		a Notary Pu	tlic in and for said County, in sa	id State,
whose name me on this day, that, b on the day the same be	signed to the foregoing eing informed of the contents ars date.		known to me, acknowledge executed the same vol	
Given under my h	and and official seal this	day of	A. D., 1	9
	ندو در وراس در		Notary I	Public
State of George Twitten I. K. Morga	COUNTY	Pantners hap Corporation Acknown	vledgment blic in and for said County in sa	id State,
whose name as Generalism, is signed day that, being inform-	d to the foregoing conveyance	e, and who is known eyance, he, as such c	Properties 115 AG 67544, to me, acknowledged before me officer and with full authority.	e on this
	ami, this the 6 day of	5 my Addy F	Myan anna W. State at Large Notary F. mission Expires Oct. 5, 1979	979.




Three parcels of land, including Hillhouse Lake and adjoining properties, situated in Sections 24 and 25, Township 17 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

PARCEL A: The West 1/4 of the Northeast 1/4 of the Southerst 1/4 and the East 3/4 of the Northwest 1/4 of the Southeast 1/4 of Section 25, Township 17 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows: Begin at the Northeast corner of the Northwest 1/4 of the Southeast 1/4 of Section 25. Township 17 South, Range 1 East, Shelby County, Alabama, and run in an Masterly direction along the North line of the Northeast 1/4 of the Southeast 1/4 of said Jection 25, a distance of 324.86 feet to a point; thence turn an interior angle of 90° 02' 10" and run to the right in a Southerly direction a distance of 1302.96 feet to a point on the South line of said 1/4 1/4 Section; thence turn an interior angle of 90° 24' 10" amt run to the right in a Westerly direction along the South line of said 1/4 1/4 Section ædistance of 325.77 feet to the Southwest corner of said 1/4 1/4 Section; thence turn aminterior angle of 179° 57' 30" and run to the right in an Easterly direction along the Bouth line of the Northwest 1/4 of the Southeast 1/4 of said Section 25 a distance of 985.56 met to a point; thence turn an interior angle of 89° 46' 20" and run to the right in a Northenly direction a distance of 1312.78 feet to a point on the North line of said 1/4 1/4 Section; thence turn an interior of 90° 04' 50" and run to the right in an Easterly direction along the North line of said 1/4 1/4 Section a distance of 337.19 feet to a point; thence turnan interior angle of 179° 34' 50" and run to the right in an Easterly direction a distance of 652.31 feet to the point of beginning; containing 39..44 acres.

PARCEL B: The West 1/2 of the Southeast 1/4 of the Northeast 1/4 and the East 1/2 of the Southwest 1/4 of the Northeast 1/4 of Section 25, Township 17 South, Range 1 East, Shelby County, Alabama, being more particularly described æfollows: Begin at the - -- Northeast corner of the Southwest 1/4 of the Northeast 1/4 of Section 25, Township 17 South, Range 1 East, and run in an Easterly direction along the North line of the Southeast 1/4 of the Northeast 1/4 of said Section 25 a distance of 851.45 feet to a point; thence turn an interior angle of 90° 04' 40" and run to the right in a Boutherly direction a distance of 1306.74 feet to a point on the South line of said 1/4 1/4 Section; thence turn an interior angle of 90° 03' 00" and run to the right in a Westerly direction along the South line of said 1/4 1/4 Section a distance of 323.98 feet to a point; thence turn an interior angle of 180° 03' 20" and run to the left in a Westerly direction along the South line of said 1/4 1/4 Section a distance of 324.86 feet to the Southwest corner of said 1/4 1/4 Section; thence turn an interior angle of 179° 49' 50" and run to the right in a Westerly direction along the South line of the Southwest 1/4 of the Northeast 1/4 of said Section 25 a distance of 652.31 feet to a point; thence turn an interior angle of 90° 13' 10" and run to the right in a Northerly direction a distance of 1309.79 feet to a point on the Northline of said 1/4 1/4 Section; thence turn an interior angle of 89° 40' 00" and run to the right in an Easterly direction a distance of 648.28 feet to the point of beginning; containing 39.13 acres.

PARCEL C: A tract of land encompassing Hillhouse Lake and that property lying within 200 feet from the high water line of said Hillhouse Lake, being situated in Sections 24 and 25. Township 17 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows: Begin at the Northeast corner of the Southwest 1/4 of the Northeast 1/4 of Section 25. Township 17 South, Range 1 East, and runin a Westerly direction along the North line of said 1/4 1/4 Section a distance of 540.30 feet to a point; thence turn an interior angle of 124° 39' 00" and run to the right in a Northwesterly direction a distance of 99.12 feet to a point; thence turn an interior angle of 195° 45' 50" and run to the left in a Northwesterly direction a distance of 73.96 feet to a point; thence turn an interior angle of 170° 12' 30" and run to the right in a Northwesterly direction a distance of 223.66 feet to a point; thence turn an interior angle of 186° 17' 20" and run to the left in a Northwesterly direction a distance of W4.22 feet to a point; thence turn an interior angle of 187° 53' 00" and run to the lettin a Northwesterly direction a distance of 65.23 feet to a point; thence turn an interior angle of 219° 03'

Chain Tetle War.



40" and run to the left in a Westerly direction a distance of 83.76 feet to a point; thence turn an interior angle of 159° 31' 10" and run to the right in a Westerly direction a dis- . . tance of 46.19 feet to a point; thence turn an interior angle of 208° 24' 00" and run to the left in a Westerly direction a distance of 259.48 feet to a point; thence turn an interior angle of 160° 44' 40" and run to the right in a Westerly direction a distance of 157.19 feet to a point; thence turn an interior angle of 167° 11' 00" and run to the right in a Westerly direction a distance of 157.66 feet to a point; thence turn an interior angle of 190° 36' 50" and run to the left in a Westerly direction a distance of 63.71 fæt to a point; thence turn an interior angle of 179° 22' 20" and run to the right in a Westerly direction a distance of 161.30 feet to a point; thence turn an interior angle of 160° 15' 10" and run to the right in a Northwesterly direction a distance of 98.93 feet to a point; thence turn an interior angle of 193° 02' 00" and run to the left in a Northwesterly direction a distance of 70.53 feet to a point; thence turn an interior angle of 187° 16' 50" and run to the left in a Northwesterly direction a distance of 119.83 feet to a point; thence turn an interior angle of 160° 57' 50" and run to the right in a Northwesterly direction a distance of 251.30 feet to a point; thence turn an interior angle of 106° 30' 20" and rum to the right in a Northerly direction a distance of 411.23 feet; thence turn an interior angle of 104° 50' 00" and run to the right in an Easterly direction a distance of 536.86 feet to a point; thence turn an interior angle of 102° 22' 30" and run to the right in a Southerly direction a distance of 117.26 feet to a point; thence turn an interior angle of 276° 14' 40" and rum to the left in an Easterly direction a distance of 107.99 feet to a point; thence turn an interior angle of 159° 56' 40" and run to the right in an Easterly direction a distance of 80.67 feet to a point; thence turn an interior angle of 205° 57' 00" and run to the left in a Northezsterly direction a distance of 146.71 feet to a point; thence turn an interior angle of 179° 14' 50' and run to the right in a Northeasterly direction a distance of 288.42 feet to a point; thence turn an interior angle of 143° 23' 20" and run to the right in an Easterly direction a distance of 150.45 feet to a point; thence turn an interior angle of 207° 18' 40" and run to the left in a Northwesterly direction a distance of 163.71 feet to a point; thence turn an interior angle of 159° 58' 50" and run to the right in an Easterly direction a distance of 60.3% feet to a point; thence turn an interior angle of 208° 51' 00" and run to the left in a Northessterly direction a distance of 99.10 feet to a point; thence turn an interior angle of 145° 42' 40" and run to the right in an Easterly direction a distance of 110.88 feet to a point; thence turn an interior angle of 223° 00' 40" and run to the left in a Northeasterly direction a distance of 59.30 feet to a point; thence turn an interior angle of 181° 39' 00" and run to the left in a Northeasterly direction a distance of 106.60 feet to a point; thence turn an interior angle of 181° 54' 00" and run to the left in a Northeasterly direction a distance of 83.43 feet to a point; thence turn an interior angle of 248° 06' 40" and run to the left in a Northwesterly direction a distance of 193.13 feet to a point; thence turn an interior angle of 143° 56' 20" and run to the right in a Northeasterly direction a distance of 189.69 feet to a point; thence turn an interior angle of 214° 31' 50" and run to the left in a Northwesterly direction a distance of 197.06 feet to a point; thence turn an interior angle of 197° 54' 40" and run to the left in a Northwesterly direction a distance of 99.73 feet to a point; thence turn an interior angle of 163° 37' 20" and run to the right in a Northerly direction a distance of 73.81 feet to a point; thence turn an interior angle of 197° 20' 40" and rm to the left in a Northwesterly direction a distance of 185.24 feet to a point; thence turn an interior angle of 137° 01' 20" and run to the right in a Northerly direction a distance of 177.44 feet to a point; thence turn an interior angle of 191° 15' 20" and run to the left in a Northerly direction a distance of 124.98 feet to a point; thence turn an interior angle of 207° 29' 10" and run to the left in a Northwesterly direction a distance of 236.67 feet to a point; thence turn an interior angle of 89° 02' 40" and run to the right in a Northeasterly direction a distance of 453.59 feet to a point; thence turn an interior angle of 169° 48' 50" and run to the right in a Northeasterly direction a distance of 79.75 feet to a point; thence turn an interior angle of 143° 34' 10" and run to the right in a Southeasterly direction a distance of 408.18 feet to a point; thence turn an interior angle of 127° 50' 00" and run to the right in a Southerly direction a distance of 221.38 feet to a point; thence turn an interior angle of 157° 49' 20" and run to the right in a Southerly direction a distance of 258.38 feet to a point; thence turn an interior angle of 168° 57" 00" and run to the right in

Canaba Title Veni

19790904000113290 5/5 \$.00 Shelby Cnty Judge of Probate, AL 09/04/1979 12:00:00AM FILED/CERT

a Southerly direction a distance of 54.06 feet to a point; thence turn an interior angle of 200° 37' 10" and run to the left in a Southerly direction a distance of 78.55 feet to a point; thence turn an interior angle of 168° 14' 30" and run to the right in a Southerly direction a distance of 221.83 feet to a point; thence turn an interior argle of 184° 53' 30" and run to the left in a Southerly direction a distance of 99.14 feet to a point; theree turn an interior angle of 199° 20' 40" and run to the left in a Southerly direction a distance of 199.72 feet to a point; thence turn an interior angle of 158° 47" 30" and run to the right in a Southerly direction a distance of 180.50 feet to a point; thence turn an interior angle of 155° 38' 00" and run to the right in a Southwesterly direction a distance of 82.67 feet to a point; thence turn an interior angle of 186° 22' 10" and run to the left in a Southwesterly direction a distance of 49.12 feet to a point; thence turn an interior angle of 228° 49' 20" and run to the left in a Southeasterly direction a distance of 108.84 feet to a point; thence turn an interior angle of 156° 29' 50" and run to the right in a Southerly direction a distance of 201.65 feet to a point; thence turn an interior angle of 136° 41' 10" and run to the right in a Southwesterly direction a distance of 166.41 feet to a point; thence turn an interior angle of 186° 46' 40" and run to the left in a Southwesterly direction a distance of 32.39 feet to a point; thence turn an interior angle of 190° 30' 20" and run to the left in a Southwesterly direction a distance of 189.50 feet to a point; thence turn an interior angle of 160° 02' 30" and run to the right in a Southwesterly direction a distance of 163.33 feet to a point; thence turn an interior angle of 216° 54' 10" and rm to the left in a Southerly direction a distance of 114.50 feet to a point; thence turn an interior angle of 174° 13' 20" and run to the right in a Southerly direction a distance of 192.18 feet to a point; thence turn an interior angle of 172° 29' 40" and run to the right in a Southwesterly direction a distance of 108.26 feet to a point; thence turn an interior angle of 249°22' 50" and run to the left in a Southeasterly direction a distance of 126.43 feet to a point; thence turn an interior angle of 156° 58' 40" and run to the right in a Southeasterly direction a distance of 196.08 feet to a point; thence turn an interior angle of 142° 58' 40" and run to the right in a Southerly direction a distance of 93.34 feet to a point on the North line of the Southeast 1/4 of the Northeast 1/4 of Section 25, Township 17 South, Range 1 East, thence turn an interior angle of 100° 26' 40" and run to the right in a Westerly direction along the North line of said 1/4 1/4 Section a distance of 65.83 feet to the point of beginning; containing 71.95 acres.

13/3 SEP -4 11 9 01 Day 1 102.

Calaba Tutle, dre