# STATE OF ALABAMA — UNIFORM COMMERCIAL CODE STATEMENTS OF CONTINUATION, PARTIAL RELEASE, ASSIGNMENT, ETC. — FORM UCC-3

## Important: Read Instructions on Back Before Filling out Form.

		,	
☐ The Debtor is a transmitting utility as defined in ALA CODE 7-9-105(n).	No. of Additional Sheets Presented:	This FINANCING STATEMENT is presented to filing pursuant to the Uniform Commercial Comme	o a Filing Officer for ode.
. Return copy or recorded original to	······································	THIS SPACE FOR USE OF FILING OFFICER Date, Time, Number & Filing Office	
Gwen L. Windle			
Haskell, Slaughter, Young & Johnston			
1200 AmSouth/Harbert Plaza			
1901 6th Avenue North			
Birmingham, Alabama 35203 Pre-pald Acct. #			
. Name and Address of Debtor	(Last Name First if a Person)	1 .	
			W Q F S
Double Oaks Associates			ē ## Ze
c/o Lloyd Hixon			7 PESS
Colony Square, Building 100	, Suite 2300		2 6 4
Atlanta, Georgia 30361			n Ko
			# # <b>x = =</b>
Social Security/Tax ID #	Y) (Last Name First if a Person)	-	* % - 3 -
	, , , , , , , , , , , , , , , , , , , ,		, ooza
	•		E ou &
			en e
Social Security/Tax ID #			
Additional debtors on attached UCC-E			
SECURED PARTY (Last Name First if a Person)		4. ASSIGNEE OF SECURED PARTY (IF A)	NY) (Last Name First if a Person)
Association of Birmingham Colony Square, Building 100 sAtlanta,/TGeorgia 30361	), Suite 2300	Association, F.A.	
Additional secured parties on attached UCC-E			
5.  This statement refers to original Financing Sta	tement bearing File No. Real 222 Pag	e 15	· <del>·</del>
Filed with Judge of Probate		Date Filed	19
7. Termination. Secured Party no longer claims 8. Partial or The Secured Party's right unde 9. Partial Partial Partial Secured Party releases the colling release number shown above.	a security interest under the financing stateme or the financing statement bearing file number s or to all of the property listed on this file, is assig	hown above to the need to the assignee in item 11.	
1.			444 F-1-0-1-03 F
This release pertains only			11A. Enter Code(s) From Back of Form That Back Describes The
hereto. The security inter		and effect with	Best Describes The Collateral Covered By This Filing:
respect to all other proper	rty.		by Ithis Filling.
			<u> </u>
•	•	•	
Check X if covered:  Products of Collateral are	also covered.	10 0 1/ 1/01/	·
· 		x Lamor U. Hallon	· 42
Signature(s) of Debtor(s)		Signature(s) of Secured Party(ies)	
Signature(s) of Debtor(s) (necessary only if item	· · · · · · · · · · · · · · · · · · ·		<del></del>
Type Name of Individual or Business	_R	Signature(s) of Secured Party(ies) esolution Trust Corporation as derail Savings and I ban Associat Type Name of Individual or Business	Receiver for Jefferson fon of Birmingham

(5) FILE COPY DEBTOR(S)

(4) FILE COPY - SECOND PARTY(S)

(2) FILING OFFICER COPY - NUMERICAL

Approved by The Secretary of State of Alabama

#### PARCEL I:

A parcel of land situated in Section 8, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

The North 628.72 feet of the Southeast quarter of the Northwest quarter and the Southwest quarter of the Northeast quarter of said Section 8, lying Northwest of U.S. Highway 280.

Less and except that part of Eagle Point, First Sector — Phase I, as recorded in Map Book 14 Page 114, in the Office of the Judge of Probate of Shelby County, Alabama, lying within the above described legal.

Ñ


PARCEL 2

The following parcel of land situated in Sections, 5, 6, 7, and 8, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows: Commence at the northeast corner of said Section 7 and run in a westerly direction along the north line of said section a distance of 662.82 feet to the point of beginning, said point being a 3" capped iron; thence turn an angle to the left of 89 degrees, 18' 18" and run in a southerly direction for a distance of 1324.24 feet to a 3" capped iron; thence turn an angle to the right of 88 degrees, 56' 46" and run in a westerly direction for a distance of 665.27 feet to a 3" capped iron; thence turn an angle to the right of 0 degrees, 00' 28" and run in a westerly direction for a distance of 663.46 feet OO to a 3" capped iron; thence turn an angle to the left of 88 degrees, 50' 54" and run in a southerly direction for a distance of 661.83 feet to a 3" capped iron; thence turn an angle to the right of 88 degrees, 54' 41" and run in a westerly direction for a distance of 664.48 feet to a 3" capped iron; thence turn an angle to the left of 88 degrees, 50' 36" and run in a southerly direction for a distance of 662.24 feet to a 3" capped iron; thence turn an angle to the left of 91 degrees, 09' 30" and run in an easterly direction for a distance of 1330.57 feet to an iron pin; thence turn an angle to the left bf 0 degrees, 17' 02" and run in an easterly direction for a distance of 1330.27 feet to a 3" capped iron; thence turn an angle to the right of 1 degree, 32' 57" and run in an easterly direction for a distance of 1327.47 feet to a point; thence turn an angle to the left of 90 degrees, 11' 30" and run in a northerly direction for a distance of 1329.18 feet to a point; thence turn an angle to the right of 89 degrees, 46' 41" and run in an easterly direction for a distance of 1516.36 feet to a point on the westerly right of way of U.S. Highway 280; thence turn an angle to the left of 77 degrees, 47' 31" and run in a northeasterly direction along said right of way for a distance of 65.75 feet to a point; thence turn an angle to the right of 8 degrees, 31' 51" and run in a northeasterly direction along said right of way for a distance of 202.24 feet to a point; thence turn an angle to the left of 8 degrees, 31' 51" and run in a northeasterly direction along said right of way for a distance of 700.00 feet to a point; thence turn an angle to the left of 6 degrees, 35' 32" and run in a northeasterly direction along said right of way for a distance of 217.77 feet to a point on a curve which is concave to the west having a central angle of 17 degrees, 08' 16" and a radius of 1973.59 feet; thence turn a clockwise interior angle to the chord of said curve of 178 degrees, 01' 24" and run in a northeasterly direction along said right of way and also along are of said curve for a distance of 590.32 feet to a point; thence turn a clockwise interior angle from said chord of 123 degrees, 36' 53" and run in a northwesterly direction along said right of way for a distance of 137.74 feet to a point; thence turn an angle to the right of 45 degrees, 51' 45" and run in a northwesterly direction along said right of way for a distance of 80.00 feet to a point; thence turn an angle to the right of 44 degrees, 25' 58" and run in a northeasterly direction along said right of way for a distance of 142.84 feet to a point;

Continued







northwesterly direction along said right of way for a distance of 447.42 feet

to a point; thence turn an angle to the left of 83 degrees, 43' 30" and run in

a westerly direction for a distance of 385.15 feet to a 3" capped iron; thence

thence turn an angle to the left of 44 degrees, 25' 58" and run in a

turn an angle to the left of 89 degrees, 18' 36" and run in a southerly

direction for a distance of 1118.37 feet to a 3" capped iron; thence turn an angle to the right of 89 degrees, 29' 41" and run in a westerly direction for a distance of 1330.92 feet to a 3" capped iron; thence turn an angle to the right of 90 degrees, 23' 04" and run in a northerly direction for a distance of 658.25 feet to a point; thence turn an angle to the left of 90 degrees, 23' 50" and run in a westerly direction for a distance of 667.08 feet to a 3" capped iron; thence turn an angle to the right of 90 degrees, 28' 37" and run in a northerly direction for a distance of 657.17 feet to a 3" capped iron; thence co turn an angle to the right of 89 degrees, 25' 50" and run in an easterly B direction for a distance of 666.18 feet to a 3" capped iron; thence turn an angle to the left of 89 degrees, 22' 51" and run in a northerly direction for a land distance of 1314.98 feet to a 3" capped iron; thence turn an angle to the left of 90 degrees, 36' 35" and run in a westerly direction for a distance of 752.05 CV feet to a iron pin at the northeast corner of Lot 14, Little Ridge Estates as recorded in Map Book 9, page 174 in the Office of Judge of Probate of Shelby County, Alabama; thence turn an angle to the left of 55 degrees, 27' 31" and run in a southwesterly direction along the back line of said Lot 14 for a distance of 118.85 feet to an iron pin; thence turn an angle to the right of 14 degrees, 19' 14" and run in a southwesterly direction along the back line of Lots 14 and 15 of said subdivision for a distance of 185.02 feet to an iron pin; thence turn an angle to the left of 10 degrees, 24' 44" and run in a southwesterly direction along the back line of Lots 15, 16, 18 and 19 of said subdivision for a distance of 408.04 feet to an iron pin; thence turn an angle to the left of 4 degrees, 04' 32" and run in a southwesterly direction along the back of Lots 19, 20 and 21 of said subdivision for a distance of 301.32 feet to a point; thence turn an angle to the left of 1 degree, 02' 56" and run in a southwesterly direction along the back of Lots 21, 22, and 23 of said subdivision for a distance of 334.94 feet to a point; thence turn an angle to the left of 123 degrees, 21' 45" and run in an easterly direction for a distance of 223.29 feet to a 2" iron pipe; thence turn an angle to the right of 90 degrees, 33' 30" and run in a southerly direction for a distance of 247.50 feet to a 3" capped iron; thence turn an angle to the right of 45 degrees, 01' 16" and run in a southwesterly direction for a distance of 938.38 feet to a 3" capped iron; thence turn an angle to the left of 45 degrees, 03' 37" and run in a southerly direction for a distance of 656.44 feet to the point of beginning.

LESS AND EXCEPT

1) Right of way granted to Shelby County by instrument recorded in Deed Book 278, page 893 in the Probate Office of Shelby County, Alabama. (50' right of way - Farley Road).

Continued

- 2) Tank Site: A parcel of land located in the southeast quarter of the northeat quarter of Section 7, Township 19 South, Range 1 West, Shelby County, Alabama, more particularly described as follows: Commence at the northwest corner of said quarter-quarter section, thence in an easterly direction, along the north line of said quarter-quarter secton a distance of 187.00 feet to the point of beginning; thence continue along last described course a distance of 100.00 feet; thence 90 degrees, 00' 00" right in a southerly direction, a distance of 100.00 feet; thence 90 degrees, 00' 00" right in a westerly direction, a distance of 100.00 feet; thence 90 degrees, 00' 00" right, in a northerly direction, a distance of 100.00 feet to the point of beginning.
- 3) Well Site: A parcel of land located in the southeast quarter of the QO northeast quarter of Section 7, Township 19 South, Range 1 West, Shelby County, Alabama, more particularly described as follows: Commence at the northwest Of corner of said quarter-quarter section; thence in an easterly direction, along 世 the north line of said quarter-quarter section a distance of 700.00 feet to the point of beginning; thence continue along last described course a distance of 50.00 feet; thence 90 degrees, 00' 00" right in a southerly direction a distance of 50.00 feet; thence 90 degrees, 00' 00" right in a westerly northerly direction a distance of 50.00 feet to the point of beginning. direction a distance of 50.00 feet; thence 90 degrees, 00' 00" right in a

ALSO LESS AND EXCEPT (215/11 SAME)

A parcel of land situated in Section 5, 6, 7, and 8, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows: Begin at the Southeast corner of the Southwest quarter of the Southwest quarter of said Section 5 and thence run North along the East line of said quarterquarter section for a distance of 658.25 feet to an iron pin found; thence turn an angle to the left of 90 degrees, 23' 50" and run in a Westerly direction for a distance of 667.08 feet to a 3" capped iron found; thence turn an angle to the left of 0 degrees, 02' 02" and run in a Westerly direction for a distance of 318.02 feet to a point; thence turn an angle to the left of 61 degrees, 07' 09" and run in a Southwesterly direction for a distance of 2,129.34 feet to a point; thence turn an angle to the left of 28 degrees, 16' 37" and run in a Southerly direction for a distance of 117.38 feet to a 3" capped iron found; thence turn an angle to the right of 88 degrees, 56' 46" and run in a Westerly direction for a distance of 63.79 feet to a point; thence turn an angle to the left of 60 degrees, 40' 10" and run in a Southwesterly direction for a distance of 1519.07 feet to a point; thence turn an angle to the left of 119 degrees, 15. 43" and run in an Easterly direction for a distance of 117.69 feet to an iron pin found; thence turn an angle to the left of 0 degrees, 17' 02" and run in an Easterly direction for a distance of 1330.27 feet to a 3" capped iron found; thence turn an angle to the right of 1 degree, 32'.57" and run in a Easterly direction for a distance of 1327.47 feet to a point; thence turn an angle to the left of 90 degrees, 11' 30" and run in a Northerly direction for a distance of 2154.78 feet to a point; thence turn an angle to the right of 63 degrees, 40' 04" and run in a Northeasterly direction for a distance of 316.22 feet to a point; thence turn an angle to the left of 81 degrees, 00' 00" and run in a Northwesterly direction for a distance of 382.60 feet to a point; thence turn an angle to the left of 73 degrees, 18' 50" and run in a Westerly direction for a distance of 169.44 feet to the point of beginning. Continued

\*

699

S

8

Two parcels of land situated in the East one half of the Northwest quarter of Section B, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

#### PARCEL I:

Commence at the Northwest corner of the east half of said quarter section; then run East along the North line of the east half of said quarter section for a distance of 169.46 feet to the point of beginning; thence continue along last stated course for a distance of 486.96 feet to an Iron pin; thence turn an angle to the right of 92°-34'-28" and run in a Southwesterly direction for a distance of 174.37 feet to an iron pin; thence turn an angle to the left of 19°-06'-21" and run in a Southeasterly direction for a distance of 154.93 feet to an iron pin; thence turn an angle to the right of 106°-30'-00" and run in a Westerly direction for a distance of 316.60 feet to a point on a curve to the left having a radius of 924.59 feet and a central angle of 50-25'-22"; thence run in a Southwesterly direction along the arc of said curve for a distance of 87.51 feet to a point on a reverse curve to the right having a radius of 25.00 feet and a central angle of 780-44'-12"; thence run in a Northwesterly direction along the arc of said curve for a distance of 34.26 feet to a point; thence run tangent to last stated curve in a Northwesterly direction for a distance of 323.04 feet to the point of beginning. Said parcel containing 3.285 acres, more or less.

#### PARCEL 11:

Commence at the Northwest corner of the east half of said quarter section thence run South along the West line of the east half of said quarter section for a distance of 503.58 feet to the point of beginning; thence continue along last stated course for a distance of 1,454.00 feet to an iron pin; thence turn an angle to the left of 90°-11'-37" and run in an Easterly direction for a distance of 635,70 feet to an iron pin; thence turn an angle to the left of 60°-19'-18" and run in a Northeasterly direction for a distance of 399.01 feet to an iron pin; thence turn an angle to the right of 26°-53'-17" and run in a Northeasterly direction for a distance of 240.07 feet to an iron pin; thence turn an angle to the left of 820-41'-36" and run in a Northwesterly direction for a distance of 65.70 feet to an iron pin; thence turn an angle to the left of 120-17'-36" and run in a Northwesterly direction for a distance of 194.48 feet to a point; thence turn an angle to the left of 120-24'-29" and run in a Northwesterly direction for a distance of 547.62 feet to an iron pin; thence turn an angle to the right of 50°-22'-34" and run in a Northerly direction for a distance of 531.82 feet to an iron pin; thence turn an angle to the left of 900-00'-00" and run in a Westerly direction for a distance of 69.46 feet to a point on a curve to the left having a radius of 854.59 feet and a central angle of 50-18'-44"; thence run in a Southwesterly direction along the arc of said curve for a distance of 79.24 feet to a point on a compound curve to the left having a radius of 25.00 feet and a central angle of 77°-26'-32"; thence run in a Southwesterly direction along the erc of said curve for a distance of 33.79 feet to a point on a reverse curve to the right having a radius of 229.38 feet and a central angle of  $4^{\circ}-13^{\circ}-27^{\circ}$ ;

thence run in a Southwesterly direction along the arc of said curve for a distance of 16.91 feet to a point; thence turn an angle to the right of 90°-00'-00" from the tangent of last stated curve and run in a Northwesterly direction for a distance of 60.00 feet to a point on a curve to the left having a radius of 169.38 feet and a central angle of 8°-58'-40"; thence turn an angle to the right of 90°-00'-00" to the tangent of last stated curve and run in a Northeasterly direction along the arc of said curve for a distance of 26.54 feet to a point; thence turn an interior clockwise angle of 57°-19'-58" from the chord of last stated curve and run in a Southwesterly direction for a distance of 245.95 feet to the point of beginning. Said parcel containing 23.817 acres, more or less.

Said Parcels I and II containing 27.103 acres, more or less.

Also less and except that part of Eagle Point, First Sector -- Phase II as recorded in Map Book 14, Page 113, in the Office of the Judge of Probate of Shelby County, Alabama.

275 mm 670

### **GRANT OF EASEMENT**

Together with an easement for ingress and egress across that portion of Eagle Point Parkway and Farley Road which crosses Eagle Point, First Sector — Phase II as recorded in Map Book 14, Page 113 in aforesaid records.

02/09/1993-03821 12:28 PM CERTIFIED

SHELBY JOBNITY JUDGE OF PROBATE

Inst. \* 1993-03821

02/09/1993-03821ED