ALABAMA RELEASE DEED

Loan No.: 629666-9

Prepared by: Pamela Warford Household Mortgage Services 100 Mittel Drive Wood Dale, IL 60191

PIF: 9/22/93

KNOW ALL MEN BY THESE PRESENTS That HOUSEHOLD BANK, F.S.B., a Corporation of the United States

does hereby certify and acknowledge satisfaction in full of the debt secured by the following described and recorded real estate mortgage, and same is hereby released:

Name of Mortgagor: DAVID A. BOUTWELL AND GEORGIA ANN BOUTWELL

Name of Mortgagee:

HOUSEHOLD BANK, F.S.B.

The mortgage is recorded in the office of the Judge of Probate for SHELBY COUNTY, ALABAMA.

Document No., Volume, Page, Mortgage Date: DOC #1992-29289, DATED OCTOBER 29, 1992 Address of Property: 2575 Willow Brook Ci Birmingham AL 35242

Dated: October 04, 1993

HOUSEHOLD BANK, F.S.B.

BRYAN J. RANDOLPH, Asst. Vice President

State of Illinois) County of DuPage)

On October 04, 1993 before me, the undersigned, a Notary Public in and for said State, personally appeared BRIAN J. RANDOLPH, personally known to me or proved to me on the basis of satisfactory evidence to be the Asst. Vice President of HOUSEHOLD BANK, F.S.B., a United States Corporation, executed the within instrument pursuant to its bylaws or a resolution of its Board of Directors.

In witness whereof, I have hereunto set my hand and affixed my

notorial seal this October 04, 1993.

Notary Public/Commission Expides:

Sandra A. Cooper Notary Public, State of Illinois My Commission Expires 5/4/97

પાસસસાસસાસસાસસાસસાસસાસસાસસાસસાસસાસ

When recorded, please return to: David A. Boutwell 2575 Willow Brook Circl AL 35242 Birmingham

AL501 P04

Inst. # 1993-36114

11/15/1993-36114 12:59 PM CERTIFIED SHELBY COUNTY JUDGE OF PROBATE 11.00 DOS HCD

Loan No.: 629666-9

PIF:

ATTACHMENT 'A'

LEGAL DESCRIPTION

LOT 6, ACCORDING TO THE SURVEY OF WILLOW BROOK, AS RECORDED IN MAP BOOK 11, PAGE 48, IN THE PROBATE OFFICE OF SHELBY COUNTY, ALABAMA.

LG001 P04

Inst. # 1993-36114

11/15/1993-36114
12:59 PM CERTIFIED
12:59 PM CERTIFIED
SHELBY COUNTY JUDGE OF PROBATE
11.00
11.00