

☐ The Debtor is a transmitting utility as defined in ALA CODE 7-9-105(n).

No. of Additional Sheets Presented:

This FINANCING STATEMENT is presented to a Filing Officer for filing pursuant to the Uniform Commercial Code.

1. Return copy or recorded original to:

Gail Livingston Mills, Esq.
Burr & Forman
P. O. Box 830719
Birmingham, Alabama 35283-0719

Pre-paid Acct #

2. Name and Address of Debtor

(Last Name First if a Person)

Daniel Oak Mountain Limited Partnership
c/o Daniel Realty Corporation
1200 Corporate Drive, Suite 400
Meadow Brook Corp. Pk. Dr. Attn: S. Monk
Birmingham AL 35242

Social Security/Tax ID #

2A. Name and Address of Debtor

(IF ANY)

(Last Name First if a Person)

Daniel Links Limited Partnership
c/o Daniel Realty Corporation
1200 Corporate Drive, Suite 400
Meadow Brook Corp. Pk. Dr. Attn: S. Monk
Birmingham AL 35242

Social Security/Tax ID #

☒ Additional debtors on attached UCC-E

3. NAME AND ADDRESS OF SECURED PARTY (Last Name First if a Person)

SouthTrust Bank of Alabama,
National Association
Attn: Comm. Real Estate Lending Dept. 11th Fl
P. O. Box 2554
Birmingham AL 35290

Social Security/Tax ID #

☐ Additional secured parties on attached UCC-E

5. The Financing Statement Covers the Following Types (or items) of Property:

The Collateral is more particularly described on Exhibit B hereto. The real estate referred to in Exhibit B is more particularly described on Exhibit A hereto.

Filed as additional collateral for Mortgage recorded contemporaneously herewith.

Check X if covered: ☐ Products of Collateral are also covered.

6. This statement is filed without the debtor's signature to perfect a security interest in collateral (check X, if so)

- ☐ already subject to a security interest in another jurisdiction when it was brought into this state.
☐ already subject to a security interest in another jurisdiction when debtor's location changed to this state.
☐ which is proceeds of the original collateral described above in which a security interest is perfected.
☐ acquired after a change of name, identity or corporate structure of debtor
☐ as to which the filing has lapsed.

7. Complete only when filing with the Judge of Probate:
The initial indebtedness secured by this financing statement is \$ 17,600,000.
Mortgage tax due (15¢ per \$100.00 or fraction thereof) \$ 0

8. ☐ This financing statement covers timber to be cut, crops, or fixtures and is to be cross indexed in the real estate mortgage records (Describe real estate and if debtor does not have an interest of record, give name of record owner in Box 5)

Signature(s) of Secured Party(ies)
(Required only if filed without debtor's Signature -- see Box 6)

Signature(s) of Debtor(s)

Signature(s) of Debtor(s)

See Schedule I attached

Type Name of Individual or Business

Signature(s) of Secured Party(ies) or Assignee

Signature(s) of Secured Party(ies) or Assignee

Type Name of Individual or Business

(1) FILING OFFICER COPY - ALPHABETICAL
(2) FILING OFFICER COPY - NUMERICAL

(3) FILING OFFICER COPY - ACKNOWLEDGEMENT
(4) FILE COPY - SECURED

(5) FILE COPY DEBTOR(S)

STANDARD FORM --- UNIFORM COMMERCIAL CODE --- FORM UCC-1
Approved by The Secretary of State of Alabama

Inst # 1996-01844

01/19/1996-01844
08:33 AM CERTIFIED
SHELBY COUNTY JUDGE OF PROBATE
47.00
033 MCD

FILED WITH:

Judge of Probate of Shelby County, Alabama

4. ASSIGNEE OF SECURED PARTY (IF ANY) (Last Name First if a Person)

FINANCING STATEMENT ADDENDUM - FOLLOW INSTRUCTIONS

AdA. NAME OF FIRST DEBTOR ON RELATED FINANCING STATEMENT

ENTITY'S NAME
Daniel Oak Mountain Limited PartnershipOR
INDIVIDUAL'S LAST NAME FIRST NAME MIDDLE NAME, SUFFIX

AdB. Miscellaneous:

THIS SPACE FOR USE OF FILING OFFICER

Inst # 1996-01844

01/19/1996-01844
08:33 AM CERTIFIED
SHELBY COUNTY JUDGE OF PROBATE
47.00
033 NCD

Ad1. ADDITIONAL DEBTOR'S EXACT FULL LEGAL NAME - insert only one debtor name (Ad1a or Ad1b)

Ad1a. ENTITY'S NAME
Greystone Golf Club, Inc.OR
Ad1b. INDIVIDUAL'S LAST NAME FIRST NAME MIDDLE NAME SUFFIXAd1c. MAILING ADDRESS
1200 Corporate Drive, Suite 400
Meadow Brook Corp. Pk. Dr.CITY
BirminghamSTATE COUNTRY POSTAL CODE
AL 35242

Ad1d. S.S. OR TAX I.D.#

OPTIONAL
ADD'L INFO RE
ENTITY DEBTORAd1e. TYPE OF ENTITY
BusinessAd1f. ENTITY'S STATE
OR COUNTRY OF ORGANIZATION ALAd1g. ENTITY'S ORGANIZATIONAL I.D.#, if any
☐ NONE

Ad2. ADDITIONAL SECURED PARTY'S EXACT FULL LEGAL NAME - insert only one name (Ad2a or Ad2b)

Ad2a. ENTITY'S NAME

OR
Ad2b. INDIVIDUAL'S LAST NAME FIRST NAME MIDDLE NAME SUFFIX

Ad2c. MAILING ADDRESS

CITY

STATE COUNTRY POSTAL CODE

Ad3a. ☐ This FINANCING STATEMENT covers timber to be cut, minerals,
or mineral-related accounts, or is filed as a fixture filingAd3b. ☐ This FINANCING STATEMENT covers crops growing or to be
grown on the real estate describe below

Ad4. Description of real estate:

Ad7. Additional collateral description:

Ad5. Name and address of a RECORD OWNER of above-described
real estate (if Debtor does not have a record interest):Ad6. REQUIRED SIGNATURE
See Schedule I

Ad8. Debtor is a TRANSMITTING UTILITY (if applicable)

THIS SPACE FOR USE OF FILING OFFICER

SCHEDULE I TO UCC-1 FINANCING STATEMENT
BETWEEN DANIEL OAK MOUNTAIN LIMITED PARTNERSHIP,
DANIEL LINKS LIMITED PARTNERSHI, AND
GREYSTONE GOLF CLUB, INC., AS DEBTORS,
AND SOUTHTRUST BANK OF ALABAMA, NATIONAL ASSOCIATION,
AS SECURED PARTY

Signature of Debtors:

DANIEL OAK MOUNTAIN LIMITED PARTNERSHIP,
an Alabama limited partnership

BY: DANIEL REALTY INVESTMENT CORPORATION--OAK
MOUNTAIN, an Alabama corporation
Its General Partner

BY: 

Donald K. Lloyd
Its Senior Vice President

DANIEL LINKS LIMITED PARTNERSHIP,
an Alabama limited partnership

BY: DANIEL REALTY INVESTMENT CORPORATION--OAK
MOUNTAIN, an Alabama corporation
Its General Partner

BY: 

Donald K. Lloyd
Its Senior Vice President

GREYSTONE GOLF CLUB, INC.,
an Alabama nonprofit corporation

BY: 

Donald K. Lloyd
Its Vice President

EXHIBIT A

GREYSTONE PARCEL #1

Greystone Parcel #1 consists of the following described lots:

1. Lots 5 and 17, according to the Amended Map of Greystone, First Sector, Phase VII as recorded in Map Book 17, Page 53 in the Office of the Judge of Probate of Shelby County, Alabama (the "Probate Office").

2. Lot 9B, according to a Resurvey of Lots 9A and 12A, Greystone, First Sector, Phase VII as recorded in Map Book 20, Page 14 in said Probate Office.

3. Lot 10A, according to a Resurvey of Lots 9, 10, 12 and 13, Greystone, First Sector, Phase VII as recorded in Map Book 19, Page 131 in said Probate Office.

4. Lot 24A, according to a Resurvey of Lots 20, 22, 23 and 24, Greystone, First Sector, Phase VII as recorded in Map Book 19, Page 55 in said Probate Office.

5. Lots 25A, 26A and 27A, according to a Resurvey of Lots 25, 26, 27 and 28, Greystone, First Sector Phase VII as recorded in Map Book 20, Page 54 in said Probate Office.

6. Lots 7 and 14, according to the Survey of Greystone, 4th Sector as recorded in Map Book 16, Pages 89 A, B & C in said Probate Office.

7. Lot 6A, according to a Resurvey of Lots 5 and 6, Greystone, 4th Sector as recorded in Map Book 17, Page 97 in said Probate Office.

8. Lots 40, 51, 59, 62, 66, 70, 73, 74, 77, 87 and 90, according the the Survey of Greystone, 5th Sector, Phase I as recorded in Map Book 17, Pages 72 A, B & C in said Probate Office.

9. Lots 5, 8, 10, 23 and 24, according to the Survey of Greystone, 5th Sector, Phase II as recorded in Map Book 17, Page 118 in said Probate Office.

10. Lots 11A and 12A, according to a Resurvey of Lots 11 and 12, Greystone 5th Sector, Phase II as recorded in Map Book 20, Page 92 in said Probate Office.

11. Lots 1, 9, 29, 30, 31, 37, 43, 55, 56 and 57, according to a Survey of Greystone, 6th Sector as recorded in Map Book 17, Pages 54 A, B & C in said Probate Office.

12. Lots 1, 9, 11 12 and 13, according to a Survey of Greystone, 7th Sector as recorded in Map Book 18, Page 119 in said Probate Office.

13. Lots 14, 15, 34, 38 and 54, according to a Survey of Greystone, 7th Sector, Phase I as recorded in Map Book 18, Pages 120 A, B & C in said Probate Office.

14. Lot 50A, according to a Resurvey of Lot 50, Greystone, 7th Sector, Phase I as recorded in Map Book 19, Page 162 in said Probate Office.

15. Lots 2, 3, 9, 10, 11, 13, 15, and 27, Greystone, 7th Sector, Phase II as recorded in Map Book 19, Page 121 in said Probate Office.

16. Lots 16, 17 and 18, according to a Survey of Greystone, 7th Sector, Phase III as recorded in Map Book 20, Page 50 in said Probate Office.

17. Lots 1 through 6, Lots 38 through 40 and Lots 42, 45, 46 and 48 and Lot 53 through 58, according to a Survey of Greystone, 8th Sector as recorded in Map Book 20, Pages 93 A & B in said Probate Office.

18. Lots 1 through 9, Lots 11 through 13, Lots 22 and 28, Lots 33 through 36 and Lots 40 and 41, according to the Amended Map of The Crest at Greystone as recorded in Map Book 18, Pages 17 A, B, C & D in said Probate Office.

GREYSTONE PARCEL #2

Lots 3 and 5, according to the Survey of Greystone Commercial, 2nd Phase, as recorded in Map Book 20, Page 107 in the Probate Office.

Greystone Parcel #3

A parcel of land situated in Section 28, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

Begin at a 3" capped iron locally accepted to be the Northwest corner of the Southeast 1/4 of the Northeast 1/4 of said Section 28, thence run South 89 degrees 14 minutes 53 seconds East along the North line of said 1/4-1/4 section for a distance of 1001.15 feet to an iron pin found at the Northeast corner of Lot 2 in Greystone 8th Sector as recorded in Map Book 20, on Page 93 A, B & C, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 111 degrees 38 minutes 34 seconds and run South 22 degrees 23 minutes 42 seconds West along the Northwest side of Lots 2 and 3 in said Greystone 8th Sector for a distance of 272.33 feet to an iron pin found at the Northeast corner of Lot 4 in said Greystone 8th Sector; thence turn an angle to the right of 36 degrees 08 minutes 48 seconds and run South 58 degrees 32 minutes 30 seconds West along the Northwest side of Lots 4, 5 and 6 in said Greystone 8th Sector for a distance of 397.38 feet to an iron pin found; thence turn an angle to the left of 16 degrees 15 minutes 33 seconds and run South 42 degrees 16 minutes 56 seconds West along the Northwest side of Lots 6, 7 and 8 in said Greystone 8th Sector for a distance of 345.35 feet to an iron pin set at the Northwest corner of said Lot 8; thence turn an angle to the left of 21 degrees 30 minutes 30 seconds and run South 20 degrees 46 minutes 26 seconds West for a distance of 58.16 feet to an iron pin set at the Northeast corner of Lot 38 in said Greystone 8th Sector; thence turn an angle to the right of 27 degrees 47 minutes 07 seconds and run South 48 degrees 33 minutes 33 seconds West along the Northwest side of Lots 38, 39 and 40 in said Greystone 8th Sector for a distance of 458.93 feet to an iron pin found at the Northeast corner of Lot 41 in said Greystone 8th Sector; thence turn an angle to the right of 5 degrees 50 minutes 57 seconds and run South 54 degrees 24 minutes 30 seconds West along the Northwest side of said Lot 41 for a distance of 111.79 feet to an iron pin found at the Northeast corner of Lot 42 in said Greystone 8th Sector; thence turn an angle to the right of 9 degrees 01 minutes 56 seconds and run South 63 degrees 26 minutes 26 seconds West along the Northwest side of said Lot 42 for a distance of 111.33 feet to an iron pin found at the Northeast corner of Lot 43 in said Greystone 8th Sector; thence turn an angle to the right of 10 degrees 58 minutes 11 seconds and run South 74 degrees 24 minutes 38 seconds West along the Northwest side of said Lot 43 for a distance of 111.31 feet to an iron pin found at the Northeast corner of Lot 44 in said Greystone 8th Sector; thence turn an angle to the right of 10 degrees 57 minutes 48 seconds and run South 85 degrees 22 minutes 26 seconds West along the Northwest side of said Lot 44 for a distance of 111.38 feet to an iron pin found at the Northeast corner of Lot 45 in said Greystone 8th Sector; thence turn an angle to the right of 4 degrees 58 minutes 21 seconds and run North 89 degrees 39 minutes 13 seconds West along the North side of said Lot 45 for a distance of 158.19 feet to an iron pin found at the Northwest corner of said Lot 45; thence turn an angle to the left of 95 degrees 27 minutes 26 seconds and run South 5 degrees 06 minutes 40 seconds East along the Southwest side of said Lot 45 for a distance of 235.19 feet to an iron pin set on a curve to the left having a central angle of 8 degrees 22 minutes 47 seconds and a radius of 504.23 feet; thence turn an angle to the left of 0 degrees 01 minutes 30 seconds to the radius of said curve and run in a Southwesterly direction along the arc of said curve for a distance of 73.75 feet to an iron pin set; thence run South 76 degrees 29 minutes 04 seconds West for a distance of 269.39 feet to an iron pin set; thence turn an angle to the left of 96 degrees 18 minutes 10 seconds and run South 19 degrees 49 minutes 06 seconds East for a distance of 62.68 feet to an iron pin set; thence turn an angle to the left 15 degrees 52 minutes 20 seconds and run South 35 degrees 41 minutes 26 seconds East for a distance of 107.14 feet to an iron pin set; thence turn an angle to the right of 26 degrees 28 minutes 24 seconds and run South 9 degrees 13 minutes 02 seconds East for a distance of 35.27 feet to an iron pin set; thence turn an angle to the right of 55 degrees 59 minutes 34 seconds and run South 46 degrees 46 minutes 32 seconds West for a distance of 28.14 feet to an iron pin set; thence turn an angle to the left of 114 degrees 54 minutes 18 seconds and run South 68 degrees 07 minutes 46 seconds East for a distance of 32.06 feet to an iron pin set; thence turn an angle to the right of 40 degrees 33 minutes 55 seconds and run South 27 degrees 33 minutes 51 seconds East for a distance of 106.72 feet to an iron pin set; thence turn an angle to the right of 19 degrees 49 minutes 52 seconds and run South 7 degrees 43 minutes 58 seconds East for a distance of 42.83 feet to an iron pin set; thence turn an angle to the right of 17 degrees 34 minutes 22 seconds and run South 9 degrees 50 minutes 24 seconds West for a distance of 97.42 feet to an iron pin set; thence turn an angle to the right of 19 degrees 35 minutes 13 seconds and run South 29 degrees 25 minutes 37 seconds West for a distance of 38.69 feet to an iron pin set; thence turn an angle to the left of 29 degrees 43 minutes 53 seconds and run South 0 degrees 18 minutes 16 seconds East for a distance of 50.39 feet to an iron pin set; thence turn an angle to the left of 12 degrees 50 minutes 20 seconds and run South 13 degrees 08 minutes 36 seconds East for a distance of 58.98 feet to an iron pin set on the Northwest side of the Greystone Golf Course; thence turn an angle to the right of 58 degrees 10 minutes 18 seconds and run South 45 degrees 01 minutes 42 seconds West along the Northwest side of said Greystone Golf Course for a distance of 271.36 feet to an iron pin found; thence turn an angle to the right of 41 degrees 02 minutes 02 seconds and run South 86 degrees 03 minutes 44 seconds West along the North side of said Greystone Golf Course for a distance of 548.64 feet to an iron pin found; thence turn an angle to the left of 28 degrees 35 minutes 37 seconds and run South 57 degrees 28 minutes 07 seconds West along the Northwest side of said Greystone Golf Course for a distance of 55.80 feet to an iron pin found; thence turn an angle to the right of 41 degrees 11 minutes 13 seconds and run North 81 degrees 20 minutes 41 seconds West along the Northeast side of said Greystone Golf Course for a distance of 452.84 feet to an iron pin found; thence turn an angle to the right of 0 degrees 57 minutes 35 seconds and run North 80 degrees 23 minutes 06 seconds West along the Northeast side of said Greystone Golf Course for a distance of 207.28 feet to an iron pin found; thence turn an angle to the left of

21 degrees 26 minutes 02 seconds and run South 78 degrees 10 minutes 52 seconds West along the Northwest side of said Greystone Golf Course for a distance of 58.94 feet to an iron pin found; thence turn an angle to the left of 7 degrees 15 minutes 00 seconds and run South 70 degrees 55 minutes 52 seconds West along the Northwest side of said Greystone Golf Course for a distance of 49.43 feet to an iron pin set; thence turn an angle to the right of 101 degrees 44 minutes 33 seconds and run North 7 degrees 19 minutes 35 seconds West along the Northeast side of said Greystone Golf Course for a distance of 214.24 feet to an iron pin set on a curve to the left having a central angle of 16 degrees 13 minutes 10 seconds and a radius of 450.49 feet; thence turn an angle to the right of 173 degrees 08 minutes 46 seconds to the radius of said curve and run in a Southwesterly direction along the arc of said curve for a distance of 127.53 feet to an iron pin set; thence turn an angle from the chord of last stated curve to the right of 109 degrees 55 minutes 22 seconds and run North 2 degrees 22 minutes 02 seconds West along the Northeast side of said Greystone Golf Course for a distance of 66.87 feet to an iron pin set; thence turn an angle to the right of 48 degrees 07 minutes 30 seconds and run North 45 degrees 45 minutes 27 seconds East along the Southeast side of said Greystone Golf course for a distance of 40.51 feet to an iron pin set; thence turn an angle to the left of 22 degrees 28 minutes 30 seconds and run North 23 degrees 16 minutes 58 seconds East along the Southeast side of said Greystone Golf Course for a distance of 47.39 feet to an iron pin set; thence turn an angle to the right of 51 degrees 59 minutes 06 seconds and run North 75 degrees 16 minutes 04 seconds East and run along the Southeast side of said Greystone Golf Course for a distance of 68.94 feet to an iron pin set; thence turn an angle to the left of 31 degrees 45 minutes 15 seconds and run North 43 degrees 30 minutes 39 seconds East along the Southeast side of said Greystone Golf Course for a distance of 29.65 feet to an iron pin set; thence turn an angle to the right of 39 degrees 20 minutes 52 seconds and run North 82 degrees 51 minutes 41 seconds East along the Southeast side of said Greystone Golf Course for a distance of 87.77 feet to an iron pin set; thence turn an angle to the left of 36 degrees 12 minutes 53 seconds and run North 46 degrees 38 minutes 48 seconds East along the Southeast side of said Greystone Golf Course for a distance of 385.36 feet to an iron pin set; thence turn an angle to the left of 6 degrees 40 minutes 17 seconds and run North 39 degrees 58 minutes 31 seconds East along the Southeast side of said Greystone Golf Course for a distance of 86.05 feet to an iron pin set; thence turn an angle to the left of 13 degrees 26 minutes 12 seconds and run North 26 degrees 32 minutes 19 seconds East and run along the Southeast side of said Greystone Golf Course for a distance of 58.48 feet to an iron pin set; thence turn an angle to the left of 31 degrees 30 minutes 12 seconds and run North 4 degrees 57 minutes 52 seconds West along the Northeast side of said Greystone Golf Course for a distance of 39.43 feet to an iron pin set; thence turn an angle to the right of 141 degrees 19 minutes 15 seconds and run South 43 degrees 38 minutes 37 seconds East for a distance of 85.62 feet to an iron pin found; thence turn an angle to the right of 79 degrees 40 minutes 09 seconds and run South 36 degrees 01 minutes 32 seconds West for a distance of 247.72 feet to an iron pin set; thence continue South 36 degrees 01 minutes 32 seconds West for a distance of 290.30 feet to an iron pin set on a curve to the right having a central angle of 2 degrees 20 minutes 09 seconds and a radius of 510.49 feet; thence turn an angle to the left of 25 degrees 41 minutes 40 seconds to the radius of said curve and run in a Southeasterly direction along the arc of said curve for a distance of 20.81 feet to an iron pin set; thence run South 77 degrees 19 minutes 59 seconds East for a distance of 109.34 feet to an iron pin set on a curve to the left having a central angle of 46 degrees 35 minutes 10 seconds and a radius of 759.74 feet; thence run in a Southeasterly to Northeasterly direction along the arc of said curve for a distance of 617.73 feet to an iron pin set; thence run North 56 degrees 04 minutes 51 seconds East for a distance of 80.45 feet to an iron pin set; thence turn an angle to the left of 54 degrees 51 minutes 09 seconds and run North 1 degree 13 minutes 42 seconds East for a distance of 175.81 feet to an iron pin set; thence turn an angle to the right of 12 degrees 49 minutes 45 seconds and run North 14 degrees 03 minutes 27 seconds East for a distance of 91.52 feet to an iron pin set; thence turn an angle to the left of 9 degrees 03 minutes 28 seconds and run North 4 degrees 59 minutes 59 seconds East for a distance of 82.62 feet to an iron pin set; thence turn an angle to the left of 3 degrees 41 minutes 17 seconds and run North 1 degree 18 minutes 42 seconds East for a distance of 58.35 feet to an iron pin set; thence turn an angle to the left of 1 degree 55 minutes 09 seconds and run North 0 degrees 36 minutes 27 seconds West for a distance of 53.11 feet to an iron pin set; thence turn an angle to the right of 11 degrees 53 minutes 10 seconds and run North 11 degrees 16 minutes 43 seconds East for a distance of 80.76 feet to an iron pin set; thence turn an angle to the right of 16 degrees 50 minutes 38 seconds and run North 28 degrees 07 minutes 21 seconds East for a distance of 44.71 feet to an iron pin set; thence turn an angle to the right of 11 degrees 52 minutes 57 seconds and run North 40 degrees 00 minutes 18 seconds East for a distance of 37.26 feet to an iron pin set; thence turn an angle to the right of 51 degrees 00 minutes 33 seconds and run South 88 degrees 59 minutes 09 seconds East for a distance of 116.39 feet to an iron pin found; thence turn an angle to the left of 0 degrees 03 minutes 34 seconds and run South 89 degrees 02 minutes 44 seconds East for a distance of 397.82 feet to an iron pin set; thence turn an angle to the left of 130 degrees 38 minutes 38 seconds and run North 39 degrees 41 minutes 21 seconds West for a distance of 221.01 feet to an iron pin found; thence turn an angle to the right of 39 degrees 41 minutes 21 seconds and run North 00 degrees 00 minutes 00 seconds West for a distance of 100.02 feet to an iron pin found; thence turn an angle to the right of 17 degrees 50 minutes 13 seconds and run North 17 degrees 50 minutes 13 seconds East for a distance of 162.84 feet to an iron pin found; thence turn an angle to the right of 64 degrees 40 minutes 30 seconds and run North 82 degrees 30 minutes 42 seconds East for a distance of 283.20 feet to an iron pin found; thence turn an angle to the left of 8 degrees 32 minutes 25 seconds and run North 73 degrees 58 minutes 17 seconds East for a distance of 215.93 feet to an iron pin found; thence turn an angle to the left of 25 degrees 04 minutes 33 seconds and run North 48 degrees 53 minutes 44 seconds East for a distance of 468.59 feet to an iron pin found; thence turn an angle to the left of 47 degrees 31 minutes 23 seconds and run North 01 degree 22 minutes 22 seconds East for a distance of 487.62 feet to the point of beginning. Said parcel containing 43.88 acres more or less.

LESS AND EXCEPT a parcel of land situated in Section 28, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

Commence at the Northwest corner of the Northwest Quarter of The Southeast Quarter of said Section 28; thence run South 89 degrees 01 minutes 47 seconds East along the North line of said Quarter-Quarter for a distance of 81.79 feet to the point of beginning; thence continue along last stated course for a distance of 116.39 feet to an iron pin found; thence run South 89 degrees 06 minutes 26 seconds East for a distance of 171.58 feet to the centerline of a creek; thence run South 33 degrees 54 minutes 07 seconds East for a distance of 196.68 feet to a point; thence run South 76 degrees 26 minutes 26 seconds West for a distance of 56.22 feet to a point on a curve to the left having a central angle of 49 degrees 30 minutes 31 seconds and a radius of 355.31 feet; thence run in a Southwesterly direction along the arc of said curve for a distance of 307.02 feet to a point; thence run South 26 degrees 55 minutes 55 seconds West for a distance of 33.16 feet to a point on a curve to the right having a central angle of 29 degrees 08 minutes 57 seconds and a radius of 546.91 feet; thence run in a Southwesterly direction along the arc of said curve for a distance of 278.24 feet to a point; thence run South 56 degrees 04 minutes 51 seconds West for a distance of 7.72 feet to a point on the West line of said Quarter-Quarter Section; thence run North 1 degree 11 minutes 04 seconds East along the West line of said Quarter-Quarter Section for a distance of 175.81 feet to a point; thence run North 14 degrees 00 minutes 49 seconds East for a distance of 91.52 feet to a point; thence run North 4 degrees 57 minutes 21 seconds East for a distance of 82.62 feet to a point; thence run North 1 degree 16 minutes 04 seconds East for a distance of 58.35 feet to a point; thence run North 0 degrees 39 minutes 05 seconds West for a distance of 53.11 feet to a point; thence run North 11 degrees 14 minutes 05 seconds East for a distance of 80.76 feet to a point; thence run North 28 degrees 04 minutes 43 seconds East for a distance of 44.71 feet to a point; thence run North 39 degrees 57 minutes 40 seconds East for a distance of 37.26 feet to the point of beginning. Said parcel containing 3.318 acres, more or less.

GREYSTONE PARCEL #4

A parcel of land situated in Section 28, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

Begin at an iron pin found at the Southeast corner of Lot 30 in Greystone 6th Sector as recorded in Map Book 17, on Page 54 A, B, C & D, in the Office of the Judge of Probate, Shelby County, Alabama, thence run North 40 degrees 03 minutes 17 seconds West along the Northeast side of said Lot 30 for a distance of 189.99 feet to an iron pin found; thence turn an angle to the right of 41 degrees 22 minutes 28 seconds and run North 1 degree 19 minutes 11 seconds East for a distance of 1379.13 feet to an iron pin found; thence turn an angle to the right of 121 degrees 25 minutes 56 seconds and run South 57 degrees 14 minutes 53 seconds East for a distance of 829.05 feet to an iron pin found; thence turn an angle to the right of 89 degrees 58 minutes 50 seconds and run South 32 degrees 43 minutes 57 seconds West for a distance of 278.88 feet to an iron pin found; thence turn an angle to the left of 76 degrees 22 minutes 34 seconds and run South 43 degrees 38 minutes 37 seconds East for a distance of 53.97 feet to an iron pin set on the Northeast corner of a lake that is part of Greystone Golf Course; thence turn an angle to the right of 94 degrees 36 minutes 11 seconds and run South 50 degrees 57 minutes 34 seconds West along the Northwest side of said Greystone Golf Course for a distance of 89.57 feet to an iron pin set; thence turn an angle to the left of 19 degrees 58 minutes 12 seconds and run South 30 degrees 59 minutes 22 seconds West along the Northwest side of said Greystone Golf Course for a distance of 205.17 feet to an iron pin set; thence turn an angle to the left of 2 degrees 45 minutes 09 seconds and run South 28 degrees 14 minutes 13 seconds West along the Northwest side of said Greystone Golf Course for a distance of 141.68 feet to an iron pin set; thence turn an angle to the left of 14 degrees 53 minutes 53 seconds and run South 13 degrees 20 minutes 20 seconds West along the Northwest side of said Greystone Golf Course for a distance of 170.88 feet to an iron pin set; thence turn an angle to the left of 11 degrees 05 minutes 53 seconds and run South 2 degrees 14 minutes 28 seconds West along the Northwest side of said Greystone Golf Course for a distance of 102.93 feet to an iron pin set; thence turn an angle to the right of 75 degrees 16 minutes 09 seconds and run South 77 degrees 30 minutes 37 seconds West along the Northwest side of said Greystone Golf Course for a distance of 67.33 feet to an iron pin set; thence turn an angle to the left of 44 degrees 45 minutes 54 seconds and run South 32 degrees 44 minutes 43 seconds West along the Northwest side of said Greystone Golf Course for a distance of 89.61 feet to an iron pin set; thence turn an angle to the right of 10 degrees 46 minutes 14 seconds and run South 43 degrees 30 minutes 56 seconds West along the Northwest side of said Greystone Golf Course for a distance of 36.85 feet to an iron pin set; thence turn an angle to the left of 62 degrees 03 minutes 39 seconds and run South 18 degrees 32 minutes 43 seconds East along the Southwest side of said Greystone Golf Course for a distance of 71.06 feet to an iron pin set on a curve to the left having a central angle of 4 degrees 21 minutes 11 seconds and a radius of 450.49 feet; thence turn an angle to the left of 13 degrees 19 minutes 54 seconds to the radius of said curve and run in a southwesterly direction along the arc of said curve for a distance of 34.23 feet to an iron pin set at the Northeast corner of Lot 31 in Greystone 6th Sector as recorded in Map Book 17, on Page 54 A, B, C & D, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 57 degrees 50 minutes 10 seconds and run North 66 degrees 13 minutes 02 seconds West for a distance of 67.96 feet to an iron pin found at the point of beginning. Said parcel containing 14.24 acres more or less.

Greystone Parcel #5

A parcel of land situated in the S 1/2 of Section 28, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows: Begin at an iron pin found at the Southwest corner of Lot 37 of Greystone 6th Sector as recorded in Map Book 17, on Page 54 A, B & C, in the Office of the Judge of Probate, Shelby County, Alabama, thence run South 77 degrees 18 minutes 51 seconds East along the South line of said Lot 37 for a distance of 278.76 feet to an iron pin found at the Southeast corner of said Lot 37, said iron pin found being on the boundary of Greystone Golf Course; thence turn an angle to the right of 60 degrees 29 minutes 06 seconds and run South 16 degrees 49 minutes 45 seconds East along said Greystone Golf Course for a distance of 130.30 feet to an iron pin found; thence turn an angle to the left of 9 degrees 26 minutes 54 seconds and run South 26 degrees 16 minutes 39 seconds East along said Greystone Golf Course for a distance of 425.86 feet to an iron pin found; thence turn an angle to the right of 71 degrees 13 minutes 35 seconds and run South 44 degrees 56 minutes 56 seconds West along said Greystone Golf Course for a distance of 123.57 feet to an iron pin found; thence turn an angle to the right of 73 degrees 50 minutes 02 seconds and run North 61 degrees 13 minutes 02 seconds West along said Greystone Golf Course for a distance of 363.01 feet to an iron pin found; thence turn an angle to the left of 23 degrees 46 minutes 40 seconds and run North 84 degrees 59 minutes 02 seconds West along said Greystone Golf Course for a distance of 143.48 feet to an iron pin found; thence turn an angle to the right of 4 degrees 43 minutes 05 seconds and run North 80 degrees 16 minutes 37 seconds West along said Greystone Golf Course for a distance of 50.18 feet to an iron pin found at the Southeast corner of Lot 38 in said Greystone 6th Sector; thence turn an angle to the right of 83 degrees 10 minutes 45 seconds and run North 2 degrees 54 minutes 08 seconds East along the East line of said Lot 38 for a distance of 243.91 feet to an iron pin found on a curve to the right having a central angle of 3 degrees 14 minutes 22 seconds and a radius of 265.33 feet; thence turn an angle to the right of 27 degrees 53 minutes 43 seconds to the radius of said curve and run in a northwesterly direction along the arc of said curve and also along the Northeast line of said Lot 38 for a distance of 15.00 feet to an iron pin found, said iron pin found being on a reverse curve to the left having a central angle of 73 degrees 06 minutes 48 seconds and a radius of 25.00 feet; thence run in a southwesterly direction along the North line of said Lot 38 and also along the arc of last stated curve for a distance of 31.90 feet to an iron pin found on the Southeast right-of-way of Greystone Way as recorded in said Greystone 6th Sector, also being on a curve to the left having a central angle of 38 degrees 14 minutes 10 seconds and a radius of 375.69 feet; thence run in a northeasterly direction along the Southeast line of said Greystone Way and also along the arc of last stated curve for a distance of 250.72 feet to the point of beginning. Said parcel containing 5.24 acres more or less.

Greystone Parcel #6

A parcel of land situated in Sections 32 and 33, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows: Begin at an iron pin found at the Southwest corner of Lot 57 in Greystone 6th Sector as recorded in Map Book 17, on Page 54, in the Office of the Judge of Probate, Shelby County, Alabama; thence run north 31 degrees 11 minutes 29 seconds west along the Southwest line of said Lot 57 for a distance of 214.92 feet to an iron pin set on the Southerly right-of-way line of Greystone Way as recorded in said Greystone 6th Sector, said iron pin being on a curve to the right having a central angle of 30 degrees 24 minutes 40 seconds and a radius of 280.00 feet and a chord bearing of south 74 degrees 00 minutes 51 seconds west; thence run in a southwesterly direction along the arc of said curve and also along said southerly right-of-way line for a distance of 148.62 feet to an iron pin set; thence run south 89 degrees 13 minutes 11 seconds west along said Southerly right-of-way line for a distance of 394.56 feet to an iron pin set on a curve to the left having a central angle of 40 degrees 52 minutes 36 seconds, a radius of 471.60 feet and a chord bearing of south 68 degrees 46 minutes 53 seconds west; thence run in a southwesterly direction along the arc of said curve and also along said Southerly right-of-way line for a distance of 336.45 feet to an iron pin set; thence run south 66 degrees 43 minutes 00 seconds east for a distance of 219.54 feet to an iron pin set; thence run north 78 degrees 46 minutes 58 seconds east for a distance of 548.28 feet to an iron pin found; thence run south 79 degrees 46 minutes 39 seconds east for a distance of 218.06 feet to the point of beginning. Said parcel containing 2.92 acres more or less.

Greystone Parcel #7

To locate the point of beginning commence at the Southwest corner of the Northeast Quarter of Section 32, Township 18 South, Range 1 West, Shelby County, Alabama; thence South 88 degrees 43 minutes 44 seconds East on the South boundary line of said Northeast Quarter a distance of 250.00 feet to a point; thence North 26 degrees 40 minutes 48 seconds East a distance of 1300.16 feet to the point of beginning, said point of beginning being on the West boundary line of Lot 2A of The Resurvey of Lot 2, Greystone Second Sector, a subdivision which was recorded in Map Book 17, Page 27, in the Office of the Judge of Probate, Shelby County, Alabama, and the north right-of-way of a private road known as Greystone Way; thence South 50 degrees 29 minutes 50 seconds West on the North right-of-way of said road a distance of 265.10 feet to a curve to the left having a central angle of 14 degrees 32 minutes 51 seconds and a radius of 840.00 feet; thence along said curve a distance of 213.28 feet to a point; thence tangent to said curve South 35 degrees 56 minutes 59 seconds West a distance of 11.79 feet to a curve to the right having a central angle of 40 degrees 29 minutes 35 seconds and a radius of 410.00 feet; thence along said curve a distance of 289.76 feet to a point on the East boundary line of Lot 1, Greystone Third

Sector, a subdivision which was recorded in Map Book 14, Page 79, in the Office of the Judge of Probate, Shelby County, Alabama; thence North 20 degrees 09 minutes 47 seconds East on the East boundary line of said Lot 1 a distance of 569.30 feet to a point; thence North 16 degrees 15 minutes 22 seconds East on the East boundary line of said Lot 1 a distance of 384.30 feet to a point; thence South 73 degrees 44 minutes 39 seconds East on the East boundary line of said Lot 1 a distance of 150.02 feet to a point; thence North 16 degrees 15 minutes 33 seconds East on the East boundary line of said Lot 1 a distance of 285.20 feet to a point; thence South 59 degrees 11 minutes 45 seconds East a distance of 348.34 feet to a point on the West boundary line of Lot 2A of the resurvey of Lot 2, Greystone Second Sector; thence South 26 degrees 40 minutes 17 seconds West on the West boundary line of said Lot 2A a distance of 521.17 feet to the point of beginning.

All lying and being in the NE 1/4 of Section 32, Township 18 South, Range 1 West, Shelby County, Alabama, and containing 7.92 acres, more or less. Being the same property shown on the boundary survey dated May 31, 1993, prepared by Charley Foster & Associates, Inc. and described as follows:

To locate the point of beginning commence at the SW corner of the NE 1/4 of Section 32, Township 18 South, Range 1 West, Shelby County, Alabama; thence S 88 degrees 43 minutes 44 seconds E on the south boundary of said NE 1/4 a distance of 250.00 feet to a point; thence N 26 degrees 40 minutes 48 seconds E a distance of 1300.16 feet to the point of beginning, said point of beginning being on the west boundary of Lot 2A of the resurvey of Lot 2, Greystone Second Sector, a subdivision which was recorded in Map Book 17, Page 27, in the Office of the Judge of Probate, Shelby County, Alabama, and the north right-of-way of a public road; thence S 55 degrees 30 minutes 21 seconds W on the north right-of-way of said road a distance of 265.10 feet to a curve to the left having a central angle of 14 degrees 32 minutes 51 seconds and a radius of 840.00 feet; thence along said curve a distance of 213.28 feet to a point; thence tangent to said curve S 35 degrees 57 minutes 29 seconds W a distance of 11.79 feet to a curve to the right having a central angle of 40 degrees 29 minutes 35 seconds and a radius of 410.00 feet; thence along said curve a distance of 289.76 feet to a point on the east boundary of Lot 1, Greystone Third Sector, a subdivision which was recorded in Map Book 14, Page 79, in the Office of the Judge of Probate, Shelby County, Alabama; thence N 20 degrees 10 minutes 42 seconds East on the east boundary of said Lot 1 a distance of 569.13 feet to a point; thence N 16 degrees 17 minutes 42 seconds E on the east boundary of said Lot 1 a distance of 384.29 feet to a point; thence S 73 degrees 42 minutes 18 seconds E on the east boundary of said Lot 1 a distance of 150.00 feet to a point; thence N 16 degrees 17 minutes 42 seconds E on the east boundary of said Lot 1 a distance of 285.30 feet to a point; thence S 59 degrees 11 minutes 45 seconds E a distance of 347.93 feet to a point on the west boundary of Lot 2A of the resurvey of Lot 2, Greystone Second Sector; thence S 26 degrees 40 minutes 48 seconds W on the west boundary of said Lot 2A a distance of 521.17 feet to the point of beginning.

Greystone Parcel #8

A parcel of land situated in Section 32, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

Commence at the Southwest corner of Lot 13 of Greystone 1st Sector Phase I as recorded in Map Book 14, on Page 91, in the Office of the Judge of Probate, Shelby County, Alabama, said Southwest corner being on the Northwest right-of-way of Greystone Drive as recorded in said Greystone 1st Sector and also being on a curve to the left having a central angle of 12 degrees 33 minutes 20 seconds and a radius of 1,678.31 feet; thence run in a southwesterly direction along the arc of said curve and also along said Northwest right-of-way for a distance of 367.78 feet to a point; thence turn an angle from the chord of last stated curve to the left of 3 degrees 13 minutes 26 seconds and run south 40 degrees 24 minutes 50 seconds West along said Northwest right-of-way for a distance of 375.41 feet to an iron pin set at the point of beginning; thence leaving said Northwest right-of-way run south 42 degrees 52 minutes 52 seconds West along the Southeast line of Greystone Golf Course for a distance of 553.80 feet to an iron pin found; thence turn an angle to the right of 28 degrees 40 minutes 08 seconds and run South 71 degrees 33 minutes 00 seconds West along the Southeast line of Greystone Golf Course for a distance of 161.43 feet to an iron pin found; thence turn an angle to the right of 34 degrees 35 minutes 47 seconds and run south 73 degrees 51 minutes 13 seconds West along the Southeast line of Greystone Golf Course for a distance of 168.12 feet to an iron pin found, said iron pin being on the bank of a lake; thence turn an angle to the left 33 degrees 08 minutes 30 seconds and run South 73 degrees 00 minutes 17 seconds West for a distance of 27.44 feet to an iron pin set; thence turn an angle to the left of 36 degrees 31 minutes 46 seconds and run South 36 degrees 28 minutes 31 West for a distance of 14.29 feet to an iron pin set; thence turn an angle to the left of 24 degrees 46 minutes 23 seconds and run South 11 degrees 42 minutes 08 seconds West for a distance of 55.77 feet to an iron pin set; thence turn an angle to the right of 33 degrees 24 minutes 37 seconds and run South 45 degrees 06 minutes 45 seconds West for a distance of 40.17 feet to an iron pin set; thence turn an angle to the right of 10 degrees 35 minutes 28 seconds and run South 55 degrees 42 minutes 13 seconds West for a distance of 52.06 feet to an iron pin set; thence turn an angle to the left of 18 degrees 10 minutes 41 seconds and run South 37 degrees 31 minutes 32 seconds West for a distance of 70.57 feet to an iron pin set; thence turn an angle to the left of 32 degrees 32 minutes 40 seconds and run South 4 degrees 58 minutes 52 seconds West for a distance of 85.50 feet to an iron pin set on the Northwest right-of-way of Hugh Daniel Drive; thence turn an angle to the left of 90 degrees 00 minutes 00 seconds and run South 85 degrees 01 minutes 08 seconds East for a distance of 161.67 feet to an iron pin set on a curve to the left having a central angle of 46 degrees 51 minutes 49 seconds and a radius of 310.00 feet; thence run in a northeasterly direction

along the arc of said curve and also along said Hugh Daniel Drive for a distance of 253.56 feet to an iron pin set; thence run North 48 degrees 07 minutes 02 seconds East along said Hugh Daniel Drive for a distance of 229.62 feet to an iron pin set on a curve to the right having a central angle of 18 degrees 56 minutes 11 seconds and a radius of 650.00 feet; thence run in a northeasterly direction along the arc of said curve and also along said Hugh Daniel Drive for a distance of 214.83 feet to a point on a reverse curve to the left having a central angle of 36 degrees 58 minutes 29 seconds and a radius of 75.00 feet and also a radial bearing in of North 54 degrees 28 minutes 58 seconds West; thence run in a northeasterly direction along the arc of said curve and also along the Northwest right-of-way of Greystone Drive as recorded in said Greystone 1st Sector for a distance of 48.40 feet to an iron pin set on a reverse curve to the right having a central angle of 38 degrees 49 minutes 00 seconds and a radius of 483.48 feet; thence run in a northeasterly direction along the arc of said curve and also along said Greystone Drive for a distance of 327.55 feet to the point of beginning. Said parcel containing 3.447 acres more or less.

Greystone Parcel #9

To locate the point of beginning, commence at the southwest corner of Section 33, Township 18 South, Range 1 West, Shelby County, Alabama; thence South 88 degrees 48 minutes 29 seconds East on the south boundary of said Section 33 a distance of 745.00 feet to the point of beginning; thence North 21 degrees 40 minutes 24 seconds East a distance of 619.35 feet to a point; thence South 82 degrees 36 minutes 49 seconds West a distance of 126.88 feet to a curve to the right having a central angle of 20 degrees 00 minutes 32 seconds and a radius of 1890.00 feet; thence run along said curve a distance of 660.02 feet; thence tangent to said curve North 77 degrees 20 minutes 17 seconds West a distance of 250.27 feet to a curve to the left having a central angle of 3 degrees 49 minutes 59 seconds and a radius of 369.83 feet; thence run along said curve a distance of 24.74 feet; thence North 2 degrees 01 minutes 22 seconds East a distance of 60.13 feet; thence North 88 degrees 50 minutes 56 seconds West a distance of 166.57 feet; thence South 4 degrees 52 minutes 01 seconds East a distance of 73.87 feet to a point on a curve to the left having a central angle of 9 degrees 44 minutes 39 seconds and a radius of 369.83 feet; thence run along said curve a distance of 62.90 feet to a point; thence North 88 degrees 58 minutes 04 seconds West a distance of 154.82 feet to a point; thence North 18 degrees 27 minutes 45 seconds West a distance of 75.05 feet to a point; thence North 39 degrees 43 minutes 07 seconds West a distance of 38.96 feet to a point on a south right-of-way of Hugh Daniel Drive, said point being on a curve to the right having a central angle of 52 degrees 12 minutes 19 seconds and a radius of 570.00 feet; thence run along said curve a distance of 519.36 feet; thence tangent to said curve South 77 degrees 30 minutes 48 seconds East a distance of 251.65 feet to a curve to the left having a central angle of 20 degrees 00 minutes 20 seconds and a radius of 1690.00 feet; thence run along said curve a distance of 590.09 feet; thence tangent to said curve North 82 degrees 28 minutes 52 seconds East a distance of 169.49 feet to a curve to the left having a central angle of 33 degrees 22 minutes 56 seconds and a radius of 1000.40 feet; thence run along said curve a distance of 582.86 feet to a point; thence tangent to said curve North 49 degrees 05 minutes 56 seconds East a distance of 49.58 feet to a curve to the right having a central angle of 8 degrees 28 minutes 00 seconds and a radius of 460.00 feet; thence run along said curve a distance of 67.97 feet; thence tangent to said curve North 57 degrees 33 minutes 56 seconds East a distance of 190.65 feet to a curve to the left having a central angle of 7 degrees 47 minutes 45 seconds and a radius of 1632.50 feet; thence run along said curve a distance of 222.12 feet to a point; thence tangent to said curve North 49 degrees 52 minutes 02 seconds East a distance of 138.87 feet to a curve to the right having a central angle of 29 degrees 57 minutes 09 seconds and a radius of 250.49 feet; thence run along said curve a distance of 130.95 feet to a curve to the left having a central angle of 22 degrees 21 minutes 34 seconds and a radius of 520.91 feet; thence run along said curve a distance of 203.28 feet to a point; thence South 31 degrees 37 minutes 12 seconds West and leaving said Hugh Daniel Drive a distance of 1825.76 feet to a point on the south boundary of said Section 33; thence North 88 degrees 48 minutes 29 seconds West a distance of 655.96 feet to the point of beginning.

All lying and being the SW1/4 of Section 33 and the SE1/4 of Section 32, Township 18 South, Range 1 West, Shelby County, Alabama, and containing 27.19 acres.

Being the same property shown on the boundary survey dated June 8, 1994, prepared by Charley Foster & Associates, Inc. and described as follows:

To locate the point of beginning, commence at the southwest corner of Section 33, Township 18 South, Range 1 West, Shelby County, Alabama; thence South 88 degrees 48 minutes 29 seconds East on the south boundary of said Section 33 a distance of 745.00 feet to the point of beginning; thence North 21 degrees 39 minutes 44 seconds East a distance of 619.23 feet to a point; thence South 82 degrees 35 minutes 44 seconds West a distance of 126.84 feet to a curve to the right having a central angle of 20 degrees 00 minutes 20 seconds and a radius of 1890.00 feet; thence run along said curve a distance of 659.92 feet; thence tangent to said curve North 77 degrees 23 minutes 57 seconds West a distance of 250.36 feet to a curve to the left having a central angle of 3 degrees 49 minutes 33 seconds and a radius of 370.00 feet; thence run along said curve a distance of 24.71 feet; thence North 1 degrees 11 minutes 29 seconds East a distance of 60.00 feet; thence North 88 degrees 48 minutes 31 seconds West a distance of 166.64 feet; thence South 4 degrees 52 minutes 01 seconds East a distance of 73.91 feet to a point on a curve to the left having a central angle of 9 degrees 44 minutes 39 seconds and a radius of 370.00 feet; thence run along said curve a distance of 62.93 feet to a point; thence North 88 degrees 48 minutes 29 seconds West a distance of 154.69 feet to a point; thence North 17 degrees 45 minutes 42

degrees 48 minutes 29 seconds West a distance of 154.69 feet to a point; thence North 17 degrees 45 minutes 42 seconds West a distance of 74.92 feet to a point; thence North 39 degrees 44 minutes 09 seconds West a distance of 40.00 feet to a point on a south right-of-way of Hugh Daniel Drive, said point being on a curve to the right having a central angle of 52 degrees 20 minutes 28 seconds and a radius of 570.00 feet; thence run along said curve a distance of 520.71 feet; thence tangent to said curve South 77 degrees 23 minutes 57 seconds East a distance of 250.36 feet to a curve to the left having a central angle of 20 degrees 00 minutes 20 seconds and a radius of 1690.00 feet; thence run along said curve a distance of 590.09 feet; thence tangent to said curve North 82 degrees 35 minutes 43 seconds East a distance of 169.47 feet to a curve to the left having a central angle of 33 degrees 24 minutes 16 seconds and a radius of 1000.00 feet; thence run along said curve a distance of 583.02 feet to a point; thence tangent to said curve North 49 degrees 11 minutes 26 seconds East a distance of 49.12 feet to a curve to the right having a central angle of 8 degrees 25 minutes 01 seconds and a radius of 460.00 feet; thence run along said curve a distance of 67.58 feet; thence tangent to said curve North 57 degrees 36 minutes 27 seconds East a distance of 192.38 feet to a curve to the left having a central angle of 7 degrees 45 minutes 24 seconds and a radius of 1640.00 feet; thence run along said curve a distance of 222.02 feet to a point; thence tangent to said curve North 49 degrees 51 minutes 03 seconds East a distance of 138.92 feet to a curve to the right having a central angle of 29 degrees 51 minutes 15 seconds and a radius of 251.62 feet; thence run along said curve a distance of 131.10 feet to a curve to the left having a central angle of 22 degrees 12 minutes 53 seconds and a radius of 523.89 feet; thence run along said curve a distance of 203.13 feet to a point; thence South 31 degrees 40 minutes 13 seconds West and leaving said Hugh Daniel Drive a distance of 1824.61 feet to a point on the south boundary of said Section 33; thence North 88 degrees 48 minutes 29 seconds West a distance of 656.00 feet to the point of beginning.

All lying and being the SW1/4 of Section 33 and the SE1/4 of Section 32, Township 18 South, Range 1 West, Shelby County, Alabama, and containing 27.19 acres.

Greystone Parcel #10

A parcel of land situated in Sections 27, 28, 33 and 34, Township 18 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

Commence at a 3" capped iron locally accepted to be the Northwest corner of said Section 27, thence run North 90 degrees 00 minutes 00 seconds East along the North line of said Section 27 and also along the North line of Greystone 7th Sector Phase II as recorded in Map Book 19, on Page 121 in the Office of the Judge of Probate, Shelby County, Alabama, and also along the North line of Greystone 7th Sector Phase III as recorded in Map Book 20, on Page 50, in the Office of the Judge of Probate, Shelby County, Alabama, for a distance of 1700.00 feet to an iron pin found at the Northeast corner of Lot 5 in said Greystone 7th Sector Phase III, said iron pin found being the point of beginning of the parcel herein described; thence continue North 90 degrees 00 minutes 00 seconds East along the North line of said Section 27 for a distance of 3069.75 feet to a point on the Northwest side of Lot 12 in The Crest at Greystone 1st Addition as recorded in Map Book 19, on Page 52, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 128 degrees 28 minutes 33 seconds and run South 38 degrees 28 minutes 33 seconds West along the Northwest side of Lots 12 through 1 in said The Crest at Greystone 1st Addition for a distance of 3057.42 feet to an iron pin found at the Northeast corner of Lot 18 in the Amended Map of The Crest at Greystone as record in Map Book 18, on Page 17 A, B, C & D in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 10 degrees 54 minutes 30 seconds and run South 49 degrees 23 minutes 03 seconds West along the Northwest side of Lots 18 and 17 in said The Crest at Greystone for a distance of 514.23 feet to an iron pin found; thence turn an angle to the left of 11 degrees 21 minutes 01 seconds and run South 38 degrees 02 minutes 02 seconds West along the Northwest side of Lots 17, 16, 15 and 14 in said The Crest at Greystone for a distance of 900.03 feet to an iron pin found at the Northeast corner of Lot 13 in said The Crest at Greystone; thence turn an angle to the right of 6 degrees 11 minutes 31 seconds and run South 44 degrees 13 minutes 33 seconds West along the Northwest side of Lots 13, 12, 11 and 10 in said The Crest at Greystone for a distance of 965.84 feet to an iron pin found at the Northwest corner of Lot 10 in said The Crest at Greystone; thence turn an angle to the left of 94 degrees 44 minutes 43 seconds and run South 50 degrees 31 minutes 10 seconds East along the Southwest side of said Lot 10 for a distance of 135.00 feet to an iron pin set; thence turn an angle to the right of 90 degrees 00 minutes 00 seconds and run South 39 degrees 28 minutes 50 seconds West for a distance of 150.00 feet to an iron pin set; thence turn an angle to the left 90 degrees 00 minutes 00 seconds and run South 50 degrees 31 minutes 10 seconds East for a distance of 164.07 feet to an iron pin set on the Northwest right-of-way of Greystone Crest, a private road, said iron pin set being on a curve to the left having a central angle of 2 degrees 38 minutes 12 seconds and a radius of 825.89 feet; thence turn an angle to the left of 4 degrees 30 minutes 20 seconds to the radius of said curve and run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 38.01 feet to an iron pin set; thence run South 32 degrees 20 minutes 18 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 108.63 feet to an iron pin set on a curve to the left having a central angle of 6 degrees 59 minutes 51 seconds and a radius of 862.43 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 105.33 feet to an iron pin set on a reverse curve to the right having a central angle of 3 degrees 47 minutes 51 seconds and a radius of 1661.46 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 110.12 feet to an iron pin set;

Greystone Crest for a distance of 332.83 feet to an iron pin set on a curve to the left having a central angle of 4 degrees 07 minutes 52 seconds and a radius of 1411.33 feet; thence turn in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 101.76 feet to an iron pin set; thence run South 25 degrees 00 minutes 26 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 68.43 feet to an iron pin found at the Southeast corner of Lot 9 in said The Crest at Greystone; thence turn an angle to the right of 100 degrees 08 minutes 26 seconds and run North 54 degrees 51 minutes 08 seconds West along the Northeast side of said Lot 9 for a distance of 299.63 feet to a cross found at the Northeast corner of said Lot 9; thence turn an angle to the left of 95 degrees 21 minutes 57 seconds and run South 29 degrees 46 minutes 55 seconds West along the Northwest side of Lots 9, 8, 7 and 6 in said The Crest at Greystone for a distance of 979.28 feet to an iron pin found at the Northeast corner of Lot 5 in said The Crest at Greystone; thence turn an angle to the right of 5 degrees 22 minutes 11 seconds and run South 35 degrees 09 minutes 06 seconds West along the Northwest side of Lots 5, 4, 3, 2 and 1 in said The Crest at Greystone for a distance of 1125.24 feet to an iron pin found at the Northwest corner of said Lot 1; thence turn an angle to the left of 90 degrees 00 minutes 00 seconds and run South 54 degrees 50 minutes 54 seconds East for a distance of 125.00 feet to an iron pin set; thence turn an angle to the right of 90 degrees 00 minutes 00 seconds and run South 35 degrees 09 minutes 06 seconds West for a distance of 150.00 feet to an iron pin set; thence turn an angle to the left of 90 degrees 00 minutes 00 seconds and run South 54 degrees 50 minutes 54 seconds East for a distance of 152.15 feet to an iron pin set on the Northwest right-of-way of said Greystone Crest, said iron pin set being on a curve to the left having a central angle of 2 degrees 10 minutes 01 seconds and a radius of 1506.70 feet; thence turn an angle to the right of 12 degrees 18 minutes 38 seconds to the radius of said curve and run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 56.98 feet to an iron pin set on a compound curve to the left having a central angle of 20 degrees 59 minutes 32 seconds and a radius of 321.87 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 117.93 feet to an iron pin set; thence run South 24 degrees 18 minutes 11 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 65.28 feet to an iron pin set on a curve to the right having a central angle of 10 degrees 08 minutes 53 seconds and a radius of 538.12 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 95.31 feet to an iron pin set; thence run South 34 degrees 27 minutes 04 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 38.54 feet to an iron pin set on a curve to the left having a central angle of 28 degrees 09 minutes 22 seconds and a radius of 284.20 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 139.66 feet to an iron pin set; thence run South 6 degrees 17 minutes 42 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 36.32 feet to an iron pin set on a curve to the right having a central angle of 30 degrees 00 minutes 00 seconds and a radius of 254.90 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 133.47 feet to an iron pin set; thence run South 36 degrees 17 minutes 42 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 30.00 feet to an iron pin set on a curve to the left having a central angle of 6 degrees 00 minutes 00 seconds and a radius of 1456.09 feet; thence run in a southwesterly direction along the arc of said curve and also along the Northwest right-of-way of said Greystone Crest for a distance of 152.48 feet to an iron pin set; thence run South 30 degrees 17 minutes 42 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 159.70 feet to an iron pin set; thence run South 65 degrees 08 minutes 51 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 35.00 feet to an iron pin set; thence run South 4 degrees 33 minutes 27 seconds East along the Northwest right-of-way of said Greystone Crest for a distance of 35.00 feet to an iron pin set; thence run South 30 degrees 17 minutes 42 seconds West along the Northwest right-of-way of said Greystone Crest for a distance of 39.80 feet to an iron pin set on a curve to the right having a central angle of 166 degrees 22 minutes 28 seconds and a radius of 5.00 feet; thence run in a southwesterly to northwesterly direction along the arc of said curve for a distance of 14.52 feet to an iron pin on the right-of-way of Hugh Daniel Drive; thence run North 16 degrees 40 minutes 10 seconds East along the right-of-way of said Hugh Daniel Drive for a distance of 75.89 feet to an iron pin set on a curve to the right having a central angle of 10 degrees 20 minutes 33 seconds and a radius of 950.00 feet; thence run in a northeasterly direction along the arc of said curve and also along the right-of-way of said Hugh Daniel Drive for a distance of 171.49 feet to an iron pin set; thence run North 27 degrees 00 minutes 43 seconds East along the right-of-way of said Hugh Daniel Drive for a distance of 193.23 feet to an iron pin set on a curve to the left having a central angle of 160 degrees 19 minutes 19 seconds and a radius of 156.66 feet; thence run in a northeasterly to northwesterly direction along the arc of said curve and also along the right-of-way of said Hugh Daniel Drive for a distance of 438.36 feet to an iron pin set; thence run South 46 degrees 41 minutes 24 seconds West along the right-of-way of said Hugh Daniel Drive for a distance of 208.93 feet to an iron pin set; thence turn an angle to the left of 90 degrees 00 minutes 00 seconds and run South 43 degrees 18 minutes 36 seconds East along the right-of-way of said Hugh Daniel Drive for a distance of 10.00 feet to an iron pin set on a curve to the right having a central angle of 3 degrees 20 minutes 48 seconds and a radius of 2013.94 feet; thence turn an angle to the right of 180 degrees 00 minutes 00 seconds to the radius of said curve and run in a southwesterly direction along the arc of said curve and also along the right-of-way of said Hugh Daniel Drive for a distance of 117.63 feet to an iron pin set; thence run South 50 degrees 02 minutes 12 seconds West along the right-of-way of said Hugh Daniel Drive for a distance of 122.76 feet to an iron pin set on a curve to the right having a central angle of 13 degrees 58 minutes 11 seconds and a radius of 939.47 feet; thence run in a southwesterly direction along the arc of said curve and also along the right-of-way of said Hugh Daniel Drive for a distance of 229.06 feet to an iron pin set; thence run South 64 degrees 00 minutes 23 seconds

West for a distance of 74.87 feet to an iron pin set on a curve to the left having a central angle of 16 degrees 25 minutes 05 seconds and a radius of 440.00 feet; thence run in a southwesterly direction along the arc of said curve and also along the right-of-way of said Hugh Daniel Drive for a distance of 126.08 feet to an iron pin set; thence run South 47 degrees 35 minutes 18 seconds West for a distance of 103.68 feet to an iron pin set on a curve to the right having a central angle of 18 degrees 28 minutes 14 seconds and a radius of 880.00 feet; thence run in a southwesterly direction along the arc of said curve and also along the right-of-way of said Hugh Daniel Drive for a distance of 283.69 feet to an iron pin set; thence run South 66 degrees 03 minutes 32 seconds West along the right-of-way of said Hugh Daniel Drive for a distance of 275.08 feet to an iron pin set on a curve to the left having a central angle of 1 degree 34 minutes 56 seconds and a radius of 2619.92 feet; thence run in a southwesterly direction along the right-of-way of said Hugh Daniel Drive for a distance of 72.34 feet to an iron pin found at the Southeast corner of Lot 4 in St. Charles at Greystone Phase II as recorded in Map Book 16, on Page 22, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 62 degrees 14 minutes 25 seconds from the chord of last stated curve and run North 52 degrees 29 minutes 31 seconds West along the Northeast side of said Lot 4 for a distance of 338.37 feet to an iron pin found; thence turn an angle to the right of 65 degrees 00 minutes 00 seconds and run North 12 degrees 30 minutes 29 seconds East along the Southeast side of said Lot 4 for a distance of 219.80 feet to an iron pin found on a curve to the left having a central angle of 34 degrees 44 minutes 25 seconds and a radius of 430.00 feet, said iron pin found being on the South right-of-way of St. Charles Drive as recorded in said St. Charles at Greystone Phase II; thence turn an angle to the right of 90 degrees 00 minutes 00 seconds to the radius of said curve and run in a southeasterly to northeasterly direction along the arc of said curve and also along the right-of-way of said St. Charles Drive for a distance of 260.72 feet to an iron pin set; thence run North 67 degrees 46 minutes 05 seconds East and along the right-of-way of said St. Charles Drive for a distance of 48.33 feet to an iron pin set; thence turn an angle to the left of 90 degrees 00 minutes 00 seconds and run North 22 degrees 13 minutes 55 seconds West along the right of way of said St. Charles Drive for a distance of 60.00 feet to an iron pin set, said iron pin set being on the South side of Lot 5 in said St. Charles at Greystone Phase II; thence turn an angle to the right of 90 degrees 00 minutes 00 seconds and run North 67 degrees 46 minutes 05 seconds East along the South side of said Lot 5 for a distance of 198.92 feet to an iron pin set on a curve to the left having a central angle of 48 degrees 49 minutes 21 seconds and a radius of 220.00 feet; thence run in a northeasterly direction along the arc of said curve and also along the South side of said Lot 5 for a distance of 187.46 feet to a iron pin set; thence turn an angle to the left of 114 degrees 24 minutes 41 seconds from the chord of last stated curve and run North 71 degrees 03 minutes 16 seconds West along the Northeast side of said Lot 5 for a distance of 33.12 feet to an iron pin set; thence turn an angle to the right of 00 degrees 12 minutes 33 seconds and run North 70 degrees 50 minutes 44 seconds West along the Northeast side of said Lot 5 for a distance of 73.98 feet to an iron pin set; thence turn an angle to the left of 67 degrees 16 minutes 29 seconds and run South 41 degrees 52 minutes 47 seconds West along the Northeast side of said Lot 5 for a distance of 63.29 feet to an iron pin found; thence turn an angle to the right of 132 degrees 32 minutes 40 seconds and run North 5 degrees 34 minutes 33 seconds West along the Northeast side of said Lot 5 for a distance of 53.16 feet to an iron pin found; thence turn an angle to the left of 20 degrees 57 minutes 47 seconds and run North 26 degrees 32 minutes 20 seconds West along the Northeast side of said Lot 5 for a distance of 96.14 feet to an iron pin found; thence turn an angle to the left of 32 degrees 49 minutes 54 seconds and run North 59 degrees 22 minutes 14 seconds West along the Northeast side of said Lot 5 for a distance of 114.38 feet to an iron pin found; thence turn an angle to the left of 25 degrees 40 minutes 39 seconds and run North 85 degrees 02 minutes 53 seconds West along the Northeast side of said Lot 5 for a distance of 90.98 feet to an iron pin found at the Southeast corner of Lot 6 in said St. Charles at Greystone Phase II; thence turn an angle to the right of 50 degrees 40 minutes 35 seconds and run North 34 degrees 22 minutes 18 seconds West along the Northeast side of said Lot 6 for a distance of 68.83 feet to an iron pin found; thence turn an angle to the left of 26 degrees 19 minutes 41 seconds and run North 60 degrees 41 minutes 59 seconds West along the Northeast side of said Lot 6 for a distance of 94.25 feet to an iron pin found; thence turn an angle to the right of 10 degrees 48 minutes 59 seconds and run North 49 degrees 53 minutes 00 seconds West along the Northeast side of said Lot 6 for a distance of 126.55 feet to an iron pin found; thence turn an angle to the left of 31 degrees 15 minutes 12 seconds and run North 81 degrees 08 minutes 12 seconds West along the North side of said Lot 6 for a distance of 113.11 feet to an iron pin found; thence turn an angle to the left of 57 degrees 25 minutes 10 seconds and run South 41 degrees 26 minutes 39 seconds West along the Southwest side of said Lot 6 for a distance of 48.90 feet to an iron pin found; thence turn an angle to the left of 28 degrees 42 minutes 19 seconds and run South 12 degrees 44 minutes 20 seconds West along the Southwest side of said Lot 6 for a distance of 74.05 feet to an iron pin found; thence turn an angle to the left of 28 degrees 54 minutes 37 seconds and run South 16 degrees 10 minutes 17 seconds East along the Southwest side of said Lot 6 for a distance of 103.13 feet to an iron pin found; thence turn an angle to the left of 24 degrees 33 minutes 03 seconds and run South 40 degrees 43 minutes 20 seconds East along the Southeast side of said Lot 6 for a distance of 60.36 feet to an iron pin found; thence turn an angle to the right of 45 degrees 32 minutes 50 seconds and run South 4 degrees 49 minutes 29 seconds West along the Southwest side of said Lot 6 for a distance of 43.17 feet to an iron pin found; thence turn an angle to the left of 12 degrees 50 minutes 50 seconds and run South 8 degrees 01 minutes 21 seconds East along the Southwest side of said Lot 6 for a distance of 68.79 feet to an iron pin found; thence turn an angle to the left of 9 degrees 19 minutes 54 seconds and run South 17 degrees 21 minutes 15 seconds East along the Southwest side of said Lot 6 for a distance of 92.93 feet to an iron pin found; thence turn an angle to the left of 15 degrees 34 minutes 25 seconds and run South 32 degrees 55 minutes 40 seconds East along the Southwest side of said Lot 6 for a distance of 83.76 feet to a an iron pin set; thence turn an angle to the right of 149 degrees 39 minutes 26 seconds and run North 63 degrees 16 minutes 14 seconds West along the North side of said Lot 6 for a distance of 82.05 feet to an iron pin set; thence turn an angle to the right of 13 degrees 45 minutes 48

seconds and run North 49 degrees 30 minutes 26 seconds West along the North side of said Lot 6 for a distance of 87.51 feet to an iron pin set; thence turn an angle to the right of 45 degrees 29 minutes 23 seconds and run North 4 degrees 01 minutes 03 seconds West along the North line of said Lot 6 for a distance of 37.25 feet to an iron pin set; thence turn an angle to the left of 8 degrees 17 minutes 28 seconds and run North 12 degrees 18 minutes 31 seconds West along the North side of said Lot 6 for a distance of 65.06 feet to an iron pin found at the Southwest corner of Lot 7 in said St. Charles at Greystone Phase II; thence turn an angle to the left of 13 degrees 05 minutes 56 seconds and run North 25 degrees 24 minutes 27 seconds West along the Northeast side of said Lot 7 for a distance of 78.18 feet to an iron pin found; thence turn an angle to the right of 0 degrees 42 minutes 33 seconds and run North 24 degrees 41 minutes 54 seconds West along the Northeast side of said Lot 7 for a distance of 99.78 feet to an iron pin found; thence turn an angle to the right of 6 degrees 55 minutes 57 seconds and run North 17 degrees 45 minutes 57 seconds West along the Northeast side of said Lot 7 for a distance of 93.94 feet to an iron pin found; thence turn an angle to the right of 23 degrees 33 minutes 40 seconds and run North 5 degrees 47 minutes 43 seconds East along the Northeast side of said Lot 7 for a distance of 47.34 feet to an iron pin found at the Southwest corner of Lot 8 in said St. Charles at Greystone Phase II; thence continue North 5 degrees 47 minutes 43 seconds East along the Northeast side of said Lot 8 for a distance of 43.74 feet to an iron pin found; thence turn an angle to the left of 1 degree 34 minutes 18 seconds and run North 4 degrees 13 minutes 25 seconds East along the Northeast side of said Lot 8 for a distance of 72.55 feet to an iron pin found; thence turn an angle to the left of 34 degrees 54 minutes 18 seconds and run North 30 degrees 40 minutes 53 seconds West along the Northeast side of said Lot 8 for a distance of 114.47 feet to an iron pin found; thence turn an angle to the right of 21 degrees 42 minutes 58 seconds and run North 8 degrees 57 minutes 55 seconds West along the Northeast side of said Lot 8 for a distance of 94.21 feet to an iron pin found; thence turn an angle to the left of 6 degrees 20 minutes 32 seconds and run North 15 degrees 18 minutes 27 seconds West along the Northeast side of said Lot 8 for a distance of 120.78 feet to an iron pin found; thence turn an angle to the right of 109 degrees 31 minutes 33 seconds and run South 85 degrees 46 minutes 54 seconds East for a distance of 279.64 feet to an iron pin found at the Southwest corner of Lot 51 in Greystone 4th Sector as recorded in Map Book 18, on Page 89 A, B, C & D, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the left of 73 degrees 33 minutes 32 seconds and run North 20 degrees 39 minutes 34 seconds East along the Southeast side of Lots 51, 50 and 49 in said Greystone 4th Sector for a distance of 690.14 feet to an iron pin found; thence turn an angle to the right of 3 degrees 26 minutes 40 seconds and run North 24 degrees 06 minutes 14 seconds East for a distance of 60.00 feet to an iron pin found at the Southwest corner of Lot 48 in said Greystone 4th Sector; thence turn an angle to the right of 13 degrees 43 minutes 24 seconds and run North 37 degrees 49 minutes 38 seconds East along the Southeast side of said Lot 48 for a distance of 130.14 feet to an iron pin found; thence turn an angle to the right of 4 degrees 50 minutes 40 seconds and run North 42 degrees 40 minutes 18 seconds East along the Southeast side of Lots 47, 46, 45 and 44 in said Greystone 4th Sector for a distance of 575.50 feet to an iron pin found at the Southwest corner of Lot 43 in said Greystone 4th Sector; thence turn an angle to the right of 5 degrees 24 minutes 18 seconds and run North 48 degrees 04 minutes 36 seconds East along the Southeast side of said Lot 43 for a distance of 269.91 feet to an iron pin found at the Southwest corner of Lot 42 in said Greystone 4th Sector; thence turn an angle to the left of 21 degrees 35 minutes 50 seconds and run North 26 degrees 28 minutes 45 seconds East along the Southeast side of said Lot 42 for a distance of 212.92 feet to an iron pin found at the southeast corner of Lot 41 in said Greystone 4th Sector; thence turn an angle to the left of 41 degrees 08 minutes 04 seconds and run North 14 degrees 39 minutes 19 seconds West along the Northeast side of said Lot 41 for a distance of 77.50 feet to an iron pin found at the Southwest corner of Lot 40 in said Greystone 4th Sector; thence turn an angle to the right of 89 degrees 03 minutes 04 seconds and run North 74 degrees 23 minutes 45 seconds East along the Southeast side of Lots 40, 39, 38 and 37 in said Greystone 4th Sector for a distance of 619.78 feet to an iron pin found at the Southwest corner of Lot 36 in said Greystone 4th Sector; thence turn an angle to the left of 31 degrees 35 minutes 16 seconds and run North 42 degrees 48 minutes 29 seconds East along the Southeast side of Lots 36, 35, 34 and 33 in said Greystone 4th Sector for a distance of 884.61 feet to an iron pin found at the Southwest corner of Lot 32 in said Greystone 4th Sector; thence turn an angle to the left of 5 degrees 09 minutes 48 seconds and run North 37 degrees 38 minutes 42 seconds East along the Southeast side of said Lot 32 for a distance of 135.20 feet to an iron pin found at the Southeast corner of Lot 31 in said Greystone 4th Sector; thence turn an angle to the left of 31 degrees 03 minutes 46 seconds and run North 6 degrees 34 minutes 56 seconds East along the East side of said Lot 31 for a distance of 153.81 feet to an iron pin found at the Southwest corner of Lot 19 A in A Resurvey of Lot 19 of Greystone 7th Sector as recorded in Map Book 19, on Page 77, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 113 degrees 45 minutes 48 seconds and run South 59 degrees 39 minutes 16 seconds East along the Southwest side of said Lot 19 A for a distance of 359.97 feet to an iron pin found at the Southwest corner of Lot 18 A in A Resurvey of Lots 17 and 18 of Greystone 7th Sector as recorded in Map Book 20, on Page 34, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the left of 62 degrees 41 minutes 58 seconds and run North 57 degrees 38 minutes 46 seconds East along the Southeast side of said Lot 18 A for a distance of 278.22 feet to an iron pin found at the Southwest corner of Lot 17 A in said A Resurvey of Lots 17 and 18; thence turn an angle to the right of 21 degrees 42 minutes 21 seconds and run North 79 degrees 21 minutes 07 seconds East along the Southeast side of said Lot 17 A for a distance of 239.91 feet to an iron pin found; thence turn an angle to the left of 67 degrees 36 minutes 22 seconds and run North 11 degrees 44 minutes 45 seconds East along the Southeast side of said Lot 17 A for a distance of 123.58 feet to an iron pin found; thence turn an angle to the left of 17 degrees 27 minutes 29 seconds and run North 5 degrees 41 minutes 44 seconds West along the Northeast side of said Lot 17 A for a distance of 150.94 feet to a PK set; thence turn an angle to the left of 55 degrees 14 minutes 08 seconds and run North 60 degrees 56 minutes 52 seconds West along the Northeast side of said Lot 17 A for a distance of 317.25 feet to an iron pin found on the South right-

of-way of Castle Hill Road as recorded in Greystone 7th Sector in Map Book 18, on Page 119, in the Office of the Judge of Probate, Shelby County, Alabama, said point being on a curve to the left having a central angle of 19 degrees 08 minutes 29 seconds and a radius of 430.00 feet; thence turn an angle to the right of 66 degrees 49 minutes 14 seconds to the radius of said curve and run in a easterly to northeasterly direction along the arc of said curve and also along the South right-of-way of said Castle Hill Road for a distance of 143.65 feet to a cross found at the Northwest corner of Lot 16 in said Greystone 7th Sector; thence turn an angle to the right of 80 degrees 25 minutes 46 seconds and run South 13 degrees 16 minutes 06 seconds East along the Southwest side of said Lot 16 for a distance of 86.64 feet to an iron pin set; thence turn an angle to the left of 47 degrees 31 minutes 17 seconds and run South 60 degrees 47 minutes 23 seconds East along the Southwest side of said Lot 16 for a distance of 299.09 feet to an iron pin found; thence turn an angle to the left 61 degrees 33 minutes 23 seconds and run North 57 degrees 39 minutes 14 seconds East along the Southeast side of said Lot 16 for a distance of 318.60 feet to an iron pin found; thence turn an angle to the left of 23 degrees 35 minutes 53 seconds and run North 34 degrees 03 minutes 21 seconds East along the Southeast side of Lots 16, 15, 14, 13 and 12 in said Greystone 7th Sector for a distance of 1060.01 feet to an iron pin found at the Southeast corner of said Lot 12; thence turn an angle to the left of 62 degrees 54 minutes 20 seconds and run North 28 degrees 51 minutes 00 seconds West along the Northeast side of Lots 12 and 11 in said Greystone 7th Sector for a distance of 499.96 feet to an iron pin found at the Southwest corner of Lot 56 in Greystone 7th Sector Phase I as recorded in Map Book 18, on Page 120 A, B & C, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 61 degrees 40 minutes 00 seconds and run North 32 degrees 49 minutes 00 seconds East along the Southeast side of Lots 56, 55 and 54 in said Greystone 7th Sector Phase I for a distance of 636.04 feet to an iron pin found; thence turn an angle to the left of 26 degrees 07 minutes 18 seconds and run North 6 degrees 41 minutes 42 seconds East along the Southeast side of Lots 54, 53 and 52 in said Greystone 7th Phase I for a distance of 299.95 feet to an iron pin found; thence turn an angle to the left of 58 degrees 57 minutes 54 seconds and run North 52 degrees 16 minutes 12 seconds West along the Northeast side of said Lot 52 for a distance of 159.72 feet to an iron pin found; thence turn an angle to the right of 22 degrees 48 minutes 28 seconds and run North 29 degrees 27 minutes 44 seconds West for a distance of 50.02 feet to an iron pin found at the Southeast corner of Lot 51 in said Greystone 7th Sector Phase I; thence turn an angle to the right of 1 degree 56 minutes 54 seconds and run North 27 degrees 30 minutes 49 seconds West along the Northeast side of said Lot 51 for a distance of 150.48 feet to an iron pin found at the Southeast corner of Lot 50 in said Greystone 7th Sector Phase I; thence turn an angle to the left of 6 degrees 02 minutes 14 seconds and run North 33 degrees 33 minutes 03 seconds West along the Northeast side of Lots 50, 49 and 48 in said Greystone 7th Sector Phase I for a distance of 296.63 feet to an iron pin found at the Southwest corner of Lot 18 in Greystone 7th Sector Phase III as recorded in Map Book 20, on Page 50, in the Office of the Judge of Probate, Shelby County, Alabama; thence turn an angle to the right of 70 degrees 13 minutes 18 seconds and run North 36 degrees 40 minutes 15 seconds East along the Southeast side of Lots 18, 17 and 16 in said Greystone 7th Sector Phase III for a distance of 319.66 feet to an iron pin found; thence turn an angle to the left of 0 degrees 18 minutes 28 seconds and run North 36 degrees 21 minutes 46 seconds East along the Southeast side of Lots 15, 14 and 13 in said Greystone 7th Sector Phase III for a distance of 281.98 feet to an iron pin found; thence turn an angle to the left of 36 degrees 08 minutes 58 seconds and run North 0 degrees 12 minutes 49 seconds East along the East side of Lots 12, 11, 10 and 9 in said Greystone 7th Sector Phase III for a distance of 574.39 feet to the point of beginning. Said parcel containing 330.46 acres more or less.

Greystone Parcel #11

DESCRIPTION: Greystone Golf Course

The Greystone Golf Course Property consists of the following described real property less and except Exception Parcel 1 and Exception Parcel 2 as described below:

To locate the point of beginning commence at the northwest corner of Section 33, Township 18 South, Range 1 West, Shelby County, Alabama; thence run south along west boundary of said section 33 a distance of 712.87 feet to the point of beginning; thence with a deflection angle of $100^{\circ}51'11''$ to the right run in a westerly direction a distance of 75.1 feet to a point; thence with an interior angle of $153^{\circ}32'19''$ to the right run in a westerly direction a distance of 548.28 feet to a point; thence with an interior angle of $214^{\circ}22'39''$ to the right run in a northwesterly direction a distance of 219.54 feet to a point, said point being on a curve to the left having a central angle of $96^{\circ}52'52''$ and a radius of 25.00 feet; thence run along said curve a distance of 42.27 feet to a curve to the right having a central angle of $3^{\circ}57'12''$ and a radius of 2484.18 feet; thence run along said curve a distance of 171.40 feet to a point; thence run in a westerly direction a distance of 133.3 feet to a point on a curve to the left said curve having a central angle of $1^{\circ}15'19''$ and a radius of 2424.13 feet; thence run along curve a distance of 53.11 feet to a curve to the left having a central angle of $90^{\circ}06'21''$ and a radius of 25.00 feet; thence run along curve a distance of 39.32 feet to a curve to the right having a central angle of $25^{\circ}00'00''$ and a radius of 721.69 feet; thence run along curve a distance of 314.90 feet to a curve to the left having a central angle of $1^{\circ}11'09''$ and a radius of 966.30 feet; thence run along curve a distance of 20.00 feet to the east boundary of Lot 1A of the Resurvey of Lot 1 Greystone 2nd Sector; thence run on the east boundary of said Lot 1A a distance of 164.39 feet to a point; thence run along east boundary of said Lot 1A a distance of 100.00 feet to a point; thence run along east boundary of said Lot 1A a distance of 343.09 feet to a point; thence run along east boundary of said Lot 1A a distance of 770.70 feet to a point; thence run along east boundary of said Lot 1A a distance of 433.71 feet to a point; thence run along east boundary of said Lot 1A a distance of 207.41 feet to a point; thence run along east boundary of said Lot 1A a distance of 739.16 feet to a point; thence run along east boundary of said Lot 1A a distance of 200.00 feet to the east boundary of Lot 1E of said Resurvey of Lot 1 Greystone 2nd Sector; thence run along the east boundary of said Lot 1E a distance of 712.42 feet to a point; thence run along east boundary of said Lot 1E a distance of 200.99 feet to a point; thence with an interior angle of $60^{\circ}08'52''$ to the right run in a northeasterly direction a distance of 153.32 feet to a point; thence with an interior angle of $266^{\circ}27'23''$ to the right run in a southeasterly direction a distance of 7.25 feet to a point; thence with an interior angle of $85^{\circ}53'41''$ to the right run in a easterly direction a distance of 21.56 feet to a point; thence with an interior angle of $272^{\circ}39'27''$ to the right run in a southeasterly direction a distance of 215.68 feet to a point; thence with an interior angle of $99^{\circ}27'24''$ to the right run in a northeasterly direction a distance of 584.17 feet to a point; thence with an interior angle of $213^{\circ}08'22''$ to the right run in a southeasterly direction a distance of 168.10 feet to a point; thence with an interior angle of $145^{\circ}24'28''$ to the right run in a northeasterly direction a distance of 161.40 feet to a point; thence with an interior angle of $151^{\circ}20'43''$ to the right run in a northeasterly direction a distance of 553.60 feet to a point on the northwest right-of-way of Greystone Drive (a private roadway); thence with an interior angle of $177^{\circ}31'24''$ to the right run in a northeasterly direction on the northwest right-of-way of said Greystone Drive (a private roadway) a distance of 375.41 feet to a

point said point being on a curve to the right having a central angle of $12^{\circ}33'24''$ and a radius of 1678.31 feet; thence turn $133^{\circ}13'26''$ to the right and run in a northeasterly direction a chord distance of 367.04 feet to the southwest corner of Lot 13 of Greystone 1st Sector, Phase 1, a subdivision which is recorded in Map Book 14 at page 91 in the office of the Judge of Probate of Shelby County, Alabama; thence run in a northeasterly direction on the west boundary of said Lot 13 a distance of 61.61 feet to a point; thence run in a northwesterly direction on the west boundary of said Lot 13 a distance of 134.89 feet to a point; thence run in a northeasterly direction along the boundary of Lots 13, 14, 15, 16, 17, 18 & 19 a distance of 875.47 feet to a point; thence run in a northeasterly direction along the boundary of Lots 19, 20, 21, 22, 23 & 24 a distance of 796.98 feet to a point; thence run in a northeasterly direction along the north boundary of Lots 24 & 25 a distance of 274.42 feet to a point, said point being the NW corner of Lot 16 of St. Charles at Greystone a subdivision which is recorded in Map Book 16 at Page 5 in the Office of the Judge of Probate of Shelby County, Alabama; thence run northeasterly along the boundary line of Lots 16, 15, 14 & 13 of said St. Charles at Greystone to a point, said point being the NW corner of Lot 1 of Greystone 4th Sector a subdivision which is recorded in Map Book 16 at Page 89 in said Office of the Judge of Probate; thence run northeasterly along the boundary line of Lots 1 & 2 to a point; thence run easterly along the north boundary line of said Lot 2 to a point; thence run southeasterly on the boundary line of Lots 2, 3 & 4 to a point; thence run easterly to a point on Lot 5; thence run northeasterly along the back boundary line of Lots 5-29; thence run easterly to the NW corner of Lot 30 of said St. Charles at Greystone; thence run easterly along the north boundary of said Lot 30 a distance of 132.82 feet to a point; thence run northeasterly and along the north boundary of said Lot 30 a distance of 89.48 feet to the northeast corner of said Lot 30; thence continue last direction a distance of 382.57 feet to a point; thence with an interior angle of $183^{\circ}36'46''$ to the right run in a northeasterly direction a distance of 279.81 feet to a point; thence with an interior angle of $149^{\circ}59'56''$ to the right run in a northeasterly direction a distance of 619.97 feet to a point; thence with an interior angle of $176^{\circ}40'44''$ to the right run in a northeasterly direction a distance of 261.21 feet to a point; thence with an interior angle of $172^{\circ}58'36''$ to the right run in a northeasterly direction a distance of 174.33 feet to a point; thence with an interior angle of $96^{\circ}00'23''$ to the right run in a northwesterly direction a distance of 178.87 feet to a point; thence with an interior angle of $215^{\circ}56'01''$ to the right run in a northwesterly direction a distance of 342.45 feet to a point; thence with an interior angle of $166^{\circ}31'54''$ to the right run in a northwesterly direction a distance of 308.45 feet to a point; thence with an interior angle of $171^{\circ}59'15''$ to the right run in a northwesterly direction a distance of 218.99 feet to a point; thence with an interior angle of $133^{\circ}54'53''$ to the right run in a westerly direction a distance of 168.19 feet to a point; thence with an interior angle of $150^{\circ}32'20''$ to the right run in a southwesterly direction a distance of 99.42 feet to a point; thence with an interior angle of $165^{\circ}41'11''$ to the right run in a southwesterly direction a distance of 1090.35 feet to a point; thence with an interior angle of $185^{\circ}39'05''$ to the right run in a southwesterly direction a distance of 503.75 feet to a point; thence with an interior angle of $204^{\circ}47'14''$ to the right run in a southwesterly direction a distance of 305.13 feet to a point; thence with an interior angle of $161^{\circ}02'37''$ to the right run in a southwesterly direction a distance 198.26 feet to a point; thence with an interior angle of $136^{\circ}05'49''$ to the right run in a southwesterly direction a distance of 173.15 feet to a point; thence with an interior angle of $215^{\circ}13'22''$ to the right run in a southwesterly direction a

distance of 169.98 feet to a point; thence with an interior angle of $173^{\circ}30'45''$ to the right run in a southwesterly direction a distance of 641.02 feet to a point; thence with an interior angle of $221^{\circ}02'02''$ to the right run in a westerly direction a distance of 548.59 feet to a point; thence with an interior angle of $151^{\circ}23'14''$ to the right run in a southwesterly direction a distance of 55.83 feet to a point; thence with an interior angle of $221^{\circ}11'14''$ to the right run in a northwesterly direction a distance of 452.84 feet to a point; thence with an interior angle of $180^{\circ}56'49''$ to the right run in a northwesterly direction a distance of 207.30 feet to a point; thence with an interior angle of $159^{\circ}19'19''$ to the right run in a southwesterly direction a distance of 55.95 feet to a point; thence with an interior angle of $175^{\circ}06'04''$ to the right run a southwesterly direction a distance of 215.06 feet to a point; thence with an interior angle of $129^{\circ}57'00''$ to the right run in a southwesterly direction a distance 65.85 feet to a point; thence with an interior angle of $154^{\circ}05'02''$ to the right run in a southerly direction a distance of 89.15 feet to a point; thence with an interior angle of $179^{\circ}58'30''$ to the right run in a southeasterly direction a distance of 739.24 feet to a point; thence with an interior angle of $170^{\circ}29'22''$ to the right run in a southeasterly direction a distance of 425.53 feet to a point; thence with an interior angle of $251^{\circ}07'20''$ to the right run in a southwesterly direction a distance of 123.59 feet to a point; thence with an interior angle of $253^{\circ}57'03''$ to the right run in a northwesterly direction a distance of 363.10 feet to a point; thence with an interior angle of $156^{\circ}12'51''$ to the right run in a northwesterly direction a distance of 143.28 feet to a point; thence with an interior angle of $184^{\circ}37'42''$ to the right run in a northwesterly direction a distance of 216.41 feet to a point; thence with an interior angle of $128^{\circ}36'14''$ to the right run in a southwesterly direction a distance of 54.27 feet to a point; thence with an interior angle of $221^{\circ}37'17''$ to the right run in a northwesterly direction a distance of 457.6 feet to a point; thence with an interior angle of $160^{\circ}00'46''$ to the right run in a westerly direction a distance of 81.19 feet to a point; thence with an interior angle of $114^{\circ}12'19''$ to the right run in a southwesterly direction a distance of 74.43 feet to a point; thence with an interior angle of $157^{\circ}29'59''$ to the right run in a southerly direction a distance of 172.8 feet to a point; thence with an interior angle of $196^{\circ}24'45''$ to the right run in a southwesterly direction a distance of 494.37 feet to a point; thence with an interior angle of $185^{\circ}26'45''$ to the right run in a southwesterly direction a distance of 634.87 feet to a point; thence with an interior angle of $266^{\circ}29'15''$ to the right run in a northwesterly direction a distance of 210.02 feet to the point of beginning.

LESS AND EXCEPT THE FOLLOWING:
EXCEPTION PARCEL 1

For the point of beginning commence at the eastern most corner of Lot 27 of Greystone 1st Sector Phase 1 a subdivision which is recorded in Map Book 14 at Page 91 in the Office of the Judge of Probate of Shelby County, Alabama; thence run southwesterly along the back boundary line of Lots 27-48 of said Greystone 1st Sector Phase 1 to the SE corner of Lot 49 of Greystone 1st Sector Phase 2 as recorded in Map Book 15 at Page 58; thence run westerly along the back boundary line of Lots 49-51 to a point; thence run northerly along the back boundary line of Lots 51-62 to the SW corner of Lot 74 of said Greystone 1st Sector Phase 2; thence run northerly along the back boundary line of Lots 74-82 to a point; thence run southeasterly along the north boundary of said Lot 82 a distance of 223.55 feet to a point on the west right-of-way of Shandwick Place; thence run northeasterly on the right-of-way of Shandwick Place a distance of 267.58 feet to a curve to the left having a central angle of $86^{\circ}03'19''$ and a radius of 25.00 feet; thence along said curve a distance of 37.55 feet to a point on the south right-of-way of King Stables Drive; thence along a curve to the right having a central angle of $12^{\circ}44'45''$ and a radius of 774.50 feet a distance of 172.30 feet to a point; thence along south right-of-way of said King Stables Drive a distance of 72.14 feet to a point; thence with an interior angle of $100^{\circ}05'37''$ to the left run in a northeasterly direction a distance of 42.02 feet to a point; thence with an interior angle $118^{\circ}10'39''$ to the left run in a easterly direction a distance of 30.09 feet to the NW corner of Lot 135 of said Greystone 1st Sector Phase 2; thence run along the back boundary line of Lots 135-140 to the SW corner of Lot 17 of St. Ives at Greystone a subdivision which is recorded in Map Book 15 at Page 70; thence northeasterly along the back boundary line of Lot 17, 16, 15, 14, 13, 12, 11, 10, 9, 8 & 7 to a point; thence run southerly along the back boundary line of Lot 7, 6 & 5 to the NW corner of Lot 1 of said St. Ives at Greystone; thence run southeasterly along the north boundary of said Lot 1 a distance of 163.17 feet to a point, said point being on the west right-of-way of Greystone Drive a (private roadway); thence with an interior angle of $207^{\circ}07'54''$ to the left run in a easterly direction a distance of 60.00 feet to the east right-of-way of said Greystone Drive a (public roadway); thence along a curve to the right having a central angle of $11^{\circ}34'54''$ and a radius of 378.39 feet a distance of 75.98 feet to a point; thence tangent to curve a distance of 155.00 feet to a curve to the right having a central angle of $29^{\circ}00'00''$ and a radius of 880.68 feet a distance of 445.75 feet to a point; thence tangent to said curve a distance of 255.00 feet to a curve to the right having a central angle of $23^{\circ}23'19''$ and a radius of 408.54 feet a distance of 166.77 feet to a point; thence westerly and radial to said curve a distance of 60.00 feet to a point; thence northerly along a curve to the right having a central angle of $16^{\circ}57'55''$ and a radius of 468.54 feet a distance of 138.74 feet to a curve to the left having a central angle of $83^{\circ}36'06''$ and a radius of 25.00 feet a distance of 36.48 feet to a point on the south right-of-way of King Stables Drive; thence northwesterly along the south right-of-way of said King Stables Drive a distance of 36.39 feet to the NE corner of Lot 26A of the resurvey of Lot 26 of Greystone 1st Sector Phase 1; thence southwesterly along the east boundary of said Lot 26A a distance of 207.51 feet to the point of beginning (said Exception Parcel 1 containing 135.514 Acres).

ALSO LESS AND EXCEPT THE FOLLOWING:
EXCEPTION PARCEL 2

To locate the point of beginning commence at the northeast corner of the SW $\frac{1}{4}$ of Section 28, Township 18 South, Range 1 West, Shelby County, Alabama; thence run south on the east boundary of said SW $\frac{1}{4}$ a distance of 1312.01 feet to the point of beginning; thence with a deflection angle of 91°50'24" to the right run in a westerly direction a distance of 15.00 feet to a point; thence with an interior angle of 189°13'13" to the right run in a westerly direction a distance of 247.59 feet to a point; thence with an interior angle of 162°57'07" to the right run in a westerly direction a distance of 609.29 feet to a point; thence with an interior angle of 75°40'41" to the right run in a southeasterly direction a distance of 331.15 feet to a point; thence with an interior angle of 203°10'50" to the right run in a southerly direction a distance of 410.37 feet to a point; thence with an interior angle of 169°24'32" to the right run in a southerly direction a distance of 197.73 feet to a point; thence with an interior angle of 167°20'57" to the right run in a southeasterly direction a distance of 126.02 feet to a point; thence with an interior angle of 135°28'28" to the right run in a southeasterly direction a distance of 140.55 feet to a point; thence with an interior angle of 190°00'04" to the right run in a southeasterly direction a distance of 226.01 feet to a point; thence with an interior angle of 181°53'00" to the right run in a southeasterly direction a distance of 563.43 feet to a point; thence with an interior angle of 85°53'13" to the right run in a northeasterly direction a distance of 610.14 feet to a point; thence with an interior angle of 162°06'41" to the right run in a northeasterly direction a distance of 632.25 feet to a point; thence with an interior angle of 266°28'22" to the right run in a southeasterly direction a distance of 241.03 feet to a point; thence with an interior angle of 137°33'54" to the right run in a northeasterly direction a distance of 532.25 feet to a point; thence with an interior angle of 174°42'51" to the right run in a northeasterly direction a distance of 298.75 feet to a point; thence with an interior angle of 157°09'46" to the right run in a northeasterly direction a distance of 560.27 feet to a point; thence with an interior angle of 254°52'12" to the right run in a southeasterly direction a distance of 285.01 feet to a point; thence with an interior angle of 29°59'15" to the right run in a northwesterly direction a distance of 36.44 feet to a point; thence with an interior angle of 283°59'26" to the right run in northeasterly direction a distance of 365.57 feet to a point; thence with an interior angle of 174°17'04" to the right run in a northeasterly direction a distance of 489.95 feet to a point; thence with an interior angle of 162°33'43" to the right run in a northeasterly direction a distance of 567.98 feet to a point; thence with an interior angle of 173°03'44" to the right run in a northeasterly direction a distance of 331.60 feet to a point; thence with an interior angle of 129°04'15" to the right run in a northwesterly direction a distance of 97.70 feet to a point; thence with an interior angle of 87°23'04" to the right run in a southwesterly direction a distance of 44.36 feet to a point; thence with an interior angle of 247°23'57" to the right run in a northwesterly direction a distance of 68.35 feet to a point; thence with an interior angle of 251°49'00" to the right run in a northeasterly direction a distance of 35.15 feet to a point; thence with interior angle of 103°41'20" to the right run in a northwesterly direction a distance of 274.30 feet to a point; thence with an interior angle of 197°45'59" to the right run in a northwesterly direction a distance of 187.59 feet to a point; thence with an interior angle of 146°10'38" to the right run in a northwesterly direction a distance of 92.00 feet to a point; thence with an interior angle of 102°20'00" to the right run in a southwesterly direction a distance of 425.80 feet to a point; thence with an interior angle of

182°24'00" to the right run in a southwesterly direction a distance of 514.53 feet to a point; thence with an interior angle of 188°36'00" to the right run in a southwesterly direction a distance of 241.64 feet to a point; thence with an interior angle of 191°21'31" to the right run in a southwesterly direction a distance of 464.23 feet to a point; thence with an interior angle of 202°42'13" to the right run in a southwesterly direction a distance of 246.05 feet to a point; thence with an interior angle of 188°55'37" to the right run in a westerly direction a distance of 205.06 feet to a point; thence with an interior angle of 137°30'38" to the right run in a southwesterly direction a distance of 172.25 feet to a point; thence with interior angle of 163°27'13" to the right run in a southwesterly direction a distance of 657.69 feet to a point; thence with an interior angle of 169°23'25" to the right run in a southwesterly direction a distance of 155.90 feet to a point; thence with an interior angle of 223°29'17" to right run in a southwesterly direction a distance of 225.03 feet to a point; thence with an interior angle of 207°41'52" to the right run in a northwesterly direction a distance of 438.39 feet to the point of beginning (said Exception Parcel 2 containing 92.716 Acres).

All lying and being in the E½ of Section 32, the W½ of Section 33, the NE¼ of Section 33, the S½ of Section 28, the NE¼ of Section 28 and the W½ of Section 27, Township 18 South, Range 1 West, Shelby County, Alabama and containing 194.072 Acres.

Greystone Parcel #12

TOGETHER WITH (a) the perpetual, non-exclusive right, in common with Daniel Oak Mountain Limited Partnership and all others having any interest therein, to use Hugh Daniel Drive, the Access Easement Property and the Cross-Easement Property, as such terms are defined in the Reciprocal Easement Agreement dated as of January 1, 1990 by and between Daniel Oak Mountain Limited Partnership and Daniel Links Limited Partnership, as recorded in Deed Book 312, Page 274 in the Probate Office, as amended by First Amendment thereto dated November 6, 1990 and recorded in Deed Book 317, Page 253 in said Probate Office and as further amended by Second Amendment thereto dated as of January 27, 1993 and recorded as Instrument No. 1993-0312 in said Probate Office (the "Reciprocal Easement Agreement"); (b) all rights of Daniel Oak Mountain Limited Partnership under the Reciprocal Easement Agreement; (c) all rights of Daniel Oak Mountain Limited Partnership under that certain Utility Easement Agreement dated as of August 23, 1993 and recorded as Instrument No. 1993-25946 in said Probate Office; (d) all rights of Daniel Oak Mountain Limited Partnership under that certain Easement Agreement dated July 20, 1993 and recorded as Instrument No. 1993-22440; (e) all rights of Daniel Oak Mountain Limited Partnership under that certain Greystone Close' Development Reciprocal Easement Agreement dated June 6, 1991 and recorded in Book 346, Page 848, as amended by First Amendment thereto dated December 30, 1991 and recorded in Book 380, Page 639 in said Probate Office; (f) all rights of Daniel Oak Mountain Limited Partnership under that certain St. Charles Reciprocal Easement Agreement dated December 20, 1991 and recorded in Book 378, Page 925 in said Probate Office; and (g) all rights of Daniel Oak Mountain Limited Partnership under that certain St. Ives Reciprocal Easement Agreement dated as of August 1, 1991 and recorded in Book 356, Page 668 in said Probate Office.

EXHIBIT B
TO UCC-1 FINANCING STATEMENT
BETWEEN DANIEL OAK MOUNTAIN LIMITED PARTNERSHIP ("DANIEL OAK
MOUNTAIN") DANIEL LINKS LIMITED PARTNERSHIP ("LINKS") AND
GREYSTONE GOLF CLUB INC ("CLUB") AS DEBTORS
AND SOUTHTRUST BANK OF ALABAMA NATIONAL ASSOCIATION
AS SECURED PARTY

This Financing Statement covers all the Debtors' respective right, title, and interest in and to the following (collectively, the "Collateral"):

(a) All those certain tracts or parcels of land located in Shelby County, Alabama, as more particularly described in Exhibit A attached hereto and by this reference made a part hereof (the "Land"); and

(b) All buildings, structures and improvements of every nature whatsoever now or hereafter situated on the Land, and all gas and electric fixtures, radiators, heaters, engines and machinery, boilers, ranges, elevators and motors, plumbing and heating fixtures, carpeting and other floor coverings, water heaters, awnings and storm sashes, and cleaning apparatus which are or shall be attached to said buildings, structures or improvements, and all other furnishings, furniture, fixtures, machinery, equipment, appliances, vehicles and personal property of every kind and nature whatsoever now or hereafter owned by the Debtors (or any of them) and located in, on or about, or used or intended to be used with or in connection with the construction, use, operation or enjoyment of the Collateral, including all extensions, additions, improvements, betterments, renewals and replacements, substitutions, or proceeds from a permitted sale of any of the foregoing, and all building materials and supplies of every kind now or hereafter placed or located on the Land, including, without limitation, those items of collateral which are more particularly identified on Exhibit C hereto; provided however, that with respect to any items of equipment and personal property which are leased and not owned, the Collateral shall include the applicable Debtors' leasehold interest only, together with any options to purchase any of said items and any additional or greater rights with respect to such items hereafter acquired; and

(c) All easements, rights-of-way, strips and gores of land, vaults, streets, ways, alleys, passages, sewer rights, waters, water courses, water rights and powers, minerals, flowers, shrubs, crops, trees, timber and other emblements now or hereafter located on the Land or under or above the same or any part or parcel thereof, and all ground leases, estates, rights, titles, interests, privileges, liberties, tenements, hereditaments and appurtenances, reversions, and remainders whatsoever, in any way belonging, relating or appertaining to the Collateral or any part thereof, or which hereafter shall in any way belong, relate or be appurtenant thereto, whether now owned or hereafter acquired by any of the Debtors; and

(d) All rents, issues, profits and revenues of the Collateral from time to time accruing, including, without limitation, all sums due under any leases or tenancies, together with all proceeds of insurance, condemnation payments, security deposits and escrow funds, and all of the estate, right, title, interest, property, possession, claim and demand whatsoever at law, as well as in equity, of Debtors (or any of them) of, in and to the same, including, without limitation, the following:

(i) All right, title and interest of Daniel Oak Mountain in and to that certain Ground Lease, dated as of January 1, 1990, between Daniel Oak Mountain, as lessor, and Links, as lessee, as amended by First Amendment to Lease, dated March 26, 1992, and by Second Amendment to Lease, dated February 2, 1993, and by Third Amendment to Lease dated as of January 12, 1996, as evidenced by Memorandum of Ground Lease, recorded at Book 312, Page 268, in the Probate Office of Shelby County, Alabama, and First Amendment to Memorandum of Ground Lease, recorded as Instrument No. 1992-4725, in such Office, and Second Amendment to Memorandum of Ground Lease, recorded as Instrument No. 1993-03126, in such Office;

(ii) All right, title, and interest of Links in and to that certain (1) Ground Lease dated as of January 1, 1991 between Links, as Sublessor, and Greystone Golf Club, Inc., an Alabama corporation ("Club"), as sublessee, as amended by First Amendment to Ground Lease dated as of March 26, 1992 and by Second Amendment to Ground Lease dated as of February 2, 1993, as evidenced by Memorandum of Ground Lease recorded at Book 355, Page 880, in the Probate Office of Shelby County, Alabama, as amended by First Amendment to Memorandum of Ground Lease dated as of March 26, 1992 and recorded as Instrument No. 1992-4726, in such Office and by Second Amendment to Memorandum of Ground Lease dated as of February 22, 1993 and recorded as Instrument No. 1993-03119 in said Office and (2) Option for the Purchase of Greystone Golf Club Facilities dated as of January 1, 1991, between the Club, as Purchaser, and Links, as Seller, as recorded in Real 355, Page 886 in said Office, as amended by First Amendment thereto dated as of February 2, 1993 and recorded as Instrument No. 1993-3125 in such Office; and

(e) All rights, powers, and reservations as the "Developer" under (i) the Greystone Residential Declaration of Covenants, Conditions and Restrictions as recorded in the Probate Office of Shelby County, Alabama in Real 317, Page 260 et seq., as amended from time to time, and (ii) the Greystone Office Park Declaration of Covenants, Conditions and Restrictions dated as of September 18, 1992, as recorded as Instrument No. 1992-22117 in said Probate Office, as amended, and (iii) the Greystone Commercial Declaration of Covenants, Conditions, and Restrictions dated as of October 16, 1990, as recorded in Book 314, Page 506 in said Probate Office, as amended, as such rights, powers, and reservations shall apply to the Collateral.

P.I.

CODE	DESCRIPTION	UNITS	BASIS	SVC
11	Del Computers	2	2,628.40	94/03
10	Lateral Files	2	930.86	95/03
10	Telephone	1	364.30	95/08
11	Desk	1	1,697.00	95/01
11	Credenza	1	3,527.50	95/01
11	Leather chair	1	407.75	95/01
11	Side Chairs	2	40.00	95/01
11	Drafting Table	1	150.00	95/01
11	Folding Table	1	75.00	95/01
11	PC Table	1	25.00	95/01
15	Mobile Telephone	1	753.46	92/05
15	Sound System	1	8,925.14	93/12
15	Audio Console	1	668.52	94/02
15	Telephone Installation	7	1,578.80	94/03
15	Sony 27" TV (Ser: 7006998)	1	724.85	94/04
15	Sony VCR (Ser: S010221254-2)	1	456.71	94/04
15	Exterior Lighting	1	3,507.35	93/12
15	Book Case	1	50.00	95/01
15	Speakers	2	364.80	95/02
15	Receiver-19th hole	1	190.95	95/02
15	CD Player-19th hole	1	169.95	95/02
15	Lamps -19th hole	1	247.60	95/02
15	Camera & Tripod	1	379.94	95/05
15	Brass Directory Stand	1	2,350.00	95/05
15	Information Signs	2	930.75	95/06
20	Lightening Detector	1	537.00	92/05
20	Ballwasher	1	2,113.00	93/07
20	Radios (3) Golf Shop	3	1,181.39	93/07
20	Club Custom Fit Cabinet	1	750.00	95/03
40	Walkie Talkies	4	1,728.00	95/07

EXHIBIT C

P.I.

CODE	DESCRIPTION	UNITS	BASIS	SVC
30	Security System	1	1,333.40	92/02
30	Solids Separator	1	30,250.83	93/03
30	Fans (6)	6	3,113.29	93/04
30	Radio's (2) Maintenance	2	698.58	93/04
30	Fans (10)	10	5,088.02	93/07
30	Concrete Mixer (Used)	1	1,648.04	94/01
30	Plate Compactor (Used)	1	851.96	94/01
30	Fans (8)	8	4,535.26	94/03
30	PLF10CP Water Cooler	1	453.60	94/04
30	Oscillator Assembly (34)	34	7,044.16	94/05
30	Maintenance Storage Unit	1	745.10	94/05
30	TV/VCR	1	540.64	95/05
30	Safety Cabinet	1	711.66	95/06
30	520 Loader Attachment	1	4,788.41	95/03

CODE	DESCRIPTION	UNITS	BASIS	SVC	P.I.
80	Gas Grill w/Convection Hood	1	1,770.38	94/05	
80	Rectangular Rondo Chafers (6), (1) Insert	6	7,171.74	94/06	
80	C-100 Food Mixer (Used)	1	750.60	94/06	
80	Round Rondo Chafers (2)	2	2,386.26	94/06	
80	Salamander, Nat. Gas (Used)	1	1,350.00	94/12	
80	Oven	1	1,257.25	95/04	
80	Table with Shelf	1	519.80	95/05	

CODE	DESCRIPTION	UNITS	BASIS	LIFE	METHOD	SVC	P.L.
------	-------------	-------	-------	------	--------	-----	------

563060	60 Storage Shed	1	3,081.37	7 YR	200%DB	94/09	
	60 Changing Stations	2	514.90			95/02	
	60 Courtside Bench	6	870.40			95/09	

Total Tennis FF&E

4,466.67

=====

563070	70 Pool Tables/Chairs		4,159.27	7 YR	200%DB	94/06	
	70 White Chairs	8	453.20			95/04	
	70 Chaise Lounges	10	1,609.36			95/04	

Total Pool FF&E

6,221.83

=====

10/03/95

Greystone Golf Club
Superintendent: Scott Urbantke

Page: 1

EQUIPMENT SUMMARY REPORT

ID Number	Make	Model	Vendor	Purchased	Price
0100	Cushman/Ryan	GA-60	Tieco	01/17/94	20,109.00
0101	Cushman/Ryan	544872	Tieco	01/17/94	7,850.00
0103	Toro	09110	Turf care	09/20/91	8,500.00
0104	Toro	09110	Turfcare Produc	09/20/91	8,500.00
0105	Toro	09800-Hydroject	Turfcare Produc	08/26/91	22,000.00
0102	Aerator	Manual push	/ /	/ /	170.00
0207	Olathe	61 3 Pt. Hitch	Turf Care Produ	11/01/90	2,902.00
0208	Olathe	67 Groundsmaster	Turf Care Produ	11/01/90	1,638.00
0211	Toro/Push	Toro 5 Hp. Blowe	Turf Care Produ	11/01/90	550.00
0212	Toro/Push	Toro 5 Hp. Blowe	Turf Care Produ	11/01/90	550.00
0200	Echo	PB-2400 Handheld	Mabe Powe Equip	03/10/94	209.00
0201	Echo	PB-2400 Handheld	Mabe Power Equi	03/10/94	209.00
0209	Toro	30941 Backpack		08/01/90	385.00
0210	Toro	30941 Backpack		08/01/90	385.00
0205	Maruyama	BL471 Backpack	Mabe Power Equi	06/02/93	350.00
0206	Maruyama	BL471 Backpack	Mabe power equi	12/01/94	385.00
0204	MARUYAMA	BL471 Backpack	Mabe power equi	12/01/94	385.00
0202	Echo	PB1000	Mabe's Power Eq	10/20/94	160.00
0203	Maruyama	BL471 Backpack	Mabe Power Equi	12/01/94	385.00
213	BC320 Trimme	BC320 Trimmer	Mabe Power Equi	03/29/95	315.00
214	BC320 Trimme	BC320 Trimmer	Mabe Power Equi	03/29/95	315.00
215	BC320 Trimme	BC320 Trimmer	Mabe Power Equi	03/29/95	315.00
216	BC320 Trimme	BC320 Trimmer	Mabe Power Equi	03/29/95	315.00
217	BC320 Trimme	BC320 Trimmer	Mabe Power Equi	03/29/95	315.00
0300	Vermeer	620BC	Vermeer	12/01/90	5,300.00
0400	Jacobsen	LF-100	Tieco	08/16/91	24,500.00
0401	Jacobsen	LF-100	Tieco	08/16/91	24,500.00
0533	Gravely	Pro-40	Riverchase Lawn	01/18/91	3,900.00
0536	Toro	Commercial TC500	Turf Care Produ	10/30/90	599.00
0535	Toro	Commercial TC500	Turf Care Produ	10/30/90	599.00
0514	STIHL CHAIN	34AV		11/02/90	475.00
0513	STIHL CHAIN	28AV		11/02/90	475.00
0501	MAKASA VIBRA	77	RUSH EQUIPMENT	03/01/94	750.00
0516	TURFCO TOPDR	F-15--85415	TURFCARE PRODUC	08/24/90	3,631.00
0507	MULTIQUIP GE	GA-6-ORZ-6000	RUSH RENTAL	06/01/94	1,800.00
0515	STONE CEMENT	650M	RUSH EQUIPMENT	03/01/94	1,750.00
0512	SALSCO GREEN	9010	SALSCO	06/01/93	7,800.00
0004	RYAN SOD CUT	544844-9110	TIECO	05/01/91	2,679.60
0521	Grass Craft	GCMU	Humphries	03/01/94	495.00
0523	Grass Craft	GCMU	Humphries	04/01/94	495.00
0522	Grass Craft	GCMU	Humphries	04/01/94	495.00
0536	Flymo	GCT20	/ /	/ /	495.00
0520	Flymo	GCT20	/ /	/ /	495.00
0508	Maruyama/Str	BC320 Trimmer	Mabe Power Equi	04/01/94	324.00
0509	Maruyama/Str	BC320 Trimmer	Mabe Power Equi	04/01/94	324.00
0500	4 Goosen	BCG-3	Humphries Farm	11/05/94	3,878.24
0517	White	598	Mabe power equi	01/05/85	285.00
0518	White	598	Mabe power equi	01/05/95	285.00
0524	Toro	22031	Mabe power equi	11/23/94	660.00
0511	RED MAX	SGC220DL	TIECO	11/23/94	530.00
0538	Grass Craft	GCMU	Humphries	03/23/95	649.00
0539	Grass Craft	GCMU	Humphries	03/23/95	649.00

D Number	Make	Model	Vendor	Purchased	Price
600	Toro	Greensmaster 100	Turf Care Produ	06/11/93	3,283.00
601	Toro	Greensmaster 100	Turf Care Produ	05/23/91	3,283.00
602	Toro	Greensmaster 100	Turf Care Produ	05/23/91	3,283.00
606	Toro	Greensmaster 100	Turf Care Produ	09/07/90	3,283.00
603	Toro	Greensmaster 100	Turf Care Produ	11/14/90	3,283.00
604	Toro	Greensmaster 100	Turf Care Produ	06/11/93	3,283.00
608	Toro	Greensmaster 105	Turf Care Produ	06/21/91	2,739.00
609	Toro	Greensmaster 105	Turf Care Produ	10/24/90	2,739.00
610	Toro	Greensmaster 105	Turf Care Produ	10/24/90	2,739.00
611	Toro	Greensmaster 105	Turf Care Produ	10/24/90	2,739.00
612	Toro	Greensmaster 105	Turf Care Produ	06/20/91	2,739.00
613	Toro	Greensmaster 105	Turf Care Produ	10/24/90	3,283.00
614	Toro	Greensmaster 105	Turf Care Produ	10/24/90	3,283.00
605	Toro	Greensmaster 100	Turf Care Produ	09/07/90	3,283.00
607	Toro	Greensmaster 100	Turf Care Produ	11/14/90	3,283.00
700	Toro	Groundsmaster 32	Turf Care Produ	10/22/90	12,545.00
701	Toro	Groundsmaster 32	Turf Care Produ	08/24/90	12,545.00
702	Toro	Groundsmaster 32	Turf Care Produ	05/29/91	12,545.00
800	Gandy	Greens Roller		11/11/90	375.00
801	Gandy	Greens Roller		11/11/91	375.00
803	Walking Boom	Walking Boom Spr		/ /	495.00
805	Walking Boom	Walking Boom Spr		/ /	495.00
804	Walking Boom	Walking Boom Spr		/ /	495.00
900	Wyse	Wy2112-01	Daniel corp	/ /	1,000.00
901	Pipe Horn	100	Utility Tool Co	/ /	800.00
902	Wire and Pip	521	Progressive Ele	/ /	750.00
903	Pulsar Groun	2003	Progressive Ele	/ /	750.00
904	Metal Dectec	Micronta 4003 VL	Radio Shack	/ /	299.00
905	Tanaka Trimm	TBC 300	Advanced Mower	07/11/91	369.00
906	Submersible	SPA 1 1/2 E		/ /	420.00
907	Kifco	B-110	Humphries Farm	11/05/94	1,880.00
908	Kifco	B-110	Humphries	11/30/94	1,990.00
909	Kifco	B-110	Humphries	11/30/94	1,990.00
001	Pro-Force	Air Compressor		/ /	1,800.00
002	Zep	Parts Washer		/ /	600.00
003	Baldor	Grinder w/stand		/ /	300.00
004	Delta	Drill Press		/ /	350.00
005	Aqua	Stripper Pressur		/ /	375.00
006	Sunex	12T. Press w/flo		/ /	650.00
007	2T. Jack Sta	2T. Jack Stand		/ /	100.00
009	5T. Jack Sta	5T. Jack Stand		/ /	100.00
010	5T. Jack Sta	5T. Jack Stand		/ /	100.00
011	Foley	Bedknife Grinder		/ /	2,500.00
012	Foley	Reel Grinder		/ /	4,000.00
013	Hand Truck	Hand Truck		/ /	175.00
014	Battery Char	Battery Charger		/ /	200.00
015	Hand Grinder	Hand Grinder w/d		/ /	200.00
016	Acetylene	Oxygen/tanks/hos		/ /	400.00
017	Hobart	Wire Welder		/ /	550.00
019	Bench Vise w	Bench Vise w/sta		/ /	200.00
020	Dayton	100,000 BTU Heat		/ /	600.00
021	Dayton	100,000 BTU Heat		/ /	600.00
022	Tire Changer	Tire Changer		/ /	150.00
018	Foley	Lapping Machine		/ /	600.00
023	Foley	Lapping Machine		/ /	600.00

ID Number	Make	Model	Vendor	Purchased	Price
1024	Portable Air	Portable Air Tan		/ /	60.00
1025	PMU Lift	PMU Lift		/ /	3,200.00
1026	GC-30	GC-30(Mix Gas/Fu		/ /	275.00
1027	Engine Hoist	Engine Hoist		/ /	350.00
1028	Portable Air	M10	Humphries Farm	02/02/95	39.95
1029	IDEALARC AC/		Welding Equipme	04/04/95	1,210.00
	Toro	44902	Turf Care Produ	/ /	200.00
	Toro	44902	Turf Care Produ	/ /	200.00
	Toro	44902	Turf Care Produ	/ /	200.00
	Toro	04416	Turf Care Produ	/ /	200.00
	Toro	04416	Turf Care Produ	/ /	200.00
	Toro	04416	Turf Care Produ	/ /	200.00
	Toro	4465	Turf Care Produ	/ /	200.00
	Toro	4465	Turf Care Produ	/ /	200.00
	Toro	4465	Turf Care Produ	/ /	200.00
1012	Toro	88" Mowing Deck	Turf Care Produ	05/29/91	4,000.00
1010	Toro	72" Mowing Deck	Turf Care Produ	05/29/91	2,739.00
1011	Toro	72" Mowing Deck	Turf Care Produ	10/22/90	2,739.00
1000	Magnavox	9CM082 0741		05/30/91	600.00
101	Intel	386 Microcompute		05/30/91	2,000.00
102	Honeywell Ke	101RXd	Honeywell	/ /	200.00
104	Motorola	P50	Birmingham Comm	/ /	460.00
105	Motorola	P50	Birmingham Comm	/ /	460.00
106	Motorola	P50	Birmingham Comm	/ /	460.00
107	Motorola	P50	Birmingham Comm	/ /	460.00
108	Motorola	P50	Birmingham Comm	/ /	460.00
109	Motorola	P50	Birmingham Comm	/ /	460.00
110	Motorola	P50	Birmingham Comm	/ /	460.00
111	Motorola	P50	Birmingham Comm	/ /	460.00
112	Motorola	P50	Birmingham Comm	/ /	460.00
113	Motorola	P50	Birmingham Comm	/ /	460.00
103	Epson FX-850	P82PA		/ /	500.00
1202	Toro	Reelmaster 216	Turf Care Produ	06/14/91	12,200.00
1203	Toro	Reelmaster 216	Turf Care Produ	10/30/90	12,200.00
1204	Toro	Reelmaster 7 Gan	Turf Care Produ	06/10/90	18,471.00
1200	Jacobsen	Tri-King 1684D	Tieco	08/28/91	15,500.00
1201	Jacobsen	Tri-King 1684D	Tieco	08/28/91	15,500.00
1205	J.D. Mowing	Mowing Unit 305	Tractor & Turf	02/08/95 *	17,850.80
1300	Toro	08880	Turf Care Produ	08/24/90	9,692.00
1402	Hahn	418	Turf Care Produ	08/24/90	13,138.00
1401	F.M.C.	DM10F300F		09/10/90	10,320.00
1400	Cushman	898562 S.D.I. 30	Tieco	01/01/94	7,400.00
1501	Hahn	PA-17 Tractor Mo	Turf Care Produ	11/01/90	3,150.00
1502	Hahn	P-21 Tractor Mou	Turf Care Produ	11/01/90	3,450.00
1503	Scott's	Push		/ /	200.00
1504	Scott's	Push		/ /	200.00
1505	Scott's	Push		/ /	200.00
1506	Gandy #9275	Push	Lesco	09/01/94	502.00
1507	Gandy #9275	Push	Lesco	09/01/94	502.00
1508	Danville	Roller/Chemical		/ /	250.00
1509	Lesco	Push/Rotary	Lesco	/ /	281.73
1510	Lesco	Push/Rotary	Lesco	/ /	200.00
1511	Gandy	24H12		/ /	502.00
1512	Gandy	24H12		/ /	502.00
1513	Gandy	Rotary Spreader	Lesco	09/22/94	281.73

Total Items: 212

New
Leased