

# FORM UCC-1 ALA.

**Important: Read Instructions on Back Before Filling out Form.**

<input type="checkbox"/> The Debtor is a transmitting utility as defined in ALA CODE 7-9-105(a).		No. of Additional Sheets Presented: <u>6</u>		This FINANCING STATEMENT is presented to a Filing Officer for filing pursuant to the Uniform Commercial Code.			
1. Return copy or recorded original to:  Bruce L. Gordon, Esq. Gordon, Silberman, Wiggins & Childs P.C. 1400 SouthTrust Tower Birmingham, AL 35203		THIS SPACE FOR USE OF FILING OFFICER Date, Time, Number & Filing Office  <div style="text-align: center;">                     Inst # 1998-25872                       07/08/1998-25872                      02:49 PM CERTIFIED                      SHELBY COUNTY JUDGE OF PROBATE                      009 MCD 24.00                 </div>					
2. Name and Address of Debtor (Last Name First if a Person)  Consensus Corp. d/b/a Sonny's Real Pit Bar-B-Q 2247 Pelham Parkway Pelham, AL							
Pre-paid Acct. # _____ Social Security/Tax ID # _____							
2A. Name and Address of Debtor (IF ANY) (Last Name First if a Person)  _____  Social Security/Tax ID # _____							
<input type="checkbox"/> Additional debtors on attached UCC-E							
3. SECURED PARTY (Last Name First if a Person)  AT&T Commercial Finance Corporation 2 Gatehall Drive Parsippany, New Jersey 07054-0440  Social Security/Tax ID # _____		4. ASSIGNEE OF SECURED PARTY (IF ANY) (Last Name First if a Person)  _____					
<input type="checkbox"/> Additional secured parties on attached UCC-E							
5. The Financing Statement Covers the Following Types (or items) of Property:  See attached Schedule I for description of Collateral.  This UCC-1 is filed as additional security for an indebtedness secured by a Mortgage recorded simultaneously herewith.  Debtor is the record owner of the property.							
<table style="width: 100%;"> <tr> <td style="width: 70%;">                     Check X if covered: <input type="checkbox"/> Products of Collateral are also covered.                 </td> <td style="width: 30%;">                     5A. Enter Code(s) From Back of Form That Best Describes The Collateral Covered By This Filing:                      0-0-0 _____                      0-0-1 _____                      8-0-0 _____                      5-0-0 _____                      3-0-0 _____                      1-0-0 _____                      7-0-0 _____                 </td> </tr> </table>						Check X if covered: <input type="checkbox"/> Products of Collateral are also covered.	5A. Enter Code(s) From Back of Form That Best Describes The Collateral Covered By This Filing: 0-0-0 _____ 0-0-1 _____ 8-0-0 _____ 5-0-0 _____ 3-0-0 _____ 1-0-0 _____ 7-0-0 _____
Check X if covered: <input type="checkbox"/> Products of Collateral are also covered.	5A. Enter Code(s) From Back of Form That Best Describes The Collateral Covered By This Filing: 0-0-0 _____ 0-0-1 _____ 8-0-0 _____ 5-0-0 _____ 3-0-0 _____ 1-0-0 _____ 7-0-0 _____						
6. This statement is filed without the debtor's signature to perfect a security interest in collateral (check X, if so) <input type="checkbox"/> already subject to a security interest in another jurisdiction when it was brought into this state. <input type="checkbox"/> already subject to a security interest in another jurisdiction when debtor's location changed to this state. <input type="checkbox"/> which is proceeds of the original collateral described above in which a security interest is perfected. <input type="checkbox"/> acquired after a change of name, identity or corporate structure of debtor <input type="checkbox"/> as to which the filing has lapsed.		7. Complete only when filing with the Judge of Probate: The initial indebtedness secured by this financing statement is \$ <u>725,000.00</u> Mortgage tax due (15¢ per \$100.00 or fraction thereof) \$ <u>0-</u>					
8. <input checked="" type="checkbox"/> This financing statement covers timber to be cut, crops, or fixtures and is to be cross indexed in the real estate mortgage records (Describe real estate and if debtor does not have an interest of record, give name of record owner in Box 5)		Signature(s) of Secured Party(ies) (Required only if filed without debtor's Signature — see Box 6)					
Consensus Corp. d/b/a Sonny's Real Pit Bar-B-Q By: <u>[Signature]</u> ITS: <u>PRESIDENT</u> Type Name of Individual or Business		Signature(s) of Secured Party(ies) or Assignee  Signature(s) of Secured Party(ies) or Assignee  Type Name of Individual or Business					

Schedule I

All accounts, accounts receivable, inventory, general intangibles, contract rights, leases, chattel paper, equipment, machinery, furniture, fixtures, tools, documents and instruments, building improvements, leasehold improvements, contractual rights and general intangibles and all other personal property of Debtor, all accessions, parts, accessories, attachments and appurtenances thereto, substitutions therefor and replacements thereof, and all proceeds and products of all of the foregoing, including, without limitation, insurance proceeds; in all cases whether now owned or hereafter acquired by Debtor and wherever located, including, but not limited to, the items listed on the attached Exhibit A and those used in connection with the operation of the business known as Sonny's Real Pit Bar-B-Q located at 2247 Pelham Parkway, Pelham, Alabama, a legal description of which is set out below.

**Lot 1, according to the Survey of Sonny's Bar-B-Q, as recorded in Map Book 23, Page 123, in the Probate Office of Shelby County, Alabama, also described as follows:**

A parcel of land located in the North Half of the Southwest Quarter of Section 31, Township 19 South, Range 2 West, more particularly described as follows: Commence at the Northeast corner of the Southwest Quarter of the Northwest Quarter of said Section 31; thence in an Easterly direction a distance of 452.73 feet; thence 86 degrees, 31 minutes, 40 seconds right, in a Southerly direction, a distance of 1321.78 feet; thence 47 degrees, 06 minutes right in a Southwesterly direction a distance of 250.20 feet to a point, said point being in the approximate center line of an existing road; thence 79 degrees, 55 minutes, 15 seconds right in a Northwesterly direction along said approximate center line, a distance of 149.66 feet to the beginning of a curve to the left, having a radius of 113.67 feet and a central angle of 66 degrees, 50 minutes; thence Southwesterly along said curve and approximate center line, a distance of 132.59 feet to end of said curve; thence in a Southwesterly direction along a line tangent to said curve, a distance of 85.50 feet to a point on the Easterly R/W line of now existing Highway 31 South, said point being on a curve having a radius of 2010.08 feet and subtended by a chord length of 868.19 feet, and from last described course, turn an angle of 67 degrees, 46 minutes, 46 seconds left to said chord; thence in a Southerly direction along said curve and R/W line, a distance of 875.07 feet to the point of Spiral to Curve of said R/W; thence from last described chord, turn 15 degrees, 07 minutes, 04 seconds right to chord of said Spiral; thence in a Southerly direction along said Spiral and R/W line a distance of 257.84 feet to the Point of Beginning; thence continue along the last described course and said road right of way for 49.81 feet; thence turn 1 degree, 31 minutes, 12 seconds right for the chord of said curve and run Southwesterly for 143.58 feet; thence turn 90 degrees 00 minutes 00 seconds left and run Southeasterly for 46.10 feet; thence turn 41 degrees 55 minutes 00 seconds left and run Northeasterly 345.85 feet; thence 81 degrees 56 minutes 01 seconds left and run Northwesterly for 176.47 feet; thence turn 98 degrees, 03 minutes, 56 seconds left and run Southwesterly for 275.74 feet to the Point of Beginning.



# SONNY'S EQUIPMENT LIST

Reference: Sonny's Image Building Plans

#	Q.	DESCRIPTION	Cost	Total
100	2	Remote condensers, for walk-in freezer/cooler 208V/60/3PH, roof mounted over restrooms		
101		Not used.		
102		Not used.		
103	1	Lot Shelving Package, Nexel, refrigerated, consisting of: 2 (24" x 36"), 5 (24" x 48") 1 (24" x 60"). Each rack to contain four shelves. Order in conjunction with Smallwares package.		
104	8	Dunnage Racks, Winholt (Metal) 20" x 12" x 48", 2000 lb. capacity. Order in conjunction with Smallwares package.		
105	4	Dunnage Racks, Winholt (Metal) 20" x 12" x 60", 2000 lb. capacity. Order in conjunction with Smallwares package.		
106		Not used.		
107/108	1	Walk in Cooler/Freezer, Kolpak, Vulcan-Hart or equivalent, size: 8'8" x 25' 2-compartment, embossed galvanized exterior/interior combination, floorless. NSF approved, 4" foamed in place polyurethane, factory mutual, 33.3R factor, low temperature fluorescent lights. Refrigeration: Op Outdoor Package, low ambient control, outdoor housing, crank case heater, air cooled. NOTE: Provide embossed aluminum angle mold for sealing unit where door meets masonry opening NOTE: Insulated floor in freezer by general contractor. NOTE: Customer to field verify line length. 8'4" x 9'8" x 25'		
109	1	Time Clock, Latham/Military Time #4006, (2) 25 capacity 9" time card racks, 115V. Order in conjunction with Smallwares package.		
110	1	Walk in Cooler, Kolpak, Vulcan-Hart or equivalent, size: 8'8 1/2" x 10' 7 1/2" x 8'2" h, floorless, exposed exterior, stainless steel unexposed exterior, embossed galvanized interior walls, embossed galvanized interior ceiling, white galvanized set of three Anthony 1100 pull doors or two sliding glass doors. One solid door, fluorescent light fixture, 1 HP medium Temp PAR system.		
111	2	Worktable, S/S, custom, 72" x 30", undershelf, caster feet optional. (Salad Bar Prep - Drive Thru) See Drawing		
112		Not used.		
113	3	Wall Mounted Hand Sink, custom or Advance #7-PS-50, faucet, included with drain and overflow.		

#	Q.	DESCRIPTION	Cost	Total
114		Lot Shelving Package, Nexel, Dry Storage.		
	1	Each rack to contain four shelves. Order in conjunction with Smallwares package.		
	9	(24" x 60") (24" x 48")		
115	1	Prep Table, S/S, custom, 72" x 30", undershelf at 72" long, with 5" back splash, bullet feet. (Prep Room) See Drawing		
115A	1	S/S Wire Overshelf, Nexel # S1848Z, 48" x 18" Wall Mounted. Order with Smallwares package		
115B	1	Brackets for wire overshelf, Nexel # AB18C. Order in conjunction with Smallwares package		
116	2	36" x 30", S/S, Custom Table with 5" backsplash (Waitress Work Table/Drive-Thru) See Drawing		
116A	2	36" x 14" Wire Wall Shelf (Waitress Work Table/Drive-Thru) Nexel S1436Z. Order in conjunction w/Smallwares pkg		
116B	2	Brackets for wire overshelf, Nexel # AB14C. Order in conjunction with Smallwares package		
117	1	* Ordered By Owner * Needs to arrive after tile is laid, aprox. 6-7 weeks after foundation is poured Cooker, Southern Pride, Model # XLR-1400-SLSE		
117A	1	CHECK LOCAL CODES. Exhaust System, Captive Air or equivalent in addition to smoke extractor, to include: (1) 72" x 30" EH 18GA S/S Construction: Type II (vapor/heat hood). NOTE: Check local codes for NFPA96, grease hood may be required.		
117B	1	CHECK LOCAL CODES. Exhaust Fan, Captive Air or equivalent, smoke extractor. To include: (1) 135V4HB (208/3) exhaust fan with curb & prewired disconnect & hinged base, non-optional.		
117C	1	CHECK LOCAL CODES. * Optional if not required by code * Exhaust Hood to include the following: (1) 96" x 30" EHMUA-23 18GA S/S Construction; NSF labeled & ETL listed w/no fire damper in exhaust collar; Aluminum grease filters, S/S grease pan and removable grease trough; Hood mounted switch panel with lighted switches for fan; 21" ceiling panel; 3" offset spacer. (1) 135V4B (208/3) exhaust fan with grease terminator, hinged base, curb, prewired disconnect. NOTE: * This is if local code calls for NFPA-96 hood		
117D	1	CHECK LOCAL CODES. * Optional if not required by code * Fire Suppression to include: (1) Complete pyro-chem suppression system w/gas valve & permits, hood mounted enclosure box. NOTE: Price subject to change based on location, non-union.		
117E		S/S Closure Metal to seal thru wall installation. (Backsplash Wall Panel) Captive Air		
118	1	Prep Sink, 2-comp stainless steel, custom with faucet, L/A waste, (2) ea. 24" x 24" x 14" DP, (4) legs with C/R. TS B230-8. See Drawing		
119		Not used.		

#	Q.	DESCRIPTION	Cost	Total
120		Not Used		
120A	1	Exhaust Fan, Captive Air or equivalent to include: (1) 225V7B (208/3) exhaust fan with grease terminator, hinged base, curb, prewired disconnect. Fryer Line for this item is 132 & 132A		
120B	1	Fire Suppression System to include: (1) Complete pyro-chem suppression system 2/gas valve & permits. Hood mounted enclosure box. Fryer Line for this item is 132 & 132A NOTE: Price subject to change, based on location, non-union.		
121	2	Refrigerator. Manitowoc # CRS1 or equivalent, 2500 BTU with +25 degrees evaporator, hinged left or right, S/S outside, heavy gauge aluminum inside self-contained, top mounted, S/S floor.		
122	1	Freezer, 2 DOOR, Manitowoc # CFS2 or equivalent, 2500 BTU with -25 degrees evaporator, outside, heavy gauge aluminum inside, reach in self contained, top MTD, S/S floor.		
123	1	Chopper, Berkel, power unit, B-100-72, 1HP475RPM, # 12 taper hub, 115V or equivalent, Must include #30 Grating Plate. Order in conjunction with Smallwares package		
124	1	Range, Vulcan # 36L or equivalent, Medium Duty Gas Range - 6 burners, painted sides, casters, s/s oven door, s/s backsplash with shelf and Quick Disconnect Hose		
125	1	Tilting Kettle - Vulcan # VEC-10 or equivalent (40 Quart) with lid and stand.		
126	1	Hood, 240", 2 units - 12" x 48" to include: Exhaust; 18GA S/S - construction; NSF labeled & ETL listed with no fire damper in exhaust collar; fusible link damper. Factory wired incandescent light fixtures (fless bulbs). Aluminum grease filters. S/S grease pan & removable grease trough. Hood mounted switch panel w/lighted switches for lights, MUA & fan. Includes: 21" Ceiling closure panel and 3" offset spacer		
126A	2	Exhaust Fans, Captive Air or equivalent, to include: (2) 195V7b (208/3) exhaust fan with grease terminator, hinged base, curb prewired disconnect.		
126B	1	120" S/S wall panels, stainless steel, custom, on cook line. 12' x 6' with 22 gauge s/s. Unit will be made from Charbroiler through to the wall.		
126C	1	Fire Suppression System, to include: (1) Complete pyro-chem suppression system w/gas valve & permits, hood-mounted enclosure box. NOTE: Price subject to change based on location, non-union.		
127	1	Charbroiler, 50" Vulcan # HGB50 or equivalent, Heavy Duty Gas Standard, S/S front, painted sides, open cabinet base, 6-16000 BTU burners with s/s splash guard, stand, Quick Disconnect Hose, with 2 fixed casters and 2 swivel caster with brake.		
128	1	Bun Steamer, Ember Glo ESSM. Order in conjunction with Smallwares package		
129		Not used.		
130	1	Stainless Steel Table, custom, 48" x 30" with 48" undershelf. See Drawing		
131		Not used.		
132	1	Single Line Built-in cook station, 3 fryers & 2 bean wells and griddle. See Drawing (Option gas or electric)		



#	Q.	DESCRIPTION	Cost	Total
132A	1	HOOD SYSTEM: 12' x 51" 5424 Model NDI, S/S canopy type island hood with 3" Standoff on right end Wrappers up to 23" high from top of hood to ceiling, incandescent lights, aluminum V-bank filters and grease cup. (Exhaust Fan and Fire Suppression System, refer to 120A and 120B)		
132B	1	Griddle		
132C	3	Fryers		
132D	1	Hot Food Wells		
132E	1	Heat Lamp (Order in Conjunction with Smallwares Package)		
133		Not used		
134		Not used.		
135		Not used.		
136	1	Slicer Table, S/S, custom 30" x 36", S/S construction with polyvance cutting surface, 2-1/2" back-splash with undershelf, enclosed base on three sides optional. On adjustable bullet feet. See Drawing		
137	1	Scale, Doran Model 700 Digital Portion Control Scale or equivalent 30 lb. x .1 lb., 13.6 kg x 5 g and 480 oz. x .2 oz. Order in conjunction with Smallwares package.		
137A	1	Scale Shelf, S/S, custom, 13" x 14" Order in conjunction with Smallwares package		
138	1	Slicer, Berkel 909/1 or equivalent, 115V, gravity feed, 12 1/2" stainless steel knife, HP. Order in conjunction with Smallwares package.		
139	1	Pass Thru Window 80" x 24" S/S, custom, telescoping, w/heat lamp (Item #139A), S/S, custom, 115V with bottom & intermediate shelf. See Drawing		
139A	1	Heat Lamp, Merco EZFW or equivalent 60" to be mounted in pass window. Order in conjunction with Smallwares package.		
140	1	* Ordered By Owner * Closed cooker at front, 96" Southern Pride Model # BBR-79-3		
141	2	Make Up Air Fans, (SF-1) (SF-2), Captive Air for general kitchen, 180-KSPB (208/3) with curbs and disconnects and aluminum air filters		
142	1	Lot shelving package, consisting of the following item for Bag-In-The-Box, (By Soda Purveyor).		
143	1	Dishwasher - Auto Chlor Model leased or purchased dishwasher system, by others. Contact Sonny's Corporate for further information.		
143A	1	Dishwasher hood, Captive Air or equivalent, (1) 42" x 60", DW 18GA S/S Construction. 21" hood to ceiling closure panel. Check local codes.		
143B	1	Exhaust Fan, Captive Air or equivalent 100C2B (208/1) Exhaust fan with curb & disconnect. Check local codes.		
144	1	Wall Shelf, S/S, custom, 120" x 14" with pot hooks. Used over Item 145 and Item 149. See Drawing		
145	1	S/S, custom, clean dish table, all S/S construction, 110" x 30", open base, cross rails See Drawing		
146	1	S/S, custom, Pre-rinse Sink with scrap basket See Drawing #153		

#	Q.	DESCRIPTION	Cost	Total
146A	1	Pre-rinse sprayer, T & S, to include: B-113 Pre-rinse Unit, B-109-1 Wall Bracket, B-156 ADF add a faucet		
147		Not used.		
148		Not used.		
149	1	90" x 30", 3-Comp Pot Sink, Free Standing, S/S, custom with (3) 24" x 24" x 14"D Bowls (1) Drain Board on right with 10" Backsplash and C/R under construction. Open in front. (3) L/A Wastes (1) Faucet 12" Swing B 231-12 (TS) (1) Faucet T & S Hinged # B265 <b>See Drawing</b>		
150		Not used.		
151	1	S/S, custom, 24" x 48" Double Rack Shelf, table mounted <b>See Drawing #153</b>		
152	1	S/S, custom, 18" x 18", Soak Sink with faucet and scrap basket. <b>See Drawing #153</b>		
153	1	Soiled Dish Table, S/S, custom, Construction: L shaped as per plan, 90" x 72" (rolled edge) with 10" dish landing on front side of table. Omit cross rails at operating side for access to trash can and soak sink with scrap basket. 10" Splash at wall only, with hinged faucet. <b>See Drawing</b>		
154	1	Ice Maker, Hoshizaki or equivalent, (1) Model # KM-1600SRE3, self-contained Remote Air Cooled, 115-208V/3PH, Remote Condenser # URC-20C; 55" Line Kit, Top Kit # 22C. FRP wall behind. <b>NOTE: Customer to field verify line length.</b>		
154A	1	Bin # 1350--56, 1360 LB Bin, 59" (H) S/S, Follett.		
154B	1	Water Filter, Hoshizaki # 9320-13 Triple HC		
155	1	Electric Full-size Convection Oven, Vulcan or equivalent, Model EC O4S 38" x 36"		
156	1	Coffee Maker, Bunn-O-Matic # SLSF-15, 3-Warmer W/Hot Water Faucet, 1775 Watts, 120V/60HZ, with filter. <b>Order in conjunction with Smallwares package.</b>		
157	1	Beer System and Tap (Check with local beer distributor)		
158		S/S Wall Panel, custom. (Option)		
159		S/S Wall Panel, custom. (Option)		
160		Not Used		
161	1	96" Wait Table. Contractor builds job fabricated wall system. Must order Sneeze Guard		
161A		Sneeze Guard. <b>Order in conjunction with Smallwares package.</b>		
162	1	Tea Brewer, # TU3, Bunn-O-Matic, 3 gal., 120V/60, 15 AMP. (Option: Can purchase 2) <b>Order in conjunction with Smallwares package.</b>		
163		Not used.		

#	Q.	DESCRIPTION	Cost	Total
164	1	Sonny's Salad Bar - Must designate left or right hand salad bar. To be constructed with 4 posts to ceiling, added to wall (waitress station). Load King to leave base unit unfinished. Contractor to finish on site with bead board and stain, Colonial Maple 62 See attached drawing.		
164A	1	Sonny's Attached Condiment Stand - Must designate left or right hand salad bar. See attached drawing.		
164B		Not Used		
165		Cashier Counter, plastic laminate, Wilsonart Port D14-6 or Pionite Burgundy Suede SR521 with adjustable shelves, open back. Oak plywood to be stained to match Benjamin Moore Penetrating Stain Colonial Maple 62. Base Cabinet to be 15'6" x 12" with part S/S, part laminate. See Plans. (By Contractor)		
166	1	Cashier Station, plastic laminate, custom, to be 30" x 133". Cashier Section with (2) register recesses adjustable shelving; (1) Trash Receptacle Enclosure, plastic laminate top can be either Pionite Burgundy Suede # SR521 or Wilsonart Port (pebble finish) # D14-60, bases to be oak plywood stained to match Benjamin Moore Penetrating Stain Colonial Maple 62. Load King to finish open back only. Front and side to be wrapped with bead board by contractor. See Drawings		
167	3	Cash Register - Point of Sales System (Operator's Option)		
168	1	Take-Out Station, 12" x 72" with 2 undershelves, to be constructed with faces of pine plywood stained to match Benjamin Moore Penetrating Stain Colonial Maple 62. Must match Item 166. By Contractor		
169	6	Planter Boxes. All wood to be oak and stained to match Benjamin Moore Penetrating Stain - Colonial Maple 62. Approximate size to be 94" in length, 7 1/2" high with tapered ends 8 5/8" and 7 7/8" wide. (By Contractor) OR,		
169A	12	Glass Partitions. Average, 14" x 66" Tempered Glass. Etched Sonny's Man Logo, option. By Contractor.		
170		Not Used		
171	1	Wall Shelf, Drive Thru, S/S Custom, 14" x 72" See Drawing		
172	4	Cup Dispensers mounted on wall at Drive Thru/Take-Out, Modular. 2 - 32 oz. Sonny's Cup 2 - 16 oz. Sonny's Cup Order in conjunction with Smallwares package.		
172A	4	Lid Dispensers mounted on wall at Drive Thru/Take-Out, Modular. 2 - 32 oz. Lids 2 - 16 oz. Lids Order in conjunction with Smallwares package.		
173		Not used		
174		Not used.		
175		Not used.		



#	Q.	DESCRIPTION	Cost	Total
176		Not used.		
177		Not used.		
178	4	Drop in 23 x 23, 6 valve Coca Cola D12323100 - LELVFLXSB.		
179	4	Cabinet Stands #44610FS Cabinet STD 23" x 23" DI		
180	2	Hot Food Wells for Bar-B-Q Beans, APW Counter Top or equivalent, # CW-2A, 12" x 20" Cooker, Warmer, Server, 22-Quart capacity, 120V/1500 watts, includes: one 2 well adapter #14883. Order in conjunction with Smallwares package.		
181	7	Ceiling Fans, (By Electrical Contractor)		
182		Not used.		
183		Not used.		
184		Not used.		
185		Not used.		
186		Not used.		
187		Not used.		
188		Not used.		
189		Not Used		
190		Not Used		
191	1	Employee Paging System with 12 pagers, JTech, Model "XT". Contact Sonny's Corporate Office		
192	1	Drive-Thru Communication Package (2 pieces). Contact Sonny's Corporate Office		
193	1	Dining Room Audio Package. Contact Sonny's Corporate Office		
194	1	Sonny's Official Complete Sign Package. Contact Sonny's Corporate Office for plans.		
195		Not used.		
196	2	Changing Counter. See Optional Smallwares List.		
197		Seating Package. Contact Sonny's Corporate Office for plans.		
198	1	Waitress Back Service Counter Top and Cabinet with 2 undershelves and doors, made with oak plywood stained to match Benjamin Moore Penetrating Stain Colonial Maple 62. By Load King		
198A		S/S, custom, counter top for Item 198. Field Measured. By Load King		
199		Not used.		
200		Not used.		
201		Not used.		
202		Not used.		
203		Not used.		
204	1	Horizontal Sliding Window - Manf. E.S.P., HS-R30, series 9802, Insulated glass w/ rollers, size 4040 47-5/8" x 48". To be included with Window Contractor bid.		
205	1	Bulk CO2 Tank. Owner Responsible.		

Inst # 1998-25872  
07/08/1998-25872  
02:49 PM CERTIFIED  
SHELBY COUNTY JUDGE OF PROBATE  
009 MCB 24.00