EASEMENT (Metes and			FACILIT			•	TO BE R	ECORE	DED: YES		NO_462	4Ht.		Gu	۱۷≤ م This i	nstrume	2+00,3 ent prepa	toの, 🦮 ared by:	4-100
STATE OF	ALABAM	A			}	•	W.E. No.	617:	<u>30-0</u>	<u> </u>	0170	4 5					er Compa		
COUNTY O	F <u></u>	HEZB	14		}	1	Parcel No	o. 61	730-0	X	-017	24				Box 264	-	··y	
TAX ID # <u>1</u>	<u> 2-7-2</u>	26-0-	<u>000</u>	<u>-011.</u>	<u>. 00 .</u>	}	Transforr	ner No.	<u> </u>	<u> 3 - 1</u>	Z 83	7	_		Birmin	igham, A	labama	35291	
A. GRAN	IT KNOV	V ALL ME	N BY TH	HESE F	PRESE	NTS. Tha	ı	HANI	NOW A	4.	HAMN	1677	+	4), 5	: <i> </i>	W 1 - 41	EZLE	•	
						, , , , , , , ,			11.		LETT	<u> </u>		7,0	- 				<u> </u>
s grantors (s aid by Alaba uccessors a	ama Pow	er Compa	iny, a coi	rporation	on, the	receipt a	nd suffici	iency of	One and No which are	o/100 here	(\$1.00) a by ackno	wledged	, doe	s herel	ov gra	le consid nt to Ala	deration, bama Po	to Grant wer Cor	or in han npany, i
B. RIGHT	S The e	asements	, rights a	and priv	vileges	granted h	nereby ar	e as fol	lows:										
Se loc op ov eit ins tre	ection C to cation of cation of ctics, cable erhead a ther side of stall and uses or limit	pelow, alogodoundergroues, transcond/or undof the central transcondition in the central transcon	ng a rout and Facil losures, erground ter line of rmediate of the th	te to be lities, if transfo d transr f under poles hirty foo	select any, by ormers, mission ground in line f ot (30') s	ed by the cross-ha anchors, and distr Facilities or overhe strip for ov	Compartiching in guy wire ibution of and fifter ad Facili	ny which dicating s and ot f electric en feet ties and	ruct, installation is generally an area noticed her facilities power, and (15') to eithe the right to the that, in the	illy shot great les us nd als ner sid o trim	own on the ater than eful or ne of the right and cut a	ten feet ten feet cessary i t to clear enter line nd keep	any's (10') in cor and l e of o trimm	final lo in width nection keep claverhead verhead	cation h), all n there ear a s d Fac l cut al	drawing poles, to with (col strip of la ilities; fur Il dead, w	y (which so wers, wire lectively, nd extend ther, the re veak, lear	shows the es, conditient of the establishment of th	e generaluits, fibe s"), for the feet (5') to e future to angerou
mi loc dra	ight now o cated adj awing, an	or may her acent to th	reafter er ne Prope right to c	ndange rty des clear ai	er, interi cribed i nd keep	fere with o in Section o clear all	or fall upo C below trees, un	on the el along a dergrow	lead, weak ectric trans a route to b vth, and oth ilities.	smiss e sele	ion or dist ected by t	tribution he Comp	lines, pany (poles, genera	tower	s or othe wn on th	r Facilitie e Compa	s now or anv's fina	hereafte
C ad als	below, ar ljacent the so the rigi	nd to cons ereto (colle nt to trim a	struct, ex ectively, and cut ar	tend ar "Guy V nd keep	nd mair Vire Fac p trimm	ntain guy cilities") a ed and cu	wires fro long a ro it all dead	m such ute to be d, weak,	hor(s) of co anchor(s) selected leaning or Wire Facil	to str by the r dang	uctures no Compar gerous tre	ow or he ly genera	reafte	er erections	ted ad the C	jacent to ompany's	such Prosider	operty o ation dra	r properi wing: an
Grantor he right of in hereof; and acilities and ollowing designed.	gress and also the d Guy Wii	d egress to right to cu re Facilitie	o and fro it, remov es, as ap	m the F e and c plicable	-acilitie otherwi e.	s and Guy se keep o	y Wire Fa clear any	acilities, and all	structures	ble, a , obst	nd the rig ructions o	ht to exc or obstac	avate les o	for ins	tallatio	on, replac naracter,	cement, r on, unde	epair and al	d remova bove sai
FOR LE																_			
		مري ديو	IFIIO					\(\text{tile}	(Crep)	0 35	125 10	ربين	100	HU=	71	1 14-1	MERE	· Dr	_
				·	······································	,,,,, ,,		· · · · · ·	······································		· .				···		•		· · · · · · · · · · · · · · · · · · ·
											 	, ,					<u>"</u>		
IN WIT	t of any present oundary of all inure and "Gran	blic road he rights of the right to the bertor" as us	or highward and the same the s	ay in prabove; of any santor sinstru	roximity provide such pu r, the C ment s e Comp	to the Fa ed, however blic road of company a hall be de cany, its s	er, the Corhighwa and each emed to	Grantor I company ay as est n of thei include rs and a	hereby grades held contablished	relocation relocation re-control	the Comp ate the Fa established irs, perso onal repre	pany the cilities or d from tin nal repre- esentativ	right n the me to esent 'es, s	to reloce Proper time. atives, uccess	ty at a This gr succe ors ar	e Facilitie distance rant and essors and id assign	es and, as greater agreeme nd assign ns of sucl	to such than ten nt shall b ns and the n parties	relocate feet (10 e bindin he word
Vitness		4		>			>		(Grant	or) •								*	,
Vitness	-0	2 /2	5					_	Ä	2C	hell	elife	2	∞	1	1		(SEAL)
• 1111633	_								(Grante	ur)									

(SEAL)

Witness

61730-00-01704

20030604000346050 Pg 2/2 36.50 Shelby Cnty Judge of Probate.AL 06/04/2003 10:35:00 FILED/CERTIFIED

EXHIBIT "A" LEGAL DESCRIPTION

PARCEL I:

Commence at the Southwest corner of the Southwest quarter of Southwest quarter of Section 26, Township 20 South, Range 4 West, Shelby County, Alabama and run thence North 00 degrees 00 minutes 00 seconds East along the West line of said quarter-quarter a distance of 472.49 feet to a found rebar corner and the point of beginning of the property, Parcel -1, being described; thence run North 89 degrees 45 minutes 52 seconds East a distance of 472.64 feet to a found rebar corner; thence run South 00 degrees 00 minutes 52 seconds West a distance of 379.78 feet to a found rebar corner on the northerly margin of Shelby County Highway No. 13 in a curve to the left having a central angle of 09 degrees 01 minutes 10 seconds and a radius of 2,825.00 feet; thence run Northeasterly along the arc of said right of way curve an arc distance of 461.14 feet to a found rebar corner; thence run North 34 degrees 38 minutes 52 seconds West a distance of 213.12 feet to a found rebar corner; thence run North 00 degrees 20 minutes 04 seconds East a distance of 475.19 feet to a set rebar corner; thence run North 89 degrees 39 minutes 45 seconds West a distance of 784.70 feet to a found rebar corner; thence run South 00 degrees 00 minutes 00 seconds East along the West line of same said quarter-quarter a distance of 529.55 feet to the point of beginning.

According to the survey of Joseph E. Conn, Jr., dated November 7, 2002.

SKETCH OF PROPOSED WORK - SIMPLIFIED W.E.

Map Center: 1661-12074

LatLon Center: 33.2603258583883; -86.9329988444036

ALABAMA MA POWER

														THERM AGENTARY	
Customer				Location							Serv. Date	Estimate No.			
MICHELL	E HAMM	64	<u>و</u> ک	HW	Y 13	- HEL	- HELENA			1-04	61730-00-01704				
Region			Oper. Cntr.				Town/City			N	Created:				
DIRN	MCHAM	H /	MELHAM				HELENA				9/16/2004 10-46-11 AM				
County:	ction	tion Township			Add'l	Add'l Info			((ELL)	529 -	8135				
Shelby 46-20-26-3 26				20S 04W			SHA	עעעעע /	HA MM	MMETT: 298-3158					
				Date R/W Assigned Da			/W Cleared	Spatial Reference			LOC	Trar	Transformer Loading		
Voltage	Phone Co	CATV C	Acce	essible	Tree	Crew	Rock Hole		R/W	City	County	State	Miss All	Other	
19,9kV	OKV YES NO		Ye	Yes Ye		5	No	Permits	YES	No	No	No	YES	1/0	
													· · · · · · · · · · · · · · · · · · ·		

