

#### AFFIDAVIT AT TO MODIFIED FRONT SET BACK LINE

I, the undersigned builder acknowledges that the house constructed on Lot 6 Final Plat of Nottingham Townhomes, Map Book 33 Page 111 in the Probate Office of Shelby County, Alabama, and is also known as 130 Little John Circle, complies with the City of Calera Article VII Supplemental Regulations Section 1.00 zoning regulations attached and confirmed with Mr. Mike Wood with the City of Calera.

The Architectural Review Committee has also granted a variance for the set back line to allow the house located on Lot 6 Final Plat of Nottingham Townhomes to be located on the site as shown in the survey prepared by Walter W. Wickstrom, Jr. dated 3/28/05

Authentic Building Company, LLC

Bret G. Winford, Member


Sworn to and subscribed before me this 30th day of March, 2005.

व्यक्तिमाः महि व्यक्तिक

Notary Public

Mý Commission expires: 3/5/07

COURTNEY H. MASUN, JR. COLLINISSION EXPIRES MARCH 5, 2007



#### VARIANCE OF SET-BACK LINE

I, THE UNDERSIGNED, AM THE DEVELOPER UNDER THE DECLARATION OF PROTECTIVE COVENANTS, & RESTRICTIONS OF NOTTINGHAM, RECORDED INSTRUMENT #2004-39994 AND IN INST #2004-50560 IN THE PROBATE OFFICE OF SHELBY COUNTY, ALABAMA. UNDER SAID COVENANTS I HAVE THE POWER TO AMEND SET-BACK LINES AND RESTRICTIVE COVENANTS IN SAID SUBDIVISION.

I HAVE SEEN THE ATTACHED SURVEY DATED 3/28/05 AND PREPARED BY WALTER W. WICKSTROM, JR. ON LOT 6, FINAL PLAT OF NOTTINGHAM AS RECORDED IN MAP BOOK 33, PAGE 111, IN THE OFFICE OF THE JUDGE OF PROBATE IN SHELBY COUNTY, ALABAMA... UNDER THE TERMS OF THE COVENANTS, THE ARCHITECTURAL CONTROL COMMITTEE HAS THE POWER AND DOES HEREBY GRANT A VARIANCE FROM THE SET-BACK LINE TO PERMIT THE IMPROVEMENTS ON SAID LOT TO BE LOCATED AS SHOWN IN THE ATTACHED SURVEY.

NOTINGHAM LC

DEVELOPER

DALTON LANE CLAYTON, AS ITS MANAGER

SWORN TO AND SUBSCRIBED BEFORE ME THIS THE <u>30</u> DAY OF MARCH, 2005


NOTARY PUBLIC

MY COMMISSION EXPIRES:

MOCULE 12417000

# City of Calera





COUNCIL MEMBERS:

DAVID BRADSHAW

JERRY DAVIS

BOBBY PHILLIPS

ERNEST MONTGOMERY

MIKE ROBERSON

GEORGE W. ROY
Mayor

LINDA STEELE
CITY Clork

JIM FINN
Police Chief

DAVID L. JONES
Public Works Director

MICHAEL WOOD

Building Official

MIKE KENT
Zening Official

TOMMY MOON
Fire Chief


March 29, 2005

#### To Whom It May Concern:

In accordance with Article VII Section 1.00 of the City of Calera Zoning Ordinance (attached) the setbacks have been modified for Lot 6 in the Nottingham Townhomes Subdivision. If you need further assistance please feel free to contact me at the number provided.

Mike Wood
Building Official
City of Calera

MW/ki



### ARTICLE VII

# SUPPLEMENTAL REGULATIONS

# Section 1.00 Area Modification for Lots of Record

The Calera Zoning Board of Adjustment shall approve all proposed development involving non-conforming lots of record. [See Article V, General Regulations, Section 2.00]

## Section 2.00 General Yard Requirements


A. Every part of a required yard shall be open to the sky, unobstructed by any structure or part thereof, and, unoccupied for storage, servicing or similar uses, except as provided for herein.


B. More than one (1) multiple dewelling, office, institutional, industrial or public building may be located upon a lot or tract of land, but such dewellings shall not encroach upon the front, side or rear yards required by the district regulations.


C. In certan cases the Building Official can modify the front and the rear yard requirements to a point of no more than (5) five feet, in any district. A distance over this will have to go to the Board of Adjustments and Appeals for a variance approval, but the side yards must meet the requirements for the district in question.

## 2.01 Front Yard Modifications

- A. Where forty percent (40%) or more of the frontage on the same side of the street between two (2) intersecting streets is presently developed or may hereafter be developed with buildings that have (with a variation of five feet (5') or less) a front yard greater or lesser in depth than herein required, new buildings shall not be erected closer to the street than the average front yard so established by the existing dwelling.
- B. Where forty percent (40%) or more of the frontage on one (1) side of a street between two (2) intersecting streets is presently developed or may hereafter be developed with buildings that do not have a front yard as described below. The following shall apply:
  - 1. Where a building is to be erected on a parcel of land that is within one hundred feet (100') of existing buildings on both sides, the minimum front yard shall be a line drawn between the closest front corners of the adjacent buildings
  - Where a building is to be crected on a parcel of land that is within one hundred feet (100') of an existing building on one (1) side only, such building may be erected as close to the street as the existing building
- C. Through lots shall provide the required front yard on both sides.
- D. Corner lots shall provide a front yard on each street.







NOTE: 5' VARIANCE ALLOWED ON FRONT <u>OR</u> REAR SETBACK PER MIKE KENT, CITY OF CALERA.

RADIUS = 250.00CH. BRG. =  $884^{\circ}51'27''E$ CHORD L. = 33.17ARC L. = 33.20

Survey of Lot 6, Block according toFINAL PLAT OF NOTTINGHAM	
Probate of afore—said County in Plat Book 33, Page 111: The address based on reliable information and sources of said lab.	
reliable information and sources of said Lot is 130 LITTLE JOHN CIRCLE	
$\frac{1}{1} = \frac{1}{1} = \frac{1}$	
F.I.R.M. Community—Panel Number010191_0135_B *DatedSEPT. 16, 1982	
SURVEY FOR: HOLLY	
REQUESTED BY: CAROL COLLINS	
TYPE OF SURVEY: MORTGAGE SURVEY	OATE OE CICIO CUOVEN 7/04/05
* SHELBY COUNTY FLOOD INFO USED; THIS AREA OF CALERA WAS NOT INCORPORATED AT THE TIME OF F.I.R.M. FLOOD STUDY.	
△ - STAKE SET LEGEND	SCALE: 1" = 30'
CONCRETE MONUMENT FOUND.  IRON PIN FOUND 1/2 OUTSIDE DIAMETER	SCALE: 1 = 30
FOUND.  -U - OVERHEAD UTILITY LINE(S).	BASIS OF BEARING USED: PLAT
CO OVERDEAU UNITITIONE/C)	SOURCE OF INFORMATION USED IN MAKING THIS SURVEY IS:
	RECORD MAP
- PK NAIL SET -CONCRETE UTILITY POLE.  A - NOT TO SCALE	PREPARED BY:  R. C. FARMER  ABA
TO SCALE.	DATE: 3/28/05 ASSOCIATES, INC.
- BRICK WALL	246 YEAGER PARKWAY
CENTERLINE .	CHECKED: WWW
- WOOD DECK ESM'T - EASEMENT.	SHEET NO 1 of 1   TEL-205-664-2566   EMBOS 8259 SEAL
M B L - MINIMUM BUILDING LINE	HEREBY STATE THAT ALL PARTS OF THIS SURVEY AND 3 100 STAMPED WATLES
- COVERED WOOD DECK ROW - RIGHT OF WAY.	DRAWING HAVE BEEN COMPLETED IN ACCORDANCE WITH THE CURRENT REQUIREMENTS OF THE STANDARDS OF PRACTICE
CONCRETE BLOOM WALL	FOR SURVEYING IN THE STATE OF ALABAMA TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF
- SCREENED IN DECK	Solla Menter of the Movernment
BRICK WALL	Mille Miller College ""