

EASEMENT - DISTRIBUTION FACILITIES
(Metes and Bounds)

TO BE RECORDED: YES X NO

This instrument prepared by:

STATE OF ALABAMA }
COUNTY OF Shelby }
TAX ID #

W.E. No. 61700-00-01855
Parcel No. 61700-00-01915
Transformer No. 70157063

Jeff J. Callicott
Alabama Power Company
P. O. Box 2641
Birmingham, Alabama 35291

A. GRANT KNOW ALL MEN BY THESE PRESENTS, That Colonial Properties Services, Inc.

as grantors (s), (the "Grantor", whether one or more) for and in consideration of One and No/100 (\$1.00) and other good and valuable consideration, to Grantor in hand paid by Alabama Power Company, a corporation, the receipt and sufficiency of which are hereby acknowledged, does hereby grant to Alabama Power Company, its successors and assigns (the "Company"), the easements, rights and privileges described and designated in Section B below.


B. RIGHTS The easements, rights and privileges granted hereby are as follows:

- ✓ 1. ~~Overhead and/or~~ **Underground**. The right from time to time to construct, install, operate and maintain, upon, over, under and across the Property described in Section C below, along a route to be selected by the Company which is generally shown on the Company's final location drawing (which shows the general location of underground Facilities, if any, by cross-hatching indicating an area not greater than ten feet (10') in width), all poles, towers, wires, conduits, fiber optics, cables, trans closures, transformers, anchors, guy wires and other Facilities useful or necessary in connection therewith (collectively, "Facilities"), for the overhead and/or underground transmission and distribution of electric power, and also the right to clear and keep clear a strip of land extending five feet (5') to either side of the center line of underground Facilities and fifteen feet (15') to either side of the center line of overhead Facilities; further, the right in the future to install and utilize intermediate poles in line for overhead Facilities and the right to trim and cut and keep trimmed and cut all dead, weak, leaning or dangerous trees or limbs outside of the thirty foot (30') strip for overhead Facilities that, in the sole opinion of the Company, might now or may hereafter endanger, interfere with or fall upon any of the overhead Facilities.
2. Line Clearing. The right to trim and cut and keep trimmed and cut all dead, weak, leaning or dangerous trees or limbs that, in the sole opinion of the Company, might now or may hereafter endanger, interfere with or fall upon the electric transmission or distribution lines, poles, towers or other Facilities now or hereafter located adjacent to the Property described in Section C below along a route to be selected by the Company generally shown on the Company's final location drawing, and also the right to clear and keep clear all trees, undergrowth, and other obstructions on property in which Grantor has an interest within fifteen feet (15') of the center line of the lines of such poles, towers or other Facilities.
3. Guy Wires and Anchors. The right to implant, install and maintain anchor(s) of concrete, metal or other material on and under the Property described in Section C below, and to construct, extend and maintain guy wires from such anchor(s) to structures now or hereafter erected adjacent to such Property or property adjacent thereto (collectively, "Guy Wire Facilities") along a route to be selected by the Company generally shown on the Company's final location drawing; and also the right to trim and cut and keep trimmed and cut all dead, weak, leaning or dangerous trees or limbs that, in the sole opinion of the Company, might now or may hereafter endanger, interfere with or fall upon any of the Guy Wire Facilities.

Grantor hereby grants to the Company all easements, rights and privileges necessary or convenient for the full enjoyment and use thereof, including without limitation the right of ingress and egress to and from the Facilities and Guy Wire Facilities, as applicable, and the right to excavate for installation, replacement, repair and removal thereof; and also the right to cut, remove and otherwise keep clear any and all structures, obstructions or obstacles of whatever character, on, under and above said Facilities and Guy Wire Facilities, as applicable.

C. PROPERTY DESCRIPTION The easements, rights and privileges granted hereby shall apply to, and the word "Property" as used in this instrument shall mean, the following described real property situated in Shelby County, Alabama (the "Property"):

For legal description, see Exhibit "A" attached hereto and made a part hereof.



D. ADDITIONAL PROVISIONS. In the event it becomes necessary or desirable for the Company to move any of the Facilities in connection with the construction or improvement of any public road or highway in proximity to the Facilities, Grantor hereby grants to the Company the right to relocate the Facilities and, as to such relocated Facilities, to exercise the rights granted above; provided, however, the Company shall not relocate the Facilities on the Property at a distance greater than ten feet (10') outside the boundary of the right of way of any such public road or highway as established or re-established from time to time. This grant and agreement shall be binding upon and shall inure to the benefit of Grantor, the Company and each of their respective heirs, personal representatives, successors and assigns and the words "Company" and "Grantor" as used in this instrument shall be deemed to include the heirs, personal representatives, successors and assigns of such parties.

TO HAVE AND TO HOLD the same to the Company, its successors and assigns, forever.

IN WITNESS WHEREOF, the undersigned Grantor(s) has/have set his/her/their hand(s) and seal(s) this the 4th day of MAY, 2005.

[Signature] (SEAL)
Witness

[Signature] (Grantor) REALTY LIMITED PARTNERSHIP
Colonial Properties Services, Inc. (SEAL)
Witness

[Signature] (Grantor)
By: [Signature] (SEAL)
As: S.R.V.P.

Witness

Shelby County, AL 08/02/2005
State of Alabama
Deed Tax: \$.50

IN WITNESS WHEREOF, the said Grantor, has caused this instrument to be executed by _____ its authorized representative, as of the _____ day of _____, 20_____.

ATTEST (if corporation) or WITNESS:

(Grantor - Name of Corporation/Partnership/LLC)

By: _____

By: _____ (SEAL)

Its: _____

Its: _____

[indicate President, General Partner, Member, etc.]

INDIVIDUAL NOTARIES

STATE OF ALABAMA }

COUNTY OF _____ }

I, the undersigned, a Notary Public, in and for said County in said State, hereby certify that _____ whose name(s) is/are signed to the foregoing instrument and who is/are known to me, acknowledged before me on this day that being informed of the contents of the instrument, he/she/they executed the same voluntarily, on the day the same bears date.

Given under my hand and official seal this the _____ day of _____, _____.

[SEAL]

Notary Public

My commission expires: _____

STATE OF ALABAMA }

COUNTY OF _____ }


I, the undersigned, a Notary Public, in and for said County in said State, hereby certify that _____ whose name(s) is/are signed to the foregoing instrument and who is/are known to me, acknowledged before me on this day that being informed of the contents of the instrument, he/she/they executed the same voluntarily, on the day the same bears date.

Given under my hand and official seal this the _____ day of _____, _____.

[SEAL]

Notary Public

My commission expires: _____



TRUSTEE/CORPORATION/PARTNERSHIP/LLC NOTARY

STATE OF ALABAMA }


COUNTY OF Jefferson }

I, the undersigned, a Notary Public, in and for said County in said State, hereby certify that Charles H. McNamee, whose name as SVP of Colonial Realty Limited Partnership [as _____], is signed to the foregoing instrument, and who is known to me, acknowledged before me on this day that being informed of the contents of the instrument, he/she, as such SVP and with full authority, executed the same voluntarily for and as the act of said Colonial Realty Limited Partnership [acting in such capacity as aforesaid].

Given under my hand and official seal, this the 4 day of May, 2005.

[SEAL]

Martha H. Thomas
Notary Public
My commission expires: _____



For Alabama Power Company Corporate Real Estate Department Use Only Thru Colonial Insurance Agency

All facilities on Grantor: _____

Station to Station: 6700-00-0185 STA HQ To STA 1+10
6700-00-0195 STA HQ To STA 1+60

Exhibit A

(Legal Description)

A parcel of land situated in the Northeast 1/4, the Southeast 1/4 and the Southwest 1/4 of Section 1, Township 21 South, Range 3 West, Shelby County, Alabama being more particularly described as follows:

Commence at the Southeast corner of Section 1, Township 21 South, Range 3 West; thence in a Westerly direction along the South line of said Section 1 a distance of 2055.82 feet to a point at the intersection of said Section line and the Westerly Right-of-Way line of Interstate Drive, said point being the POINT OF BEGINNING of the parcel described herein; thence continue in a Westerly direction along the South line of said Section 1 (leaving said Interstate Drive Right-of-Way line) a distance of 282.10 feet to a point on the Northeasterly Right-of-Way line of U.S. Highway No. 31; thence $37^{\circ}21'23''$ to the right in a Northwesterly direction along the Northeasterly Right-of-Way line of said U.S. Highway No. 31 a distance of 240.61 feet to a concrete Right-of-Way monument; thence $1^{\circ}35'30''$ to the left in a Northwesterly direction along said Right-of-Way line a distance of 499.72 feet to a concrete Right-of-Way monument at the intersection of said Right-of-Way line and the Easterly Right-of-Way line of Interstate Highway No. 65; thence $28^{\circ}21'35''$ to the right in a Northwesterly direction along the Easterly Right-of-Way line of said Interstate Highway No. 65 a distance of 162.31 feet to a concrete Right-of-Way monument; thence $27^{\circ}44'36''$ to the right in a Northerly direction along said Right-of-Way line a distance of 630.36 feet to a concrete Right-of-Way monument; thence $12^{\circ}13'40''$ to the right in a Northerly direction along said Right-of-Way line a distance of 572.42 feet to a concrete Right-of-Way monument; thence $13^{\circ}28'52''$ to the right in a Northeasterly direction along said Right-of-Way line a distance of 1591.01 feet to a concrete Right-of-Way monument; thence $30^{\circ}35'37''$ to the right in a Northeasterly direction along said Right-of-Way line a distance of 173.96 feet to a point; thence $30^{\circ}30'08''$ to the left in a Northeasterly direction along said Right-of-Way line a distance of 552.94 feet to a point; thence $84^{\circ}23'49''$ to the right (leaving said Right-of-Way line) in a Southeasterly direction a distance of 881.93 feet to a point; thence $90^{\circ}00'$ to the right in a Southwesterly direction a distance of 100.12 feet to the P.C. (point of curve) of a curve to the left having a radius of 55.00 feet and a central angle of $18^{\circ}26'06''$; thence in a Southwesterly and Southerly direction along the arc of said curve a distance of 17.70 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southerly direction a distance of 82.97 feet to the P.C. (point of curve) of a curve to the right having a radius of 105.00 feet and a central angle of $18^{\circ}26'06''$; thence in a Southerly and Southwesterly direction along the arc of said curve a distance of 33.78 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southwesterly direction a distance of 114.90 feet to the P.C. (point of curve) of a curve to the right having a radius of 105.00 feet and a central angle of $18^{\circ}26'06''$; thence in a Southwesterly direction along the arc of said curve a distance of 33.78 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southwesterly direction a distance of 82.97 feet to the P.C. (point of curve) of a curve to the left having a radius of 55.00 feet and a central angle of $18^{\circ}26'06''$; thence in a Southwesterly direction along the arc of said curve a distance of 17.70 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southwesterly direction a distance of 364.19 feet to the P.C. (point of curve) of a curve to the left having a radius of 55.00 feet and a


central angle of $87^{\circ}26'32''$; thence in a Southwesterly, Southerly and Southeasterly direction along the arc of said curve a distance of 83.94 feet to the P.R.C. (point of reverse curve) of a curve to the right having a radius of 72.00 feet and a central angle of $118^{\circ}23'41''$; thence in a Southeasterly, Southerly and Southwesterly direction along the arc of said curve a distance of 148.78 feet to the P.R.C. (point of reverse curve) of a curve to the left having a radius of 45.00 feet and a central angle of $30^{\circ}57'07''$; thence in a Southwesterly direction along the arc of said curve a distance of 24.31 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southwesterly direction a distance of 307.13 feet to the P.C. (point of curve) of a curve to the left having a radius of 45.00 feet and a central angle of $40^{\circ}14'52''$; thence in a Southwesterly and Southerly direction along the arc of said curve a distance of 31.61 feet to the P.R.C. (point of reverse curve) of a curve to the right having a radius of 72.00 feet and a central angle of $80^{\circ}29'58''$; thence in a Southerly and Southwesterly direction along the arc of said curve a distance of 101.16 feet to the P.R.C. (point of reverse curve) of a curve to the left having a radius of 45.00 feet and a central angle of $40^{\circ}15'09''$; thence in a Southwesterly direction along the arc of said curve a distance of 31.61 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southwesterly direction a distance of 263.14 feet to a point; thence $90^{\circ}00'00''$ to the right in a Northwesternly direction a distance of 196.66 feet to a point; thence $95^{\circ}00'00''$ to the left in a Southwesterly direction a distance of 111.29 feet to the P.C. (point of curve) of a curve to the left having a radius of 60.00 feet and a central angle of $70^{\circ}36'50''$; thence in a Southwesterly, Southerly and Southeasterly direction along the arc of said curve a distance of 73.95 feet to the P.R.C. (point of reverse curve) of a curve to the right having a radius of 70.00 feet and a central angle of $96^{\circ}14'51''$; thence in a Southeasterly, Southerly and Southwesterly direction along the arc of said curve a distance of 117.59 feet to the P.R.C. (point of reverse curve) of a curve to the left having a radius of 60.00 feet and a central angle of $50^{\circ}38'01''$; thence in a Southwesterly and Southerly direction along the arc of said curve a distance of 53.02 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southerly direction a distance of 320.64 feet to the P.C. (point of curve) of a curve to the right having a radius of 65.00 feet and a central angle of $43^{\circ}14'23''$; thence in a Southerly and Southwesterly direction along the arc of said curve a distance of 49.05 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southwesterly direction a distance of 20.06 feet to the P.C. (point of curve) of a curve to the left having a radius of 55.00 feet and a central angle of $48^{\circ}14'23''$; thence in a Southwesterly and Southerly direction along the arc of said curve a distance of 46.31 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in a Southerly direction a distance of 578.42 feet to a point; thence $93^{\circ}42'51''$ to the right in a Westerly direction a distance of 491.10 feet to the P.C. (point of curve) of a curve to the left having a radius of 25.00 feet and a central angle of $86^{\circ}31'11''$; thence in a Westerly, Southwesterly and Southerly direction along the arc of said curve a distance of 37.75 feet to the P.T. (point of tangent) of said curve, said point lying on the Easterly Right-of-Way line of Interstate Drive; thence $90^{\circ}00'$ to the right in a Westerly direction (leaving said Easterly Right-of-Way line) a distance of 80.00 feet to a point on the Westerly Right-of-Way line of said Interstate Drive; thence $90^{\circ}00'$ to the left in a Southerly direction along the Westerly Right-of-Way line of said Interstate Drive a distance of 74.94 feet to a point on the Northeasterly line of a 100 foot Alabama Power Company Right-of-Way; thence $153^{\circ}08'27''$ to the right in a Northwesternly direction along the Westerly Right-of-Way line of said Interstate Drive and the Northeasterly line of said Alabama Power Company Right-of-Way a distance of 22.13 feet to a point; thence $153^{\circ}08'27''$ to the left in a Southerly direction (leaving the Northeasterly line of said 100 foot

Alabama Power Company Right-of-Way) along the Westerly Right-of-Way line of said Interstate Drive a distance of 364.54 feet to the POINT OF BEGINNING.

LESS AND EXCEPT PARCEL
LEGAL DESCRIPTION

A portion of Interstate Drive Right-of-Way situated in the Southwest 1/4 of the Southeast 1/4 of Section 1, Township 21 South, Range 3 West, Shelby County, Alabama being more particularly described as follows:



Commence at the Southeast corner of Section 1, Township 21 South, Range 3 West; thence in a Westerly direction along the South line of said Section 1 a distance of 2055.82 feet to a point at the intersection of said Section line and the Westerly Right-of-Way line of Interstate Drive, thence $84^{\circ}15'29''$ to the right in a Northerly direction along said Right-of-Way line a distance of 364.54 feet to a point on the Northeasterly line of a 100 foot Alabama Power Company Right-of-Way; thence $153^{\circ}08'27''$ to the right in a Southeasterly direction along the Westerly Right-of-Way line of said Interstate Drive and the Northeasterly line of said Alabama Power Company Right-of-Way a distance of 22.13 feet to a point; thence $153^{\circ}08'27''$ to the left in a Northerly direction (leaving the Northeasterly line of said 100 foot Alabama Power Company Right-of-Way) along the Westerly Right-of-Way line of said Interstate Drive a distance of 74.94 feet to the POINT OF BEGINNING of the parcel described herein; thence continue along the last described course and along the Westerly Right-of-Way line of said Interstate Drive a distance of 319.21 feet to the P.C. (point of curve) of a curve to the right having a radius of 994.93 feet and a central angle of $2^{\circ}25'41''$; thence in a Northerly direction along the arc of said curve and along the Westerly Right-of-Way line of said Interstate Drive a distance of 42.16 feet to a point, said point lying on a curve to the right having a radius of 1600.00 feet and a central angle of $9^{\circ}18'27''$; thence $162^{\circ}47'29''$ to the right (angle measured from tangent to tangent) in a Southeasterly and Southerly direction along the arc of said curve (leaving the Westerly Right-of-Way line of said Interstate Drive) a distance of 259.92 feet to the P.R.C. (point of reverse curve) of a curve to the left having a radius of 25.00 feet and a central angle of $88^{\circ}00'27''$; thence in a Southerly, Southeasterly and Easterly direction along the arc of said curve a distance of 38.40 feet to the P.T. (point of tangent) of said curve; thence tangent to said curve in an Easterly direction a distance of 7.07 feet to a point on the Easterly Right-of-Way line of Interstate Drive; thence $93^{\circ}28'49''$ to the right in a Southerly direction along the Easterly Right-of-Way line of said Interstate Drive a distance of 83.64 feet to a point; thence 90° to the right in a Westerly direction (leaving the Easterly Right-of-Way line of said Interstate Drive) a distance of 80.00 feet to the POINT OF BEGINNING.


20050802000388790 5/7 \$29.50
Shelby Cnty Judge of Probate, AL
08/02/2005 10:05:30AM FILED/CERT

SKETCH OF PROPOSED WORK — SIMPLIFIED W. E.

Sheet 1 of 1

Customer <i>Colonial Properties So. Sign</i>		Location <i>Colonial Promenade Pkwy</i>		Agreed Serv. Date <i>7-15-05</i>		Estimate No. <i>61700-00-01855</i>	
Division <i>Birmingham</i>		District <i>Metro-South</i>		Town <i>Alabaster</i>		Drawn by <i>G. Belcher</i>	
County <i>Shelby</i>		Section <i>1</i>		Township <i>21S</i>		Range <i>3W</i>	
Add'l Info		Date R/W Assigned		Date R/W Cleared		Map Reference	
Acquisition Agent		Transformer Loading		LOC			



Est. Load = 61 kVA

* Customer to install
(2) 5" CONDUIT TO
BASE OF POLE.

UG services to
South Pylon Sign &
Parkway lights.

Voltage	
Pri	Sec.
12	277
kV	480

PHONE CO.	
Co. Name	

CATV CO.	
Co. Name	

ACCESSIBLE	X
------------	---

TREE CREW	
-----------	--

ROCK HOLE	
-----------	--

PERMITS REQ'D	
---------------	--

R/W	X
-----	---

CITY	
------	--

COUNTY	
--------	--

STATE	
-------	--

MISSALL	
---------	--


#	
---	--

OTHER	
-------	--

SCALE	
-------	--

NTS	
-----	--

Ft. Per Inch	
--------------	--



CL₁ = 53 kVA
VD₁ = 3.2 %

CL₂ = 8 kVA
VD₂ = 0.5 %



20050802000388790 6/7 \$29.50
Shelby Cnty Judge of Probate, AL
08/02/2005 10:05:30AM FILED/CERT



Cnst. Completed By

Date

SKETCH OF PROPOSED WORK — SIMPLIFIED W. E.

Sheet 1 of 1

Customer <i>Colonial Properties No. Sign</i>		Location <i>Colonial Promenade Pk</i>		Agreed Serv. Date <i>7-15-05</i>		Estimate No. <i>61700-00-01915</i>	
Division <i>Birmingham</i>		District <i>Metro-South</i>		Town <i>Alabaster</i>		Drawn by <i>G. Belcher</i>	
County <i>Shelby</i>		Section <i>1</i>		Township <i>21 S</i>		Range <i>3 W</i>	
Add'l Info		Date R/W Assigned		Date R/W Cleared		Map Reference	
Acquisition Agent		LOC <i>X</i>		Transformer Loading <i>24702</i>			
		Y <i>XD8715</i>					




* Customer to install conduit

Voltage	
Pri	Sec.
12 KV	120 / 240
PHONE CO.	
Co. Name	
CATV CO.	
Co. Name	
ACCESSIBLE	<input checked="" type="checkbox"/>
TREE CREW	
ROCK HOLE	
PERMITS REQ'D	
R/W	<input checked="" type="checkbox"/>
CITY	
COUNTY	
STATE	
MISSALL #	
OTHER	
SCALE	
NTS	
Ft. Per Inch	

FUTURE R.J. GATORS

FUTURE RUBY TUESDAY



Est Load = 13kVA
VD = 2.4%

20050802000388790 7/7 \$29.50
Shelby Cnty Judge of Probate, AL
08/02/2005 10:05:30AM FILED/CERT

Cnst. Completed By

Date