

Mortgagee's Waiver and Consent

20070126000040920 1/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

Compass Bank

Mortgagee

15 So. 20th St. Ste. 207 Bham AL

Address, City, State Zip

35233

11/27/06

Date

To: Regions Bank

Whereas the above Lessor has entered into a lease contract with Custom Marketing Services, Inc. (Lessee), dated 3/9/2006 for the rental of:

See Attached Equipment Schedule

(Full description of rented equipment)

Hereinafter referred to as the "Equipment" now or to be installed or kept at:

3400 Highway 31 North, Calera, AL 35040; 41 North Industrial Pkwy., Calera, AL 35040; 3280 Highway 31 North, Calera, AL 35040

(Full local address of equipment location, including city & state)

the undersigned mortgagee of the said premises, in consideration of the said contract and the delivery of said "Equipment" to the Lessee by these presents, consents to said installation and does waive and relinquish unto the Lessor and assigns, all right of levy for rent or mortgage payments and all claims and demands of every kind against the said "Equipment" now or to be installed under said contract. The undersigned mortgagee also disclaims any ownership or other interest in subject equipment and in other equipment that may be added from time to time, even though said equipment may become attached to the real (immovable) property or become a fixture or component part thereof. This waiver is to continue until full compliance by the Lessee with all the terms and conditions of said contract. The undersigned agrees that said "Equipment" shall not become part of the mortgaged premises (free-hold) and may be removed or repossessed by the Lessor and assigns at any time without liability to Lessor.

WITNESS my (our) hand(s) and seal(s) the day and year above written.

Mortgagee: Compass Bank

By: [Signature]

Print: R Scott Puciam

Title: SVP

State of Alabama

County of Jefferson


The foregoing instrument was acknowledged before me this 27 day of November, 2006 by R Scott Puciam, the SVP of Compass Bank of Mortgagee, on behalf of Mortgagee.

Notary Public: Brenda Broome

Print: Brenda Broome

Date witnessed by Notary: November 27, 2006

My Commission expires: May 12, 2010



Equipment Schedule

The following equipment is located at the three (3) below locations:

3400 Highway 31 North, Calera, AL 35040

41 North Industrial Pkwy, Calera, AL 35040

3280 Highway 31 North, Calera, AL 35040

EQUIPMENT SALE

GENERAL BATTERIES MODEL GENERAL BA

FORKLIFT ACCESS - BATTERY

ID NO: LW115014A SERIAL NO: GAI1879

REF: PAINT PPG# ALK71890T - RED

FOB: BIRMINGHAM

EQUIPMENT SALE

GENERAL BATTERIES MODEL GENERAL BA

FORKLIFT ACCESS - CHARGER

ID NO: LW115014B SERIAL NO: AM833300011

REF: PAINT PPG# ALK71890T - RED

FOB: BIRMINGHAM

EQUIPMENT SALE

GENERAL BATTERIES MODEL GENERAL BA

FORKLIFT ACCESS - BATTERY

ID NO: LW115060A SERIAL NO: GAI1881

REF: PAINT PPG# ALK71890T - RED

FOB: BIRMINGHAM

EQUIPMENT SALE

GENERAL BATTERIES MODEL GENERAL BA

FORKLIFT ACCESS - CHARGER

ID NO: LW115060B SERIAL NO: AM833300012

REF: PAINT PPG# ALK71890T - RED

FOB: BIRMINGHAM

COMPAN'
ACCOU'
J.C.
AMC

QTY	DESCRIPTION
1.0	GENERAL BATTERIES MODEL GENERAL BA FORKLIFT ACCESS - BATTERY ID NO: LW115062A SERIAL NO: GAI1883 REF: PAINT PPG# ALK71890T - RED FOB: BIRMINGHAM
1.0	EQUIPMENT SALE GENERAL BATTERIES MODEL GENERAL BA FORKLIFT ACCESS - CHARGER ID NO: LW115062B SERIAL NO: AM833300013 REF: PAINT PPG# ALK71890T - RED FOB: BIRMINGHAM
	THREE (3) NEW ENK MODEL 18-125C-13 36 VOLT BATTERIES @ 2568.00 EACH THREE (3) NEW ENK MODEL HPT-18-750 CHARGERS @ 1291.00 EACH NO TAX PROJECT #2005279001
	NET DUE ON RECEIPT OF INVOICE



20070126000040920 2/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

QTY	DESCRIPTION
	CUSTOMER CONTACT: MR DENIS O'BRIEN
	EQUIPMENT SALE
	CROWN MODEL RR5220
	CH TRUCK
1.0	ID NO: LW115014 SERIAL NO: 1A299155
	REF:
	FOB: BIRMINGHAM
	EQUIPMENT SALE
	CROWN MODEL RR5220
	CH TRUCK
1.0	ID NO: LW115060 SERIAL NO: 1A299156
	REF:
	FOB: BIRMINGHAM
	EQUIPMENT SALE
	CROWN MODEL RR5220
	CH TRUCK
1.0	ID NO: LW115062 SERIAL NO: 1A299157
	REF:
	FOB: BIRMINGHAM

1	3	HP118-7505-11
1	3	ASSEMBLY ITEM
1	3	FG-2705
1	3	SN#-AM833-000011
1	3	SN#-AM833-000012
1	3	SN#-AM833-000013

Quantity	Item Code	Description
36	901453	[703S429] 29"X48"X35 1/4" METAL WORK TABLE GRAY WITH ONE SHELF. 12GA. METAL
Quantity	Item Code	Description
1	900535	[SKU# RCP 6173 GRA]- JANITOR CART GRAY WITH 25 GAL VINYL BAG INCLUDED
1	900372	TILT TRUCK - 1 CU. YARD - GRAY
6	900717	44 GALLON BRUTE GRAY CONTAINER BY RUBBERMAID
Quantity	Item Code	Description
2	901455	[VHPT-2448] 24"X48" HARDWOOD PLATFORM TRUCK WITH 6" WHEELS
2	901456	[VHPT-3672] 36"X72" HARDWOOD PLATFORM TRUCK WITH 6" WHEELS



20070126000040920 3/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

Quantity	Item Code	Description
224	901434	[STEEL SHELVING] 24"Dx36"Wx97"H GREY SHELVES 6 PER UNIT 20ga. 400lb CAPACITY PER SHELVE 898 EACH OFFSET POST 97" HIGH 1344 EACH SHELVES 24"x36" 20ga> 756 EACH SWAY BRACES FOR 24"x36" SHELF 5376 CLIPS FOR OFFSET POST 47 BOXES ROUNDHEAD BOLTS 1/4"X5/8 100 PER BOX 7 BOXES ROUNDHEAD BOLTS 1/4"X1" 100 PER BOX

Description	Ordered	Invoiced
MDF		
Install, terminate, test and label (1) single Category 5E PVC cable run to designated location(s) for voice outlets.		18
Install, terminate, test and label (1) single Category 5E PVC cable run to designated location(s) for data outlets.		16
19" x 24" x 12" Swing out wall rack		1
Superior 24 port Category 5e patch panel		1
Horizontal wire manager-1 rack unit		2
100 pair 110 wall mount termination kit (C4)		1
Install, mount and hang all racks, termination panels and blocks in IDF/MDF/TC.		1
Superior 18 port fiber cabinet - rack mount		1
Superior 6 port MM/ST Coupler panel (black in color)		1
Superior fiber cabinet blank panel		2
Hitachi 6 Strand MM FOC non-plenum		450
Labor to install inside plant fiber optic cable		450
Corning Unincam MM 62.5 ST Composite fiber connector		6
Labor to terminate fiber optic cable		6
Labor to test and certify fiber optic cable		6
Pick Module IDF		
Install, terminate, test and label (1) single Category 5E PVC cable run to location(s) specified below.		13
6 - Along pick module		
2 - QC picking area		
3 - QC packing list area		
2 - QC packing area		
B-Line 7ft. enclosed datacom cabinet w/vented sides and solid door.		1
Superior 24 port Category 5e patch panel		1
Horizontal wire manager-1 rack unit		2
Superior 18 port fiber cabinet - rack mount		1
Superior 6 port MM/ST Coupler panel (black in color)		1

Superior fiber cabinet blank panel
Corning Unincam MM 62.5 ST Composite fiber connector
Labor to terminate fiber optic cable
Install, mount and hang all racks, termination panels and blocks in IDF/MDF/TC.

Lift Rental

2 meter LC-ST multimode Fiber patch cord
Category 5e Patch Cords
Category 5e patch cord - 25'

March 24, 2006

- > Increased quantity of P01 from 16 to 18.
- > Added 2 1m ST-LC MM Patch Cord. (+



20070126000040920 4/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

- > Added 10 3' Cat5e Patch Cord. (
- > Added 10 15' Cat5e Patch cord.
- > Removed 2 1m ST-LC MM Patch Cord. (-)
- > Added 2 2m LC-ST MM Fiber patch cord.
- Increased quantity of 3' Cat5e Patch Cord from 10 to 30. (
- > Removed 10 15' Cat5e Patch cord. (
- > Added 30 25' Cat5e patch cord. (+\$

BellSouth D-Marc Install, terminate, test and label 100 pair copper cable from D-marc location to MDF. (NOT TO EXCEED 850 FT.)	1
Office Area Install, terminate, test and label (1) single Category 5E PVC cable run for data to designated location(s).	63
Install, terminate, test and label (1) single Category 5E PVC cable run for voice to designated location(s).	60
Access Point Locations Install, terminate, test and label (1) dual Category 5E PVC cable run from MDF to C14.	2
Install, terminate, test and label (1) triple Category 5E PVC cable run from MDF to C21.	3
Install, terminate, test and label (1) dual Category 5E PVC cable run from IDF-C to G14.	2
Install, terminate, test and label (1) dual Category 5E PVC cable run from IDF-B to G21.	2
SLAH Returns Install, terminate, test and label (1) single Category 5E PVC cable run for data to designated location(s).	10
Install, terminate, test and label (1) single Category 5E PVC cable run for voice to designated location(s).	2
SMP 12 port wall mount patch panel	1
Fiber between 3280 and 3400 Buildings Install, terminate, test and label 12 Strand MM / 12 Strand SM Hybrid fiber. (NOT TO EXCEED 3000 FT.)	1
Building 3280	

Description	Ordered
Install, terminate, test and label 6 Strand MM fiber cable from the computer room to the telephone room. (NOT TO EXCEED 700 FT.)	1
Building 3400 MDF	
7 ft. open floor mount rack	1
Superior 48 port Category 5e patch panel	1
Superior 36 port fiber cabinet - rack mount (black in color)	1
Superior 18 port fiber cabinet - rack mount	1
Superior 6 port MM/ST Coupler panel (black in color)	9
Install, terminate, test and label (2) 100 pair copper cables from MDF to IDF-A. (NOT TO EXCEED 700 FT.)	1
Horizontal wire manager-1 rack unit	2
Install, mount and hang all racks, termination panels and blocks in IDF/MDF/TC.	1
Building 3400 IDF-A	
Superior 48 port Category 5e patch panel	2
100 pair 110 wall mount termination kit (C4)	4
3 ft. Wall mount data cabinet	1
Superior 18 port fiber cabinet - rack mount	1
Superior 6 port MM/ST Coupler panel (black in color)	2
Install, terminate, test and label 12 Strand MM fiber to MDF. (NOT TO EXCEED 700 FT.)	1
Install, mount and hang all racks, termination panels and blocks in IDF/MDF/TC.	1
Building 3400 IDF-B	
Superior 24 port Category 5e patch panel	1
3 ft. Wall mount data cabinet	1
Superior 18 port fiber cabinet - rack mount	1
Superior 6 port MM/ST Coupler panel (black in color)	1
Install, terminate, test and label 6 Strand MM fiber cable to MDF. (NOT TO EXCEED 700 FT.)	1
Install, mount and hang all racks, termination panels and blocks in IDF/MDF/TC.	1

Description	Ordered
Building 3400 IDF-C	
Superior 24 port Category 5e patch panel	1
3 ft. Wall mount data cabinet	1
Superior 18 port fiber cabinet - rack mount	1
Superior 6 port MM/ST Coupler panel (black in color)	1
Install, terminate, test and label 6 Strand MM fiber cable to MDF. (NOT TO EXCEED 700 FT.)	1
Install, mount and hang all racks, termination panels and blocks in IDF/MDF/TC.	1
Misc. Charges	
Lift Rental (1 month)	1
Additional cables installed	
Install, terminate, test and label (3) Category 5e PVC cables for data to outside of design display	1
Install, terminate, test and label (1) Category 5e PVC cable to designated locations for warehouse intercom.	3

[REDACTED]
 Completion of Installation
 [REDACTED]
 0.1 - AVIS Enhancements
 [REDACTED]
 AD and Ender interface
 [REDACTED]
 [REDACTED]
 [REDACTED]



20070126000040920 6/37 \$119.00
 Shelby Cnty Judge of Probate, AL
 01/26/2007 02:28:25PM FILED/CERT

DESCRIPTION	UNIT PRICE
This is network hardware	
and software and installation	
Services for 3400 Highway 31W	
building	

123 4 RTU200

Universal Light, Standard Plug
Canada / U.S.A. Nevada (Satin)
Tagging: PREMIER STAFFING RECRUITING

OptiPlex 210L Minitower Pentium 4

Qty: 3 1

630/3.00GHz,2M 800FSB,HyperThreading

[222-1100]	OptiPlex 210L Minitower Pentium 4 630/3.00GHz,2M 800FSB,HyperThreading
[420-3699]	NTFS File System,Factory Install
[311-5844]	1.0GB,Non-ECC,533MHz DDR2 1x512,OptiPlex 210L
[310-5246]	Dell USB Keyboard,No Hot Keys,OptiPlex 170L and 210L
[320-4422]	Dell E176FP,17 Inch Flat Panel17.0 Inch Viewable Image Size
[341-2961]	OptiPlex,Precision and Latitude
[341-3131]	80GB SATA, 7200 RPM Hard Drivewith Data Burst Cache OptiPlex210L
[420-4850]	No Floppy Drive with Optical Filler Panel MT
[310-6610]	Windows XP Professional Service Pack 2,with
[464-1131]	Media,DellOptiPlex,English,Factory Install
[313-3332]	Dell USB 2-Button Entry Mouse with Scroll,Dell OptiPlex
[310-7575]	RoHS Compliant Lead Free Chassis and Motherboard,Dell OptiPlex
[310-4721]	48X CD-Rewritable Drive,Dell OptiPlex GX620,GX520 or 210L Desktop or
[420-5761]	Minitower
[365-1234]	Resource CD contains Diagnostics and Drivers for Dell OptiPlex 210L
[310-7361]	Energy Star Labeling for OptiPlex (if applicable)
[410-0166]	Roxio Creator Dell Edition OptiPlex 210L
[412-0468]	Readyware Installation Fee
[950-8140]	Quick Reference Guide,Dell OptiPlex 210L,Factory Install
[983-6537]	Adobe Acrobat 6 Standard Rtl Package, English, CD W/Docs, Factory Installed,
[982-5708]	Bundle w/Office
[902-9292]	Microsoft Office 2003 Professional Edition for OptiPlex,English
[983-6938]	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial
[900-9987]	Year
[464-5006]	Dell Hardware Warranty Plus Onsite Service, initial Year
[462-4506]	Thank you for choosing 3 Year Economy Plan
[465-0195]	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR
[463-0742]	Extended
	Dell Hardware Warranty Plus Onsite Service, Extended Year
	Standard On-Site Installation Declined
	System not eligible for hardware mail-in rebate
	Purchase is NOT intended for resell
	Thank you for choosing Dell!
	Special Pricing Applied

Shipped	Item Number	Description	Unit
1	A0597384	Back-UPS ES 725 VA with Phone and Coax Protection Dell Only	EA
1	A0040673	Smart-UPS 1000 VA USB and Serial 120 V	EA
		-DISCOUNT/COUPON APPLIEDSN#AS0602122422SN#3B0607X40569	

Qty.	Part No.	Description
2	LIC-4-BASIC	4-port CO Line Station License
1	R48S1A	Required on BSTU for CC UPS or
1	BIOU1A	Alarm Systems on the STU card
1	BSTU	4-zone page 3 MOH 4 relay 600
		ohm 3-watt page (CIX670 Max 2)
		8-circuit Standard Port Card

20070126000040920 7/37 \$119.00
Shelby Cnty Judge of Probate,AL
01/26/2007 02:28:25PM FILED/CERT

DESCRIPTION
Phone system for
building 3400
See attached quote
Project # 2005279001

FORMAXFD566	BURSTER, MEDIUM VOLUME FORMAX MODEL FD566. INCLUDES BASE. THIS PRICE INCLUDES ALL SET-UP, DELIVERY AND INSTALLATION COSTS.
16-FREIGHT SLS	SHIPPING, HANDLING & INSURANCE ON THE FD566 BURSTER.
03-M/AFORMAX...	ANNUAL MAINTENANCE AGREEMENT ON FORMAX 566 BURSTER AT 25,000 PLUS LABELS PER MONTH VOLUME.

- 1 IR5070 Canon iR5070 Copier
SXP00660
- 1 IR5070 PRT KT Canon G5 Print Kit iR5070
6030110031606A
- 1 IR5570 T1 FINISHcanon T1 Finisher iR5570
KJZ39011
- 1 IR5570 U-S Canon Universal Send D1 IR5570
8T8TYBSNXJDQW5LQ

- 1 IR3530 Canon imageRUNNER 3530 Copie
KJG05847
- 1 IR3530 3 WAY UNICanon iR3530 A1 3 Way Unit
KBZ69180
- 1 IR3530 PRINT E2 Canon iR3530 E2 Print Kit
E211706A
- 1 IR4570 RDF Canon iR4570 DADF N1
TKQ00833
- 1 IR4570 S1 FINISHCanon Finisher-S1 iR4570
THQ43277
- 1 STAND IR4570 Canon Stand P1 for iR4570
ST457022106S

QUAN.	MDL.	YEAR	CAR #	COLOR	BATT.	CHGR.	SERIAL NO.	PARTS AND ACCESS
1	TXT			RIK	NEW	X		NEW Body etc
1	E			"		X		
1	"			"		X		
1	"			"		X		

Qty	Item	Description
3	BAF	Big Ass Fan (Powerfoil - 24' 208/3/60)

AMERICAN BALER MODEL
DC6348-8T20
60% PAYMENT P.O. #020706-1

FEED CHUTE FOR DC6348
P.O.# 020706-2

FEED CHUTE FOR EXISTING
BALER
P.O. #033106-2

=====

FJ160 AIRBORN BALER
INATALLATION
FREIGHT

Qty	Unit	Material	Description	Price
Notes:				
1	PC	M8300	MODEL 8300 BATTERY SWEEPER-SCRUBBER	
		Serial No: (8300-4316)		
		Machine as equipped:		
		DISK	MAX PRO DISK SCRUBHEAD	
		1000	1000MM SCRUBHEAD/SQUEEGEE	
		SPECIAL	FAST	
		8300	MODEL 8300 BATTERY SWEEPER/SCR	
		386990	SCRUB HEAD, MP1000 DISC	
		386855	SQUEEGEE, REAR, MP1000	
		330630	MANUAL, OPER & PARTS ENGLISH	
		387001	KIT, FI, FORKLIFT BATT REMOVE	
		386948	BATTERY PREP KIT 750AH	
		386938	BATTERY, WRT, 36VDC, 750AH	
		LESS	LESS CHARGER	
		375236	PARTS UNIQUE, STD	
		385935	MAIN SWEEP BRUSH 36L,6DR,SPL	
		9000236	FAST KIT, 1000 DISK	
		387496	VIDEO OPERATOR VHS NTSC [8300	
		387520	TAG, OPERATOR, [8300]	
		1021878	DETERGENT PKG, 4 L SGL, 665	
		50619	ULTIMATE PERFORMANCE GUARANTEE	
		375154	NAVL DESTINATION KIT	
1	PC	330630	MANUAL PKG, [8300 ELE NA]	
1	PC	387496	VIDEO, OPRTR, VHS, NTSC [8300]	
1	PC	1021878	DETERGENT PKG, 4 LITER, SGL [TCO 665]	

600

BP2-80-50-13
SHIM #3-13.3-2-B

3/03/06 MI

1.500

3.200

20070126000040920 9/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

Installation	Install 18 inlet vacuum system with Nutone 850 power unit, 30' hose and standard tools
--------------	--

GROUP: 1	QUANTITY: 10
----------	--------------

Base Unit:	OptiPlex 210L Desktop, Pentium 4 521/2.80GHz, 1M, 800FSB HyperThreading (222-1064)
Processor:	NTFS File System, Factory Install (420-3899)
Memory:	512MB, Non-ECC, 533MHz DDR2 2x256, OptiPlex 210L (311-5648)
Keyboard:	Dell USB Keyboard, No Hot Keys, OptiPlex 170L and 210L (310-5248)
Monitor:	Dell M783s CRT Color Monitor, 17 inch, 16.0 inch Viewable Image Size, OptiPlex, Precision and Latitude (320-3748)
Hard Drive:	80GB SATA, 7200 RPM Hard Drive with Data Burst Cache OptiPlex 210L (341-2961)
Floppy Disk Drive:	No Floppy Drive with Optical Filter, Panel DT (341-2963)
Operating System:	Windows XP Professional Service Pack 2, with Media, Dell OptiPlex, English, Factory Install (420-4860)
Mouse:	Dell USB 2-Button Entry Mouse with Scroll, Dell OptiPlex (310-8810)
TBU:	RoHS Compliant Lead Free Chassis and Motherboard, Dell OptiPlex (464-1131)
CD-ROM or DVD-ROM Drive:	48X CD-ROM, EIDE, Dell OptiPlex GX620, GX620 or 210L Desktop or Minitower (313-3331)
Documentation Diskette:	Resource CD contains Diagnostics and Drivers for Dell OptiPlex 210L (310-7575)
Factory Installed Software:	Energy Star Labeling for OptiPlex (if applicable) (310-4721)
Service:	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year (950-6140)
Service:	Dell Hardware Warranty Plus Onsite Service, Initial Year (983-6537)
Service:	Thank you for choosing 3 Year Economy Plan (982-6708)
Service:	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR Extended (902-8292)
Service:	Dell Hardware Warranty Plus Onsite Service, Extended Year (983-6938)
Installation:	Standard On-Site Installation Declined (900-8987)
Misc:	Quick Reference Guide, Dell OptiPlex 210L, Factory Install (310-7361)
	System not eligible for hardware mail-in rebate (464-5006)
	Purchase is NOT intended for resale (462-4506)
	Thank you for choosing Dell! (466-0192)
	Special Pricing Applied (463-0742)

Product	Quantity
48X CD-ROM, EIDE, Dell OptiPlex GX620, GX620 or 210L Desktop or Minitower, Customer Install (313-3331)	2

GROUP: 1	QUANTITY: 7
----------	-------------




20070126000040920 10/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

Base Unit:	OptiPlex 210L Desktop Celeron D 331/2.66GHz 256K,533FSB (222-1082)
Processor:	NTFS File System,Factory Install (420-3699)
Memory:	512MB,Non-ECC,533MHz DDR2 2x256,OptiPlex 210L (311-6648)
Keyboard:	Dell USB Keyboard,No Hot Keys,OptiPlex 170L and 210L (310-6246)
Monitor:	Dell E166FP,16 inch Flat Panel15.0 inch Viewable Image Size OptiPlex and Latitude (320-4420)
Hard Drive:	80GB SATA, 7200 RPM Hard Drivewith Data Burst Cache OptiPlex210L (341-2961)
Floppy Disk Drive:	No Floppy Drive with Optical Filler,Panel DT (341-2963)
Operating System:	Windows XP Professional Service Pack 2,with Media,DellOptiPlex,English,Factory Install (420-4850)
Mouse:	Dell USB 2-Button Entry Mouse with Scroll,Dell OptiPlex (310-6610)
TBU:	RoHS Compliant Lead Free Chassis and Motherboard,Dell OptiPlex (464-1131)
CD-ROM or DVD-ROM Drive:	48X CD-Rewritable Drive,Dell OptiPlex GX620,GX620 or 210L Desktop or Minitower (313-3332)
Documentation Diskette:	Resource CD contains Diagnostics and Drivers for Dell OptiPlex 210L (310-7575)
Factory Installed Software:	Energy Star Labeling for OptiPlex (if applicable) (310-4721)
Service:	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year (950-6140)
Service:	Dell Hardware Warranty Plus OnSite Service, Initial Year (963-6537)
Service:	Thank you for choosing 3 Year Economy Plan (962-6706)
Service:	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR Extended (902-9292)
Service:	Dell Hardware Warranty Plus OnSite Service, Extended Year (963-6938)
Installation:	Standard On-Site Installation Declined (960-9387)
Misc:	Quick Reference Guide,Dell OptiPlex 210L,Factory Install (310-7361)
	System not eligible for hardware mail-in rebate (464-6006)
	Purchase is NOT intended for resale (462-4806)
	Thank you for choosing Dell (466-8183)
	Special Pricing Applied (463-0742)

1	Each	BFP1.5-24-24
		Heavy Duty Power Expandable Roller
		Conveyor, 24' Long, 30" OAW, ADJ
		Height

1	3300ORDER	53552302	FENDER & FLAP INST	1
		Trans	1.0 from Div 06	#06P7054870

1	5550	*04110611	NEW OTTAWA
		MODEL: COMMANDO 30 DOT	
		SERIAL# 313231	



QTY	ITEM #	ITEM DESCRIPTION	VEND PART #
2	93188	41.10CT MARBLEIZED CLASS PENDANT	2478RT

QTY	ITEM #	ITEM DESCRIPTION	VEND PART #
2	136804	GE OTR MICROWAVE JVM1440WH	JVM1440WH
2	225560	GE ELEC-SM RNG JBS55WKWW (169437	JBS55WKWW
2	149194	(66585)FRIG 18 TM REF FRT18IL6DW	FRT18IL6DW



20070126000040920 11/37 \$119.00
Shelby Cnty Judge of Probate,AL
01/26/2007 02:28:25PM FILED/CERT

QUANTITY	STOCK NO.	DESCRIPTION
12	506396PY	FOLD-AWAY PICNIC TABLE 72 X 30 - PUTTY SHIPPING

1	1	0	MISC1	TOTAL LABOR & MATERIAL
RUN CIRCUITRY FOR NEW BAILER.				

Quantity			U/M	Item No. and Description
Ordered	Shipped	BO/Return		
1	1		EACH	PNS948086 EASTY ECONO EM1622T /ET1608 COMBO W/ SS CONVEYOR REBILL OF INVOICE# 554663-00 AT QUOTED PRICE AND WITHOUT TAX.

Quantity	Item Code	Description
14	901462	[U-18-TE] 18" 3 SPEED WORK STATION FANS
4	901463	[ACU-30-WO] 30" OSCILLATING WALLMOUNT FAN
6	901464	[ACU-30-PO] 30" OSCILLATING PEDESTAL MOUNT FAN
2	901465	[PB30-D] 2 SPEED STANDARD BLOWER FAN
1	FREIGHT	FREIGHT CHARGE RECONSIGNMENT CHARGES

Quantity	Item Code	Description
3	901461	[A2460ZP64TS-4] 3-SIDED STOCK TRUCK 24"Wx60"Lx70"H WITH 4 ADJUSTABLE SHBLVES

QTY	UNIT	DESCRIPTION	PRICE
2	3	JOHN	JT-T25-5435
8	3	JOHN	JT-C25-1208
1	2	03 Petrum Sales Tax	
			BUT-5405 EXT TEL
			BUT-STEAMBENT CAP

4 CLP	1/4	46-15/16 X 21-13/16	CLEAR 1111	3
		PLATE POLISHED EDGES		
4 CLP	1/4	33-13/16 X 69-13/16	CLEAR 1111	
		PLATE POLISHED EDGES		3
4 CLP	1/4	46-15/16 X 21-13/16	CLEAR 1111	
		PLATE POLISHED EDGES		
5 CLP	1/4	33-13/16 X 69-13/16	CLEAR 1111	3
		PLATE POLISHED EDGES		
1 CLP	1/4	19-5/8 X 71-5/16	CLEAR PLATE 1	
		POLISHED EDGES		3
1 CLP	1/4	48 X 21-13/16	CLEAR PLATE 1	
		POLISHED EDGES		
1 CLP	1/4	69-13/16 X 22-3/8	CLEAR PLATE 1	3
		POLISHED EDGES		
1 LABOR		CUT OUTS AND DELIVERY		

1 - Set of brushed aluminum letters 1/4" thick
78" or 84" overall width

20070126000040920 13/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

1.00	1.00	87-248861
	0.00	LINELAZER 3400 1 GUN
1.00	1.00	81-235474
	0.00	KIT, SILVERPLUS/FLEX PLUS GUNS
1.00	1.00	81-244194
	0.00	REPAIR KIT
1.00 EACH	1.00	84-LL5315
	0.00	TIP, LINELAZER
1.00 EACH	1.00	84-LL5317
	0.00	TIP, LINELAZER

MIKE

664-0260

QTY	UNIT	DESCRIPTION
80	gals	OIL BASED PAINT
		FOR FLOOR STRIPING
		SAFETY YELLOW
		CLEAN UP / THIN FOR PAINT
5	gals	THIS PAINT - NO SPOTS

NUMBERS OVER DOORS

07/31/06

ALARM INSTALLED-COMM 1
INSTALLATION OF SECURITY SYSTEM
THANK YOU FOR YOUR BUSINESS

		Security Camera System
6	Each	Honeywell Cameras
1	Each	320 Gig DVR
1	Each	21" Monitor for Desk
1	Each	PTZ Camera

OptiPlex GX520 Minitower Pentium 4 Qty: 2
521/2.8GHz, 1GB, 8000GB HyperThreading



20070126000040920 14/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

[221-8985]	OptiPlex GX520 Minitower Pentium 4 521/2.8GHz, 1M, 800FSB HyperThreading
[420-3699]	NTFS File System, Factory Install
[311-5021]	1.0GB, Non-ECC, 533MHz DDR2 2x512, OptiPlex GX620 or 520
[310-5247]	Dell USB Keyboard, No Hot Keys OptiPlex
[320-4422]	Dell E176FP, 17 Inch Flat Panel 17.0 Inch Viewable Image Size
[341-2283]	OptiPlex, Precision and Latitude
[341-1712]	80GB SATA, 7200 RPM, Hard Drive with Data Burst Cache Dell OptiPlex GX620 or GX520
[464-2319]	No Floppy Drive with Optical Filler Panel, Dell OptiPlex Minitower Chassis
[310-6610]	Windows XP Professional Service Pack 2, with
[341-2663]	Media, Dell OptiPlex, English, Factory Install
[313-2977]	Dell USB 2-Button Entry Mouse with Scroll, Dell OptiPlex
[313-8170]	RoHS Compliant Lead Free Chassis and Motherboard, Dell OptiPlex
[313-1416]	No Optical Drive, Minitower Chassis, OptiPlex
[313-3673]	Integrated AC97 Audio, OptiPlex
[310-4721]	No Speaker, OptiPlex
[365-1234]	No Resource CD for Dell OptiPlex, Precision and Latitude Systems
[410-0762]	Energy Star Labeling for OptiPlex (if applicable)
[310-6626]	Readyware Installation Fee
[410-0166]	Norton Internet Security 2005, 15 Month Subscription OptiPlex
[412-0468]	Quick Reference Guide, Dell OptiPlex GX520, Factory Install
[960-4980]	Adobe Acrobat 6 Standard Rtl Package, English, CD W/Docs, Factory Installed, Bundle w/Office
[960-0412]	Microsoft Office 2003 Professional Edition for OptiPlex, English
[982-5708]	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year
[983-2207]	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR Extended
[983-2217]	Thank you for choosing 3 Year Economy Plan
[900-9987]	Thank You for buying Dell
[464-5006]	Please visit WWW.Dell.COM
[462-4506]	Standard On-Site Installation Declined
[464-4347]	System not eligible for hardware mail-in rebate
[464-5034]	Purchase is NOT intended for resell
	Thank you for choosing Dell
	DISCOUNT: SPECIAL OFFER

OptiPlex 170L MicroTower	
3.00GHz, Pentium 4, 1MB Cache 800 Front Bus	Qty: 1
[21-4220]	OptiPlex 170L MicroTower 3.00GHz
[420-3699]	NTFS File System, Factory Install
[311-3480]	512MB, Non-ECC, 400MHz DDR 2x256, 170L
[310-5247]	Dell USB Keyboard, No Hot Keys OptiPlex
[464-7359]	Dell E176FP, 17 Inch Flat Panel 17.0 Inch Viewable Image Size
[320-0428]	OptiPlex, Precision and Latitude
[341-0420]	Integrated Video - Intel DVM, Dell OptiPlex GX270 or GX280
[341-0425]	80GB EIDE 7200RPM, OptiPlex 170L
[464-2319]	No Optical or No Floppy Drive Filler Panel
[310-5202]	Windows XP Professional Service Pack 2, with
[430-0554]	Media, Dell OptiPlex, English, Factory Install
[313-2369]	Dell USB 2-Button Entry Mouse with Scroll for OptiPlex
[313-8170]	Integrated Intel 10/100Mb LOM w/ remote wake-up
[313-3673]	48X CDRW, OptiPlex 170L
[310-4721]	Integrated AC97 Audio, OptiPlex
[410-0765]	No Resource CD for Dell OptiPlex, Precision and Latitude Systems
[410-0166]	Energy Star Labeling for OptiPlex (if applicable)
[412-0468]	McAfee Security Center, 90 Day Trial, OptiPlex, English
[960-0642]	Adobe Acrobat 6 Standard Rtl Package, English, CD W/Docs, Factory Installed, Bundle w/Office
[983-2217]	Microsoft Office 2003 Professional Edition for OptiPlex, English
[983-2207]	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR Extended
[982-5708]	Please visit WWW.Dell.COM
[900-9987]	Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year
[464-5006]	Thank You for buying Dell
[462-4506]	Thank you for choosing 3 Year Economy Plan
[464-5384]	Standard On-Site Installation Declined
[464-5032]	System not eligible for hardware mail-in rebate
	Purchase is NOT intended for resell
	Thank you for choosing Dell
	DISCOUNT: SPECIAL OFFER

OptiPlex 210L Minitower Pentium 4 Qty: 1
630/3.00GHz, 2M 800FSB, HyperThreading

20070126000040920 15/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

630/3.00GHz,2M 800FSB,HyperThreading

[222-1100] OptiPlex 210L Minitower Pentium 4 630/3.00GHz,2M 800FSB,HyperThreading
 [420-3699] NTFS File System,Factory Install
 [311-5844] 1.0GB,Non-ECC,533MHz DDR2 1x512,OptiPlex 210L
 [310-6611] USB Enhanced Multimedia Keyboard,English,OptiPlex
 [320-4422] Dell E176FP,17 Inch Flat Panel17.0 Inch Viewable Image Size
 [341-2961] OptiPlex,Precision and Latitude
 [341-3131] 80GB SATA, 7200 RPM Hard Drivewith Data Burst Cache OptiPlex210L
 [420-4850] No Floppy Drive with Optical Filler Panel MT
 [310-6609] Windows XP Professional Service Pack 2,with
 [464-1131] Media,DellOptiPlex,English,Factory Install
 [313-3899] Dell USB 2-Button Optical Mouse with Scroll,Dell OptiPlex
 [310-7575] RoHS Compliant Lead Free Chassis and Motherboard,Dell OptiPlex
 [310-4721] 16X DVD+-RW and 16X DVD,RoxioCreator Dell Edition,Dell OptiPlex 210L
 [420-5758] Minitower
 [365-1234] Resource CD contains Diagnostics and Drivers for Dell OptiPlex 210L
 [310-7361] Energy Star Labeling for OptiPlex (if applicable)
 [410-0186] Cyberlink Power DVD,Dell OptiPlex 210L
 [412-0468] Readyware Installation Fee
 [950-6140] Quick Reference Guide,Dell OptiPlex 210L,Factory Install
 [983-6537] Adobe Acrobat 6 Standard Rtl Package, English, CD W/Docs, Factory Installed,
 [982-5708] Bundle w/Office
 [902-9292] Microsoft Office 2003 Professional Edition for OptiPlex,English
 [983-8938] Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial
 [900-9987] Year
 [464-5006] Dell Hardware Warranty Plus Onsite Service, Initial Year
 [462-4506] Thank you for choosing 3 Year Economy Plan
 [465-0195] Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR
 [463-0742] Extended
 Dell Hardware Warranty Plus Onsite Service, Extended Year
 Standard On-Site Installation Declined
 System not eligible for hardware mail-in rebate
 Purchase is NOT intended for resell
 Thank you for choosing Dell
 Special Pricing Applied

Shipped	Item Number	Description	Unit
1	221-4270	PV114T, 2U DLT VS160 Tape Rack Enclosure, 1 Drive	EA
1	340-8288	Controller Card,39160,Cable Included	EA
1	410-0812	Symantec Backup Exec QuickStart Edition Server Protection Pack	EA
1	310-5169	No Rails Included	EA
1	465-3663	Dont ship to EU,Japan after July/1/06 - Product not compliant w EU RoHS Directive(Restriction of Hazardous Subs	EA
1	950-4950	*Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year	EA
1	950-4952	*Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR Extended	EA
1	960-1305	*DECLINED CRITICAL BUSINESS CRITICAL SERVER OR STORAGE SUPPORT PACKAGE-CALL YOUR DELL SALES REP IF UPGRADE NEEDED	EA
1	983-2207	*Thank You for buying Dell	EA
1	983-2217	*Please visit WWW.DELL.COM	EA
1	900-9997	*On-Site Installation Declined -DISCOUNT/COUPON APPLIED	EA
System Service Tags		JNJ2791	

Shipped	Item Number	Description
1	340-8703	Tape Media for LTO-2, 200/400GB, 10 Pack, Customer Install
1	310-5084	LTO, Tape, Cleaning Media, Customer Install

Shipped	Item Number	Description	Unit
1	A0592060	BACKUP EXEC 10D WIN SVR WITH C PS V10.1 OPEN LIC L-B VIP	EA
1	A0537416	BACKUP EXEC 10D WINDOWS SVR.V1 0.1 E.F.I.G.S.J.C.K MEDIA KIT	EA
2	A0536056	BACKUP EXEC 10D WIN REMOTE AGT CAL WIN NETWORK SVRS V10.1 LI CS SN#CORPSN#CORP	EA



20070126000040920 16/37 \$119.00
 Shelby Cnty Judge of Probate,AL
 01/26/2007 02:28:25PM FILED/CERT

Shipped	Item Number	Description	Unit
1	222-2818	Latitude D620, Intel Core Duo T2300E, 1.66GHz, 667Mhz 2M L2 Cache, Dual Core	EA
1	320-4572	14.1 Inch Wide Screen WXGA LCD for Latitude D620	EA
1	465-4784	1.0GB, DDR2-533 SDRAM, 2 DIMM for Dell Latitude Notebooks	EA
1	310-7270	Internal English Keyboard for Latitude Notebooks	EA
1	320-4574	256MB NVIDIA Quadro NVS 110M TurboCache, Latitude D620	EA
1	341-2979	80GB Hard Drive 9.5MM, 5400RPM for Dell Latitude DX20	EA
1	310-7268	Standard Touchpad for Latitude D620	EA
1	340-8854	No Floppy Drive for Latitude D-Family Notebooks	EA
1	465-2039	Windows XP Professional, SP2 with media, for Latitude English, Factory Installed	EA
1	310-7283	65W AC Adapter for Latitude D-Family	EA
1	313-3881	24X CDRW/DVD with Cyberlink Power2Go, for Latitude D-Family	EA
1	430-1481	Intel 3945 WLAN (802.11a/g) mini Card Latitude, Factory Install	EA
1	313-3673	No Resource CD for Dell Optiplex, Precision and Latitude Systems	EA
1	312-0377	4-Cell/35 Whr Primary Battery for Latitude D620	EA
1	420-3699	NTFS File System, Factory Install	EA
1	410-0166	Adobe Acrobat 6 Standard RI Package, English, CD W/Docs, Factory Installed, Bundlew/Office	EA
1	412-0471	Microsoft Office 2003 Professional Edition for Latitude	EA
1	950-8540	*Type 7 Contract - Mail-In Service, 24x7 Technical Support, Initial Year	EA
1	950-8542	*Type 7 Contract - Mail-In Service, 24x7 Technical Support, 2YR Extended	EA
1	982-5768	*Thank you for choosing 3 Year Economy Plan	EA
1	983-2207	*Thank You for buying Dell	EA
1	983-2217	*Please visit WWW.Dell.COM	EA
1	900-9987	*Standard On-Site Installation Declined	EA
1	462-4506	Purchase is NOT intended for resell	EA
1	465-1363	Thank you for choosing Dell	EA
1	463-0742	Special Pricing Applied	EA
System Service Tags		323KBB1	

1	1	0	MISC1	TOTAL LABOR & MATERIAL
DISCONNECT EXISTING BAILER, RUN CIRCUITRY FOR NEW BAILER.				

1	1	0	MISC1	TOTAL LABOR & MATERIAL
REMOVED EXISTING CIRCUITRY TO EXISTING BAILER UNIT. RAN NEW 80 AMP, 3 PHASE, 480 VOLT CIRCUITRY TO NEW BAILER UNIT.				

QTY	UNIT	DESCRIPTION
1	Part #	34017533
	Mat For	XL-44 table

PYREX KELL DISPLAY
CUTTING DIES

POSITIVE

Ord#:322391-

38

KELL DISPLAY BASE WRAPPER

Ord#:3223910
Est#:123394

38

KELL DISPLAY SHELF WRAPPER

Ord#:3223910
Est#:123395

76

KELL DISPLAY MID SUPPORT LEG

Ord#:3223910
Est#:123396

76

PYREX METAL DISPLAY
CUTTING DIES

Ord#:321920-

208

HEADER - PYREX METAL BAKEWARE

Ord#:3219200
Est#:123091

208

TOP SHELF - PYREX METAL BAKEWA

Ord#:3219200
Est#:123092

208

MID SHELF - PYREX METAL BAKEWA


Ord#:3219200
Est#:123095

208

2 CGHE1848 Half-Ellipse Worksurface, 18"d x
48"w special Nevada laminate to
straight Trim Nevada
Tagging: RECRUITING

6 CAFLP5C29 Fixed Height Leg, Perforated,
Crescent, Lockable Caster, 29"h
Foundation Colors Nevada (Satin)
Tagging: RECRUITING

1 INSTALL DELIVERY & INSTALLATION



20070126000040920 18/37 \$119.00
Shelby Cnty Judge of Probate,AL
01/26/2007 02:28:25PM FILED/CERT

This is network hardware
and software and installation
Services for 3400 Highway 31W
building

2 SPO9995MN-0 Zebra 140 XI III Plus P/N

2 SPO9996MN-0 HP 4350N Printer Q5407A

Qty.	Part No.	Description
1	CHSUE672P/S	CIX670 Expansion Cabinet
		Remote Fiber Shelf
2	BDCL1A-MS1	2 needed on Remote Fiber Shelf
1	BCTC1A	Remote Fiber Shelf Top Cover
2	RRCU1A	Remote Fiber Card 1 per end
		supports up to 2 shelves 1 end
1	B50MT1	Metal Mesh Shield Fiber Shelf
10	LIC-4-BASIC	4-port CO Line Station License
3	BWDKU1A	16 Digital Set Ports on CIX
1	BPTU1A	ISDN PRI Card
1	RPRI-CBL-KIT	One per ISDN PRI
1	CSU	ADTRAN ACE CSU for Voice Only
1	R48S1A	Required on BSTU for CC UPS or
		Alarm Systems on the STU card
1	DDSS3060	60-Button Console Existing -0-
45	D3220SD 3358	20 Programmable Button Speaker
		Display with 8 fixed buttons
1	DDSS3260	60-Button Console New Bldg -0-
1	ONEAC	Clamps fast to isolate
		lightning
1	350-032 0372	ONEAC ground strap on 66 Block
1	6-AP	ONEAC Lightning Protector CO
1	RJ-DP48C	ONEAC T1 or PRI protector
1	POWER GROUND	Power Ground
100	6 AWG IN	6 AWG Ground Wire in per foot
20	10 AWG OUT	10 AWG GroundWire Out per foot
1	PAGING	Horns use 6 power units
		Speakers use 1 power unit
1	VP-6124	VALCOM Power Supply Paging 120
6	V-1030C 2101	VALCOM 5-Watt Amplified Horn

Qty.	Part No.	Description
1	ONEAC	Clamps fast to isolate lightning
1	350-032 0372	ONEAC ground strap on 66 Block
6	6-AP	ONEAC Lightning Protector CO
1	POWER GROUND	Power Ground
100	6 AWG IN	6 AWG Ground Wire in per foot
20	10 AWG OUT	10 AWG GroundWire Out per foot
1	CIX670 R.4	TOSHIBA CIX670 BCTU2A AMDS1A Cabinet 64-port license 4 DTMF 4-zone page 3 MOH 4 relay 600 ohm 3-watt page (CIX670 Max 2)
1	BIOU1A	TOSHIBA Voice Mail IVP8 with 2 ports and 15 hours storage
1	IC-VOICEMAIL	Install Toshiba Stratagy IVP8 Properly all Ext to VM & -0-s
16	IN-PROGRAM	Install cross connect program set to existing jack & cable
1	10075	2000 Series DKT Labels
1	IC-CIX670	Install CIX670 Per Cabinet

50 UT02380-NEBS 2/03/06 MI
 TRADROP UPRIGHT
 S= 802-80-50-38 BASE PL
 W/ICR-24 24" INTERNAL
 COLUMN REINF.
 808 - Light Green

991 UT42312-NEBS 2/03/06 MI
 TRADROP UPRIGHT
 S= 802-80-50-38 BASE
 PLATE
 W/ICR-24 24" INTERNAL
 COLUMN REINF.
 808 - Light Green



20070126000040920 20/37 \$119.00
 Shelby Cnty Judge of Probate,AL
 01/26/2007 02:28:25PM FILED/CERT

12,216	HC-006-AA 1 1/8" KEYHOLE SLOTTED BEAM 7.99 - Int'l Orange	2/03/06 MI
12,216	HC-001 KIT	2/03/06 MI
1,593	APR02-08-0 ROW SPACER Galvanize	2/03/06 MI
366	APR03-20-0 ROW SPACER Galvanize	2/03/06 MI
1,959	HC-003 KIT	2/03/06 MI
9,576	APR01-42-0 L.D. LOCK-IN PALLET SUPPORT Galvanize	2/03/06 MI
72	APR03-24-0 WALL SPACER Galvanize	2/03/06 MI
144	H-151 KIT	2/03/06 MI
144	H-158 KIT	2/03/06 MI
144	H-220 KIT	2/03/06 MI

APR02-80-90-13
SHIM

H-181
KIT

50	UT42360-NEBS	2/03/06 MI
	TEARDROP UPRIGHT	
	S= BP2-80-50-38 BASE PL	
	W/ICR-24 24" INTERNAL	
	COLUMN REINF.	
	808 - Light Green	
991	UT42312-NEBS	2/03/06 MI
	TEARDROP UPRIGHT	
	S= BP2-80-50-38 BASE	
	PLATE	
	W/ICR-24 24" INTERNAL	
	COLUMN REINF.	
	808 - Light Green	
116	KT41D-096-AA	2/03/06 MI
	4 1/8" KEYHOLE SLOTTED BEAM	
	799 - Int'l Orange	
12,216	HC-001	2/03/06 MI
	KIT	
1,593	AFRS3-08-0	2/03/06 MI
	ROW SPACER	
	Galvanize	
366	AFRS3-20-0	2/03/06 MI
	ROW SPACER	
	Galvanize	
1,959	HC-083	2/03/06 MI
	KIT	
9,576	ALPL-42-0	2/03/06 MI
	L.D. LOCK-IN PALLET SUPPORT	
	Galvanize	
72	AWRS3-24-0	2/03/06 MI
	WALL SPACER	
	Galvanize	
144	H-151	2/03/06 MI
	KIT	
144	H-168	2/03/06 MI
	KIT	
144	H-220	2/03/06 MI
	KIT	

300 BP2-80-50-13 2/03/06 MI
SHIM
2,100 H-181 2/03/06 MI
KIT
50 UT42360-NEBS 2/03/06 MI
TEARDROP UPRIGHT
S= BP2-80-50-38 BASE PL
W/ICR-24 24" INTERNAL
COLUMN REINF.
#TAS-0383-A
#CAS-1487-A
808 - Light Green
991 UT42312-NEBS 2/03/06 MI
TEARDROP UPRIGHT


20070126000040920 23/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

S= BP2-80-50-38 BASE
 PLATE
 W/ICR-24 24" INTERNAL
 COLUMN REINF.
 #TAS-0383-A
 #CAS-1487-A
 808 - Light Green

12,216	KT41D-096-AA	2/03/06 MI
	4 1/8" KEYHOLE SLOTTED BEAM	
	799 - Int'l Orange	
12,216	HC-001	2/03/06 MI
	KIT	
1,593	AFRS3-08-0	2/03/06 MI
	ROW SPACER	
	Galvanize	
366	AFRS3-20-0	2/03/06 MI
	ROW SPACER	
	Galvanize	
1,959	HC-083	2/03/06 MI
	KIT	
9,576	ALPL-42-0	2/03/06 MI
	L.D. LOCK-IN PALLET SUPPORT	
	Galvanize	
72	AWRS3-24-0	2/03/06 MI
	WALL SPACER	
	Galvanize	
144	H-151	2/03/06 MI
	KIT	
	H-168	:
	KIT	
144	H-220	:
	KIT	
300	BP2-80-50-13	:
	SHIM #3-13.3-2-B	
2,100	H-181	
	KIT	

UP42312-NEBS

EA

60.000



20070126000040920 24/37 \$119.00
 Shelby Cnty Judge of Probate, AL
 01/26/2007 02:28:25PM FILED/CERT

TEARDROP UPRIGHT

S BP2-80-50-38 BASE

PLATE

W/TER-24 24 INTERNAL

COLUMN REINF.

#FAS-0383-A

#CAS-1487-A

808 - LIGHT GREEN

KT41D-096-AA

4 1/8 KEYHOLE SLOTTED BEAM

799 - INT'L ORANGE

EA

864.000

UPRIGHT UPRIGHT

TEARDROP UPRIGHT

S BP2-80-50-38 BASE

PLATE

W/TER-24 24 INTERNAL

COLUMN REINF.

#FAS-0383-A

#CAS-1487-A

808 - LIGHT GREEN

KT41D-096-AA

4 1/8 KEYHOLE SLOTTED BEAM

799 - INT'L ORANGE

EA

864.000

UPRIGHT UPRIGHT

TEARDROP UPRIGHT

S BP2-80-50-38 BASE

PLATE

W/TER-24 24 INTERNAL

COLUMN REINF.

#FAS-0383-A

#CAS-1487-A

808 - LIGHT GREEN

KT41D-096-AA

4 1/8 KEYHOLE SLOTTED BEAM

799 - INT'L ORANGE

EA

864.000



20070126000040920 25/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

UPPER 12-12-12BS
UPPER DROP UPRIGHT

9 1/2-50-50-38 BASE
24 24 INTERNAL
COLUMN REINF.
#1-0383-A
#2-1487-A
800 - LIGHT GREEN

KT410-096-AA
4 1/8 KEYHOLE SLOTTED BEAM

799 - INT'L ORANGE

UPPER 12-12-12BS
UPPER DROP UPRIGHT

9 1/2-50-50-38 BASE
24 24 INTERNAL
COLUMN REINF.
#1-0383-A
#2-1487-A
800 - LIGHT GREEN

KT410-096-AA
4 1/8 KEYHOLE SLOTTED BEAM

799 - INT'L ORANGE

UPPER 12-12-12BS
UPPER DROP UPRIGHT
9 1/2-50-50-38 BASE
24 24 INTERNAL
COLUMN REINF.
#1-0383-A
#2-1487-A
800 - LIGHT GREEN

KT410-096-AA
4 1/8 KEYHOLE SLOTTED BEAM

799 - INT'L ORANGE

60.000

305.000


60.000

854.000

60.000

552.000





BEST WAY

13
13.3-2-B

EA
EA
EA

7400 - 076-AA
 1/8" KEYHOLE SLOTTED BEAM
 7400 - KIT'L ORANGE

BROWN

PURPLE

LIGHT GREEN

DARK RED

MIDNITE SLOTTED BEAM

RUBY ORANGE


1. 100% WHITE
 2. 100% ORANGE
 3. 100% GREEN
 4. 100% RED
 5. 100% BLUE
 6. 100% YELLOW
 7. 100% PURPLE
 8. 100% BROWN
 9. 100% BLACK
 10. 100% GRAY
 11. 100% SILVER
 12. 100% GOLD
 13. 100% PINK
 14. 100% LILAC
 15. 100% VIOLET
 16. 100% INDIGO
 17. 100% VIOLET
 18. 100% VIOLET
 19. 100% VIOLET
 20. 100% VIOLET
 21. 100% VIOLET
 22. 100% VIOLET
 23. 100% VIOLET
 24. 100% VIOLET
 25. 100% VIOLET
 26. 100% VIOLET
 27. 100% VIOLET
 28. 100% VIOLET
 29. 100% VIOLET
 30. 100% VIOLET
 31. 100% VIOLET
 32. 100% VIOLET
 33. 100% VIOLET
 34. 100% VIOLET
 35. 100% VIOLET
 36. 100% VIOLET
 37. 100% VIOLET
 38. 100% VIOLET
 39. 100% VIOLET
 40. 100% VIOLET
 41. 100% VIOLET
 42. 100% VIOLET
 43. 100% VIOLET
 44. 100% VIOLET
 45. 100% VIOLET
 46. 100% VIOLET
 47. 100% VIOLET
 48. 100% VIOLET
 49. 100% VIOLET
 50. 100% VIOLET
 51. 100% VIOLET
 52. 100% VIOLET
 53. 100% VIOLET
 54. 100% VIOLET
 55. 100% VIOLET
 56. 100% VIOLET
 57. 100% VIOLET
 58. 100% VIOLET
 59. 100% VIOLET
 60. 100% VIOLET
 61. 100% VIOLET
 62. 100% VIOLET
 63. 100% VIOLET
 64. 100% VIOLET
 65. 100% VIOLET
 66. 100% VIOLET
 67. 100% VIOLET
 68. 100% VIOLET
 69. 100% VIOLET
 70. 100% VIOLET
 71. 100% VIOLET
 72. 100% VIOLET
 73. 100% VIOLET
 74. 100% VIOLET
 75. 100% VIOLET
 76. 100% VIOLET
 77. 100% VIOLET
 78. 100% VIOLET
 79. 100% VIOLET
 80. 100% VIOLET
 81. 100% VIOLET
 82. 100% VIOLET
 83. 100% VIOLET
 84. 100% VIOLET
 85. 100% VIOLET
 86. 100% VIOLET
 87. 100% VIOLET
 88. 100% VIOLET
 89. 100% VIOLET
 90. 100% VIOLET
 91. 100% VIOLET
 92. 100% VIOLET
 93. 100% VIOLET
 94. 100% VIOLET
 95. 100% VIOLET
 96. 100% VIOLET
 97. 100% VIOLET
 98. 100% VIOLET
 99. 100% VIOLET
 100. 100% VIOLET

50.000

792.000

60.000

791-000



60.000
 [REDACTED]
 864.000
 [REDACTED]
 45.000
 [REDACTED]
 60.000
 [REDACTED]
 12.000
 [REDACTED]

0752312-NEBS
 LEADROD UPRIGHT
 S. HP-2-50-50-36 BASE
 24 24 INTERNAL
 COLUMN REINFC.
 #TAG-0383-A
 #CAS-1487-A
 808 - LIGHT GREEN
 KT-ID-096-AA
 4 1/8 KEYHOLE SLOTTED BEAM
 799 - INT'L ORANGE

Dimension 3100 Series, Intel Pentium 4
 Processor 521 (2.80GHz) and 1MB cache Qty: 3

[222-0072]

[311-5236]

[310-5234]

[320-4600]

[320-4530]

[341-2775]

[341-2782]

[420-4838]

[412-0688]

[412-0721]

[420-4927]

[463-2282]

[420-5477]

[420-5769]

[310-6264]

[430-0412]

[313-3607]

[412-0705]

[313-3754]

[313-2758]

[313-2198]

[412-0850]

[412-0813]

[412-0845]

[412-0586]

[412-0687]

[412-0803]

[412-0359]

[950-6462]

[960-2912]

[983-2217]

[960-6380]

[960-7400]

[983-2207]

[981-9297]

[983-1497]

[900-9987]

[464-5503]

[464-5005]

[420-6136]

[462-4506]

[464-6036]

[461-2678]

Dimension 3100 Series, Intel Pentium 4 Processor 521 (2.80GHz) and 1MB
cache

512MB DDR2 SDRAM at 400MHz

Dell USB Keyboard

17IN(16.0IN VIS)E773c Monitor,Midnight Grey,Dimension

Integrated Intel Graphics Media Accelerator 900

80GB Serial ATA Hard Drive (72

No Floppy Drive Requested

Microsoft Windows XP Professional,Service Pack 2, English

Image Restore

Dimension Dell Support

Windows Media Player 10

Dell Owners Manual installed on your system,click on icon after system set-up to
access

Dell Direct Download

Internet Search and Portal

Dell USB 2-button mouse

Intel Pro 100M Integrated PCI NIC Card

No modem requested for Dell Dimension

Adobe Acrobat Reader 6.0

48X CD-RW Drive

Integrated Audio

No Speaker Requested

Network Associates McAfee 7.0,English,90-day Trial

Music Match 10.1 Basic with 7 days OnDemand

Paint Shop Photo Album 6.0 Starter Edition

AOL BSD/SMB

NETZERO ISP

Coral WordPerfect 12 plus Trial of Quattro Pro and Presentations

Soft Contracts - Quabserve

Warranty Support,2 Year Extended

Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR
Extended

Please visit WWW.Dell.COM

Warranty Support,Initial Year

Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial
Year

Thank You for buying Dell

Thank you for choosing 3 Year Economy Plan

72308 \$45 MAIL-IN REBATE Redeem after services purchaseat

www.dell.com/bcd_rebates.

Standard On-Site Installation Declined

PC Restore Recovery System by Symantec

System not eligible for hardware mail-in rebate

Quickbooks 2005 Special SimpleStart Edition

Purchase is NOT intended for resell

Thank you for choosing Dell

Special Offer - \$150 off

17" / 2MB Cache, 2.80GHz Front Qty: 1
Side Bus for PowerEdge 2400



20070126000040920 32/37 \$119.00
Shelby Cnty Judge of Probate,AL
01/26/2007 02:28:25PM FILED/CERT

Side Bus for PowerEdge 2850

- [222-0123]
- [311-5387]
- [464-8393]
- [310-5017]
- [320-0058]
- [320-3977]
- [341-1311]
- [341-1506]
- [341-0838]
- [420-4042]
- [310-0024]
- [430-8991]
- [313-2691]
- [313-2693]
- [311-4282]
- [310-5474]
- [341-1311]
- [341-1356]
- [310-5462]
- [310-5461]
- [420-5698]
- [960-1305]
- [902-4360]
- [902-2992]
- [983-2207]
- [983-2217]
- [900-9997]
- [464-5001]
- [341-1311]
- [462-4506]
- [462-9388]

2.8GHz/2MB Cache, Xeon, 800MHz Front Side Bus for PowerEdge 2850
 2.8GHz/2MB Cache, Xeon, 800MHz Front Side Bus, 2nd processor for PowerEdge 2850
 2GB DDR2 400MHz (4X512MB) Single Ranked DIMMs
 No keyboard Option, No Filler
 No Monitor Option
 Riser, ROMB, PCI-X, PE2850
 73GB, U320, SCSI, 1IN 15K, PE2850
 Embedded RAID - PERC4 Embedded Integrated
 No Floppy Drive
 Windows Server 2003, Standard Edition, Includes 5 CALS
 Mouse Option None
 Dual On-Board NICS ONLY
 8X DVD-ROM
 Bezel for PE2850
 1x6 Hard Drive Backplane PE2850
 Electronic Documentation and OpenManage CD Kit, PE2850
 73GB, U320, SCSI, 1IN 15K, PE2850
 MR5, ROMB RAID 5, Drives attached to PERC4ei, PE2850
 Rack Chassis w/Rapid Rails for Dell, HPQ or other Square Hole Racks, PE2850
 Redundant Power Supply With Y-CORD and Straight Cords PE2850
 Microsoft SQL Server 2005 Standard (5 CAL), OEM, NFI
 DECLINED CRITICAL BUSINESS CRITICAL SERVER OR STORAGE
 SUPPORT PACKAGE-CALL YOUR DELLSALES REP IF UPGRADE NEEDED
 Type 2 Contract Same Day 4HR Parts and Labor On-Site Response, Initial Year
 Type 2 Contract Same Day 4HR Parts and Labor On-Site Response, Two Years
 Thank You for buying Dell
 Please visit WWW.Dell.COM
 On-Site Installation Declined
 System not eligible for hardware mail-in rebate
 73GB, U320, SCSI, 1IN 15K, PE2850
 Purchase is NOT intended for resell
 Yes

Order detail

Order number: 773665510

2.8GHz/2MB Cache, Xeon, 800MHz Front Side Bus for PowerEdge 2850 Qty: 1

Side Bus for PowerEdge 2850

- [222-0123]
- [311-1193]
- [464-8393]
- [310-5017]
- [320-0058]
- [320-3977]
- [341-1310]
- [341-1506]
- [341-0838]
- [420-4042]
- [310-0024]
- [430-8991]
- [313-2691]
- [313-2693]
- [311-4282]
- [310-5474]
- [341-1310]
- [341-1356]
- [310-5462]
- [310-5463]
- [420-5698]
- [960-1305]
- [902-4360]
- [902-2992]
- [983-2207]
- [983-2217]
- [900-9997]
- [464-5001]
- [341-1310]

2.8GHz/2MB Cache, Xeon, 800MHz Front Side Bus for PowerEdge 2850
 Information, No Second Processor
 2GB DDR2 400MHz (4X512MB) Single Ranked DIMMs
 No keyboard Option, No Filler
 No Monitor Option
 Riser, ROMB, PCI-X, PE2850
 36GB, U320, SCSI, 1IN 15K, PE2850
 Embedded RAID - PERC4 Embedded Integrated
 No Floppy Drive
 Windows Server 2003, Standard Edition, Includes 5 CALS
 Mouse Option None
 Dual On-Board NICS ONLY
 8X DVD-ROM
 Bezel for PE2850
 1x6 Hard Drive Backplane PE2850
 Electronic Documentation and OpenManage CD Kit, PE2850
 36GB, U320, SCSI, 1IN 15K, PE2850
 MR5, ROMB RAID 5, Drives attached to PERC4ei, PE2850
 Rack Chassis w/Rapid Rails for Dell, HPQ or other Square Hole Racks, PE2850
 Redundant Power Supply With Straight Cords, No Y-Cord PE2850
 Microsoft SQL Server 2005 Standard (5 CAL), OEM, NFI
 DECLINED CRITICAL BUSINESS CRITICAL SERVER OR STORAGE
 SUPPORT PACKAGE-CALL YOUR DELLSALES REP IF UPGRADE NEEDED
 Type 2 Contract Same Day 4HR Parts and Labor On-Site Response, Initial Year
 Type 2 Contract Same Day 4HR Parts and Labor On-Site Response, Two Years
 Thank You for buying Dell
 Please visit WWW.Dell.COM
 On-Site Installation Declined
 System not eligible for hardware mail-in rebate
 36GB, U320, SCSI, 1IN 15K, PE2850

OptiPlex 170L, MicroTower

3.00GHz, Pentium 4, 1MB Cache 800 Front Side Bus Qty: 2

Side Bus

Side Bus

[221-4220]

[420-3699]

[311-3482]

[310-5247]

[320-4422]

[320-0428]

[341-0420]

[341-0425]

[464-2319]

[310-5202]

[430-0554]

[313-2365]

[313-8170]

[313-2333]

[313-7168]

[310-4721]

[310-8197]

[461-3749]

[902-4882]

[960-4960]

[960-0422]

[982-5709]

[983-2207]

[983-2217]

[900-9987]

[464-5006]

[462-4506]

[464-5384]

OptiPlex 170L, MicroTower 3.00GHz, Pentium 4, 1MB Cache 800 Front Side Bus

NTFS File System, Factory Install

1GB, Non-ECC, 400MHz DDR 2x512, OptiPlex 170L

Dell USB Keyboard, No Hot Keys OptiPlex

Dell E176FP, 17 Inch Flat Panel 17.0 Inch Viewable Image Size

OptiPlex, Precision and Latitude

Integrated Video - Intel DVM, Dell OptiPlex GX270 or GX280

80GB EIDE 7200RPM, OptiPlex 170L

No Optical or No Floppy Drive Filler Panel

Windows XP Professional Service Pack 2, with

Media, Dell OptiPlex, English, Factory Install

Dell USB 2-Button Entry Mouse with Scroll for OptiPlex

Integrated Intel 10/100Mb LOM w/ remote wake-up

48X CD-ROM, OptiPlex 170L

Integrated AC97 Audio, OptiPlex

Internal Chassis Speaker Option, OptiPlex 170L

Resource CD contains Diagnostics and Drivers for Dell OptiPlex Systems

Energy Star Labeling for OptiPlex (if applicable)

Quick Reference Guide Dell OptiPlex 170L Factory Install

GTS, Personal Systems, Technical Support Letter

Gold Technical Support Service OptiPlex, 3 Years, 1-866-876-3355 (DELL)

Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year

Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR Extended

Thank you for choosing 3 Year Standard Plan

Thank You for buying Dell

Please visit WWW.Dell.COM

Standard On-Site Installation Declined

System not eligible for hardware mail-in rebate

Purchase is NOT intended for resell

Thank you for choosing Dell

OptiPlex 170L, MicroTower**3.00GHz, Pentium 4, 1MB Cache 800 Front Qty: 1 Unit Price: \$1,079.00****Side Bus**

[221-4220]

[420-3699]

[311-3480]

[310-5247]

[464-7359]

[320-0428]

[341-0420]

[341-0425]

[464-2319]

[310-5202]

[430-0554]

[313-2369]

[313-8170]

[313-3673]

[310-4721]

[410-0765]

[410-0166]

[412-0468]

[960-0642]

[983-2217]

[960-4920]

[983-2207]

[982-5708]

[900-9987]

[464-5006]

[462-4506]

[464-5384]

[464-5032]

OptiPlex 170L, MicroTower 3.00GHz, Pentium 4, 1MB Cache 800 Front Side Bus

NTFS File System, Factory Install

512MB, Non-ECC, 400MHz DDR 2x256, 170L

Dell USB Keyboard, No Hot Keys OptiPlex

Dell E176FP, 17 Inch Flat Panel 17.0 Inch Viewable Image Size

OptiPlex, Precision and Latitude

Integrated Video - Intel DVM, Dell OptiPlex GX270 or GX280

80GB EIDE 7200RPM, OptiPlex 170L

No Optical or No Floppy Drive Filler Panel

Windows XP Professional Service Pack 2, with

Media, Dell OptiPlex, English, Factory Install

Dell USB 2-Button Entry Mouse with Scroll for OptiPlex

Integrated Intel 10/100Mb LOM w/ remote wake-up

48X CDRW, OptiPlex 170L

Integrated AC97 Audio, OptiPlex

No Resource CD for Dell OptiPlex, Precision and Latitude Systems

Energy Star Labeling for OptiPlex (if applicable)

McAfee Security Center, 90 Day Trial, OptiPlex, English

Adobe Acrobat 6 Standard Rtl Package, English, CD W/Docs, Factory Installed,

Bundle w/Office

Microsoft Office 2003 Professional Edition for OptiPlex, English

Type 3 Contract - Next Business Day Parts and Labor On-Site Response, 2YR

Extended

Please visit WWW.Dell.COM

Type 3 Contract - Next Business Day Parts and Labor On-Site Response, Initial Year

Thank You for buying Dell

Thank you for choosing 3 Year Economy Plan

Standard On-Site Installation Declined

System not eligible for hardware mail-in rebate

Purchase is NOT intended for resell

Thank you for choosing Dell

DISCOUNT: SPECIAL OFFER

1 AIMS Deployment License, 35 concurrent seats/users

Out-of-state sale, exempt from sales tax

20070126000040920 34/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT

1	5550	*04110611	NEW OTTAWA
		MODEL:	COMMANDO 30 DOT
		SERIAL#	313231

Description	Qty
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05250520100003	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05250520100606	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05250520100014	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05250520100517	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05271520102020	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05271520102022	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05271520102124	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05271520102049	1
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05271520102077	1

Description	Qty
PS-MC30X0RLCP48S-00E - Symbol MC3000; CE PRo, 48-Key, Laser, Color - Serial# S05271520102083	1
PS-CRD3000-1000R - Single Slot Serial/USB Cradle	2
PS-SACX000-4000C - Symbol MC30XX 4-Slot Battery Charger Kit - Serial# S05307520270077	1
PS-SACX000-4000C - Symbol MC30XX 4-Slot Battery Charger Kit - Serial# S05307520270083	1
PS-SACX000-4000C - Symbol MC30XX 4-Slot Battery Charger Kit - Serial# S05307520270094	1
PS-50-14000-148 - Symbol Power Supply for CRD9000 incl DC cable	3
PS-BTRYMC30KAB0101 - Spare Battery for Symbol MC300	10
PS-SWE-71247-01 - Wavelink Telnet Client for MC3000	10
PS-SSB-MC3070-30 - 3-Yr Service from the Start - Bronze	10
Freight and Insurance	


 20070126000040920 35/37 \$119.00
 Shelby Cnty Judge of Probate, AL
 01/26/2007 02:28:25PM FILED/CERT


1 D EA
0 LOT-STEEL KING "GUARD DAWG" RACK END
GUARDS TO PROTECT ENDS OF ALL
PROPOSED PALLET RACK RUNS

1 L
0 LOT - LABOR REQUIRED TO INSTALL ALL
PROPOSED STEEL KING END GUARDS AND
ALL PROPOSED SPEEDRACK PALLET RACKS.
LABOR TO INCLUDE UNLOADING OF TRUCKS,
INSTALLATION OF 12,216 PALLET LOCATIONS
AS DRAWN (LAYOUT 2 DATED 10-19-05) AND
ALL NECESSARY RENTAL EQUIPMENT.


ITEM NO.	UNIT	ORDERED	SHIPPED	Bi
FG-100A-BDL	EACH	1	1	
Fortigate 100A Bundle package			WHSE: 000	

S/N...FG100A2105403187
P.O./N...23303

LA	SUNE	1	1
engineering			WHSE: 000



20070126000040920 36/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT



One (1) each Free Standing Mezzanine

Size: 65'-4" O.T.O. x 50'-6" O.T.O. (3299) sq ft platform)

Capacity: 150 P.S.F.

Decking: 3299 sq ft. 3/4" T. & G. 2 LB Resindex - gray with 20 gage corrugated decking underneath. Painted white on underside.

Stairs: Type 2 - 36" treads 3 rail handrail, closed risers and black diamond plate treads. (Comply with BOCA CODE), with 36" x 42" Midlanding with 3 rail handrail on 2 sides. 48" x 48" top landing with 3 rail handrail on 2 sides.

Guard Rails: 1 1/2" square 14 gage 3 rail guardrail with kickplate

Gate: 6'-0" spring swing-in double door

Pallet drop: 3'-6" x 4'-0" pallet drop area

Clear height: 10'-0" clear

Deck height: 12'-8 1/4"

Column spacing: See Drawing

20070126000040920 37/37 \$119.00
Shelby Cnty Judge of Probate, AL
01/26/2007 02:28:25PM FILED/CERT