


<u> </u>	state of Alabama	Space Above This Line for Recording Data
This instrument was prepared by:	Bryant Bank	
	Kristy Mullins	
	234 Goodwin Crest Drive, Suite 500	
	Homewood, Alabama 35209	
	RELEASE OF M	ORTGAGE
Bryant Bank		, which is organized and existing
under the laws of Alabama	and holder	of that certain Mortgage made and executed by
Thomas J. Kines Jr. and Eloise S	S. Kines, Husband and Wife	as Mortgagor, and
Bryant Bank		as Mortgagee on
07/03/2006	, to secure the debt or other obligation	on in the amount of \$250,000.00
		charged. The Mortgage was recorded on
07/19/2006	, in the Judge of Probate	
County, Alabama and is indexed a	s 20060719000347530	
_		Mortgage and all of its right, title and interest
in the Property located at	648 Bob Hood Branch, Sterrett, A	
and legally described as:		
LENDER:	QA (Seal)	
(Witness)		



ACKNOWLEDGEMENT

(Lender Acknowledgement)

State of Alabama 1, Kendall Tubbs		county of Alfall, a Notary Public, Inland		
County in said State, hereby certify that	<u> </u>	opald Ra	06115	
whose name(s) as $\mathcal{M}(0)$	r/es	ident		
of Bryant Bank	_ , a <u>b</u>	anking institution	······································	is/are signed to the foregoing
instrument and who is known to me, acknowledged the he/she/they, in his/her/their capacity as such voluntarily on the day the same bears date. Given u		he exe	cuted the same	March, 2007
My commission expires Public State of Alabama at Laimy commission expires: Oct 24, 20: BONDED THRU NOTARY PUBLIC UNDERWRITE (2017)	RGE 10 ERS	Notary Public	Madd	2 muy
(seal)				




EXHIBIT "A"

A parcel of land located in the SE 1/4 of the NE 1/4 of Section 20, Township 18 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Commence at the SE corner of Section 20, Township 18 South, Range 1 East, a 5/8 inch rebar set in a pine knot in rock pile found; thence run North along and with the east section line 2,658.69 feet to the SE corner of the NE 1/4, a 1/2 inch iron pin with yellow cap found; thence turn left an angle of 89° 50' 27" and run westerly 186.40 feet along and with the south 1/4 section line to an iron pin set and the Point of Beginning; thence continue the previous course 747.95 feet to an iron pin set in the center of a chert road; thence turn a left interior of said road 75.00 feet to an iron pin set; thence turn a left interior angle of 168° 04' 40" and continue northeasterly along and with the center of said road 325.47 feet to an iron pin set; thence, leaving said chert road, turn a left interior angle of 124° 02' 14" and run easterly 58.09 feet to an iron pin set; thence turn a left interior angle of 270° 00' 00" and run northerly 22.11 feet to an iron pin set; thence turn a left interior angle of 90° 00' 00" and run easterly 10.00 feet to an iron pin set; thence turn a left interior angle of 90° 00' 00" and run southerly 22.17 feet to an iron pin set; thence turn a left interior angle of 270° 00' 00" and run westerly 168.59 feet to an iron pin set; thence turn a left interior angle of 90° 09' 33" and run southerly 339.19 feet to the Point of Beginning.

No apparent means of ingress and/or egress.