
20110628000187440 1/17 \$59.00 Shelby Cnty Judge of Probate, AL 06/28/2011 09:02:55 AM FILED/CERT

UCC FINANCING STATEMENT

FOLLOW INSTRUCTIONS (front and back) CAREFULLY

A. NA	AME & PHONE OF COL Lee L. Sheppard		(optional)				
B. SE	END ACKNOWLEDGEN	•	and Address)				
	Mayn 1901 2400	. Sheppard ard, Cooper & Ga Sixth Avenue Nor Regions/Harbert F ngham, Alabama (th Plaza				
	L		Ĺ				
		· · · · · · · · · · · · · · · · · · ·		THE ABOVE SPACE	IS FOR FILI	NG OFFICE USE ON	_Y
1. DE	EBTOR'S EXACT FUL	L LEGAL NAME	– insert only <u>one</u> debtor name (1	a or 1b) – do not abbreviate or combine na	mes		·
OR	1a. ORGANIZATION'S N Pine Mountain Pr						
OR	1b. INDIVIDUAL'S LAST	NAME		FIRST NAME	MIDDLE N	AME	SUFFIX
	ILING ADDRESS Highway 280, Suite	425		CITY Birmingham	STATE	POSTAL CODE 35223	COUNTRY USA
1d. <u>SE</u>	E INSTRUCTIONS	ADD'L INFO RE ORGANIZATION DEBTOR	1e. TYPE OF ORGANIZATION limited liability limited partnership	1f. JURISDICTION OF ORGANIZATION 1g. ORGANIZATIONAL ID #, if any 3809032 None			
2. A[ODITIONAL DEBTO	R'S EXACT FULL	LEGAL NAME – insert only <u>one</u>	debtor name (2a or 2b) – do not abbreviat	te or combine	names	
O D	2a. ORGANIZATION'S N	GANIZATION'S NAME					
OR	2b. INDIVIDUAL'S LAST	IDUAL'S LAST NAME		FIRST NAME	MIDDLE NAME		SUFFIX
2c. MA	AILING ADDRESS			CITY	STATE	POSTAL CODE	COUNTRY USA
2d. SE	E INSTRUCTIONS	ADD'L INFO RE ORGANIZATION DEBTOR	2e. TYPE OF ORGANIZATION	2f. JURISDICTION OF ORGANIZATION	2g. ORGA	NIZATIONAL ID #, if any	None
3. SE	ECURED PARTY'S	NAME – (or NAME	of TOTAL ASSIGNEE of ASSIC	SNOR S/P) - insert only <u>one</u> secured party	name (3a or 3	3b)	
	3a. ORGANIZATION'S N Nationa	NAME I Bank of Com	merce				
OR	3b. INDIVIDUAL'S LAST	NAME		FIRST NAME	MIDDLE N	AME	SUFFIX
3c. MAILING ADDRESS 5 Inverness Parkway		CITY Birmingham	STATE	POSTAL CODE 35242	COUNTRY		
See S	is FINANCING STATEN Schedule I, Schedule II, e filed Shelby County, A	Exhibit A, and Ex	following collateral: hibit B, attached hereto and mad	le a part hereof			
1 U DE	. mod Oneiby County, A						
5. AL	TERNATIVE DESIGNA	TION [If applicabl	e]: LESSEE/LESSOR LCOS	SIGNEE/COSIGNOR BAILEE/BAILOR	SELLER/BUYER	AG. LIEN NO	N-UCC FILING
	This FINANCING STATEMENT ESTATE RECORDS Atta		or record) (or recorded) in the REAL [if applicable]	7. Check to REQUEST SEARCH REPORT(S [ADDITIONAL FEE] [opt	i) on Debtor(s) [ional]	All Debtors Debto	r 1 Debtor 2
8. OF	PTIONAL FILER REFE (C/M # - 14879-						
PH IN	C OFFICE CORV. U.C	O FINIANIOINIO O	TATEMENT (EODM 11004) (DE	\/ \ns/22/02\			

Shelby Cnty Judge of Probate, AL UCC FINANCING STATEMENT ADDENDUM 06/28/2011 09:02:55 AM FILED/CERT FOLLOW INSTRUCTIONS (front and back) CAREFULLY 9. NAME OF FIRST DEBTOR (1a OR 1b) ON RELATED FINANCING STATEMENT 9a. ORGANIZATION'S NAME Pine Mountain Preserve, LLLP OR MIDDLE NAME, SUFFIX 9b. INDIVIDUAL'S LAST NAME FIRST NAME 10. MISCELLANEOUS: 11. ADDITIONAL DEBTOR'S EXACT FULL LEGAL NAME - insert only one debtor name (11a or 11b) - do not abbreviate or combine names 11a. ORGANIZATION'S NAME OR FIRST NAME MIDDLE NAME 11b. INDIVIDUAL'S LAST NAME POSTAL CODE STATE CITY 11c. MAILING ADDRESS ADD'L INFO RE 11e. TYPE OF ORGANIZATION 11f. JURISDICTION OF ORGANIZATION 11g. ORGANIZATIONAL ID #, if any 11d. SEE INSTRUCTIONS **ORGANIZATION DEBTOR** 12. ADDITIONAL SECURED PARTY'S OR ASSIGNOR S/P's NAME - insert only one name (12a or 12b) 12a. ORGANIZATION'S NAME OR MIDDLE NAME FIRST NAME 12b. INDIVIDUAL'S LAST NAME STATE POSTAL CODE CITY 12c. MAILING ADDRESS

			neld in trust or	Decedent's Estate
	and check <u>only</u> on	e box.		
— Deproi 12 a 1 LOZIA 2 IM				
	r is a Trust or Trus	r is a Trust or Trustee acting with re	Check <u>only</u> if applicable and check <u>only</u> one box. This a Trust or Trustee acting with respect to property the Check <u>only</u> if applicable and check <u>only</u> one box.	r is a Trust orTrustee acting with respect to property held in trust or

Additional collateral description:

SUFFIX

COUNTRY

SUFFIX

COUNTRY

__None

FILING OFFICE COPY – UCC FINANCING STATEMENT ADDENDUM (FORM UCC1Ad) (REV. 05/22/02)

This FINANCING STATEMENT covers ____ timber to be cut or ____ as-extracted

Name and address of a RECORD OWNER of above-described real estate (if


collateral, or is filed as a X fixture filing.

See attached legal description on Exhibit A.

Debtor does not have a record interest):

Description of real estate:

SCHEDULE I TO FINANCING STATEMENT



This financing statement covers the following items (or types) of property:

- (a) <u>Land</u>. The land located in Shelby County, Alabama more particularly described in <u>Exhibit A</u>, and all reversions and remainders in and to said land and all tenements, hereditaments, easements, rights-of-way, rights (including mineral and mining rights, and all water, oil and gas rights), privileges, royalties and appurtenances to said land, now or hereafter belonging or in anywise appertaining thereto, including any right, title and interest in, to or under any agreement or right granting, conveying or creating, for the benefit of said land, any easement, right or license in any other property, and in, to or under any streets, ways, alleys, vaults, gores or strips of land adjoining said land or any parcel thereof, or in or to the air space over said land; all rights of ingress and egress to parking facilities on or within said land; and all claims or demands of Borrower either at law or in equity, in possession or expectancy of, in or to any of the same (all of the foregoing hereinafter collectively called the "Land").
- (b) <u>Improvements</u>. All buildings, structures, facilities and other improvements now or hereafter located on the Land, and all building materials, building equipment and fixtures of every kind and nature now or hereafter located on the Land or attached to, contained in, or used in connection with, any such buildings, structures, facilities or other improvements, and all appurtenances and additions thereto and betterments, renewals, substitutions and replacements thereof, now owned or hereafter acquired by the Borrower (all of the foregoing hereinafter collectively called the "<u>Improvements</u>," and together with the Land called the "<u>Real Property</u>").
- (c) <u>Personal Property</u>. All goods, equipment, inventory, supplies and other items or types of tangible personal property (including additions and accessions thereto and replacements and substitutions therefor) now owned or hereafter created or acquired by the Borrower with the proceeds of any credit secured by this financing statement and placed on the Real Property and used or useful in connection with, or in any way pertaining or relating to, the Real Property or the use and occupancy thereof, though not attached to the Real Property; or for which the proceeds of any credit secured by this financing statement have been or may be advanced, wherever the same may be located (hereinafter collectively called the "<u>Personal Property</u>").
- (d) Rents and Leases. All leases, subleases, lettings and licenses, and other use and occupancy agreements, now or hereafter pertaining to any of the Real Property or Personal Property, and all rents, profits, issues and revenues of the Real Property and Personal Property now or hereafter accruing, whether accruing before or after the filing of any petition by or against the Borrower under the federal Bankruptcy Code.
- (e) <u>Insurance Policies</u>. All policies of hazard insurance now or hereafter in effect that insure the Improvements, the Personal Property, or any of the other property conveyed or encumbered by the mortgage to which this financing statement relates (the "<u>Mortgage</u>"), together with all right, title and interest of the Borrower in and to each and every such policy, and all proceeds thereof, including any premiums paid and rights to returned premiums.

- (f) <u>Litigation Awards</u>. All judgments, damages, settlements, awards, payments and compensation, including all interest thereon, together with the right to receive the same, that may be made or due to the Borrower or any subsequent owner of any of the Real Property, the Personal Property or any other property conveyed or encumbered by the Mortgage, as a result of the exercise of the right of eminent domain or condemnation, the alteration of the grade of any street or any other injury to or diminution or decrease in value of the Real Property, the Personal Property or any other such property.
- (g) General Intangibles and Agreements. (1) All governmental licenses and permits relating to the construction, renovation or operation of the Real Property; and (2) all contracts and agreements (including leasing, construction, renovation, maintenance, engineering, architectural, management, operating and concession agreements) affecting the Real Property, the Personal Property or any other property conveyed or encumbered by the Mortgage, or used or useful in connection therewith, whether now or hereafter entered into.
- (h) <u>Supplemental Documents</u>. All changes, additions, supplements, modifications, amendments, extensions, renewals, revisions and guaranties to, of or for any agreement or instrument included in the foregoing.
 - (i) Proceeds. All proceeds of any of the foregoing.

As used in this Schedule I Borrower means the debtor(s) described in this financing statement.

Some of the above-described property is now, or may in the future become, affixed to the Land described in Exhibit A and Exhibit B. The Borrower is a record owner of the Land.


THIS FINANCING STATEMENT IS TO BE CROSS-INDEXED IN THE REAL ESTATE MORTGAGE RECORDS.

20110628000187440 4/17 \$59.00 Shelby Cnty Judge of Probate, AL

06/28/2011 09:02:55 AM FILED/CERT

Schedule I - 2

SCHEDULE II TO FINANCING STATEMENT



This financing statement covers the following items (or types) of property:

- a) All leases and subleases, written or oral, and all agreements for use or occupancy of any portion of the land described on Exhibit A attached hereto and made a part hereof (the "Land") or any improvements, buildings, structures and fixtures now or hereafter located thereon (the "Improvements") with respect to which the Borrower is the lessor or sublessor, including the existing leases, if any, described on Exhibit B attached hereto and made a part hereof (the "Existing Leases"), any and all extensions and renewals of said leases and agreements and any and all further leases or agreements, now existing or hereafter made, including subleases thereunder, upon or covering the use or occupancy of all or any part of the Land or the Improvements, all such leases, subleases, agreements and tenancies heretofore mentioned (including the Existing Leases), whether entered into before or after the filing by or against the Borrower of any petition for relief under the federal Bankruptcy Code, being covered by this assignment and being hereinafter collectively referred to as the "Leases";
- b) any and all guaranties of the lessee's and any sublessee's performance under any of the Leases;
- the immediate and continuing right to collect and receive all of the rents, income, receipts, revenues, issues and profits now due or which may become due or to which the Borrower may now or shall hereafter (including during the period of redemption, if any) become entitled or may demand or claim, whether paid or accruing before or after the filing of any petition by or against the Borrower for relief under the federal Bankruptcy Code, arising or issuing from or out of the Leases or from or out of the Land or the Improvements, or any part thereof, including minimum rents, additional rents, percentage rents, common area maintenance charges, parking charges, tax and insurance premium contributions, and liquidated damages following default, the premium payable by any lessee upon the exercise of any cancellation privilege provided for in any of the Leases, and all proceeds payable under any policy of insurance covering loss of rents resulting from untenantability caused by destruction or damage to the Land or the Improvements, together with any and all rights and claims that the Borrower may now or hereafter have against any such lessee under the Leases or against any subtenants or occupants of the Land or any of the Improvements; and
- d) any award, dividend or other payment made hereafter to the Borrower in any court procedure involving any of the lessees under the Leases in any bankruptcy, insolvency or reorganization proceedings in any state or federal court and any and all payments made by lessees in lieu of rent.

As used in this Schedule II, Borrower means the debtor(s) described in this financing statement.

EXHIBIT A

20110628000187440 6/17 \$59.00 Shelby Cnty Judge of Probate, AL 06/28/2011 09:02:55 AM FILED/CERT

(Land Description)

District 1

Part of Section 9 and part of Section 16, both in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Beginning at the Northeast corner of said Section 16, run in a Southerly direction along the East line of the Northeast 1/4 of the Northeast 1/4 of said Section 16 for a distance of 1320.16 feet; thence turn an angle to the left of 0° 16' 05" and run in a Southerly direction along the East line of the Southeast 1/4 of the Northeast 1/4 of said Section 16 for a distance of 1311.65 feet; thence turn an angle to the right of 0° 08' 59" and run in a Southerly direction along the East line of the Northeast 1/4 of the Southeast 1/4 of said Section 16 for a distance of 1329.36 feet; thence turn an angle to the left of 0° 5' 27" and run in a Southerly direction along the East line of the Southeast 1/4 of the Southeast 1/4 of said Section 16 for a distance of 538.75 feet; thence turn an angle to the right of 137° 19' 24" and run in a Northwesterly direction for a distance of 755.14 feet; thence turn an angle to the right of 13° 06' 24" and run in a Northwesterly direction for a distance of 2197.15 feet; thence turn an angle to the left of 19° 51' 39" and run in a Northwesterly direction for a distance of 2189.09 feet; thence turn an angle to the right of 7° 41' 55" and run in a Northwesterly direction for a distance of 495.98 feet; thence turn an angle to the right of 90° and run in a Northeasterly direction for a distance of 302.06 feet to the point of beginning of a curve, said curve being concave in a Northwesterly direction and having a central angle of 28° 05' 45" and a radius of 1600.00 feet; thence turn an angle to the left and run in a Northeasterly direction along the arc of said curve for a distance of 784.58 feet to the point of ending of said curve; thence run in a Northeasterly direction along the line tangent to the end of said curve for a distance of 241.03 feet to the point beginning of a new curve, said latest curve being concave in a Southeasterly direction and having a central angle of 38° 34' 19" and a radius of 2000.00 feet; thence turn an angle to the right and run in a Northeasterly direction along the arc of said curve for a distance of 1346.42 feet to the point of ending of said curve; thence run in a Northeasterly direction along the line tangent to the end of said curve for a distance of 2031.75 feet to the point of beginning of another curve, said newest curve being concave in a Southeasterly direction and having a central angle of 10° 14' 20" and a radius of 1600.00 feet; thence turn an angle to the right and run in a Northeasterly direction along the arc of said curve for a distance of 285.92 feet to the end of said curve; thence turn an angle to the right (110° 25' 06" from the chord of last mentioned curve) and run in a Southeasterly direction for a distance of 387.88 feet; thence turn an angle to the right of 6° 11' 48" and run in a Southerly direction along the East line of said Section 9 for a distance of 2643.84 feet, more or less, to the point of beginning.

District 2

Part of Section 16, part of the East 1/2 of the Southeast 1/4 of Section 17, part of the Northeast 1/4 of the Northeast 1/4 of Section 20 and all of the Northwest 1/4 of the Northwest 1/4 of Section 21, all of the above in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:


Beginning at the Southeast corner of the said Section 16, run in a Northerly direction along the East line of the Southeast 1/4 of the Southeast 1/4 of said Section 16 for a distance of 780.20 feet; thence turn an angle to the left of 42° 40' 36" and run in a Northwesterly direction for a distance of 755.14 feet; thence turn an angle to the right of 13° 06' 24" and run in a Northwesterly direction for a distance of 2197.15 feet; thence turn an angle to the left of 19° 51' 39" and run in a Northwesterly direction for a distance of 2189.09 feet; thence turn an angle to the right of 7° 41' 55" and run in a Northwesterly direction for a distance of 495.98 feet; thence turn an angle to the left of 90° and run in a Southwesterly direction for a distance of 100.23 feet to a point of a curve, said curve being concave in a Southeasterly direction and having a central angle of 19° 42' 02" and a radius of 1616.91 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 555.96 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 1271.86 feet to the point of beginning of a new curve, said new curve being concave in a Northwesterly direction and having a central angle of 37° 09' 30" and a radius of 2394.39 feet;

thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 1552.84 feet to the point of ending of said curve; then run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 58.40 feet; thence turn an angle to the left of 90° and run in a Southeasterly direction for a 128.32 feet to the point of beginning of a curve, said latest curve being concave in a Westerly direction and having a central angle of 61° 13' 53" and a radius of 349.70 feet; thence turn an angle to the right and run in a Southeasterly, Southerly and Southwesterly direction along the arc of said curve for a distance of 373.72 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 200.00 feet; thence turn an angle to the left of 30° 10' 39" and run in a Southerly direction for a distance of 1631.10 feet; thence turn an angle to the right of 19° 00' 49" and run in a Southwesterly direction for a distance 1454.02 feet; thence turn an angle to the left of 114° 19' and run in an Easterly direction along the South line of the Northeast 1/4 of the Northeast 1/4 of said Section 20 for a distance of 1345.25 feet; thence turn an angle to the left of 0° 14' 22" and run in an Easterly direction along the South line of the Northwest 1/4 of the Northwest 1/4 of Section 21 for a distance of 1335.07 feet; thence turn an angle to the left of 90° 52' 19" and run in a Northerly direction for a distance of 1328.22 feet; thence turn an angle to the right of 89° 25' 09" and run in an Easterly direction along the South line of Southeast 1/4 of the Southwest 1/4 of said Section 16 for a distance of 1312.76 feet; thence turn an angle to the right of 2° 30' 54" and run in an Easterly direction along the South line of the Southwest 1/4 of the Southeast 1/4 of said Section 1/4 of said Section 16 for a distance of 1353.98 feet; thence turn an angle to the left of 0° 36' 41" and run in an Easterly direction along the South line of Southeast 1/4 of the Southeast 1/4 of said Section 16 for a distance of 924.98 feet; thence turn an angle to the left of 0° 1' 38" and continue in an Easterly direction along the South line of said Southeast 1/4 of Southeast 1/4 of said Section 16 for a distance of 420.12 feet, more or less, to the point of beginning.

District 4

Part of the West 1/4 of Section 20 and part of Section 19, both in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Beginning at the Southeast corner of said Section 19 run in a Northerly direction along the East line of said Section for a distance of 673.83 feet to an existing 1" iron pipe; thence turn an angle to the right of 90° 28' 18" and run in an Easterly direction for a distance of 345.39 feet to an existing 1/2" iron pipe; thence turn an angle to the left of 95° 11' 21" and run in a Northwesterly direction for a distance of 676.63 feet; thence turn an angle to the right of 95° 10' 47" and run in an Easterly direction for a distance of 50.21 feet; thence turn an angle to the left of 95° 10' 47" and run in an Northwesterly direction along the centerline of an existing Alabama Power Company 100 foot right-of-way for a distance of 2436.23 feet to a point on a curve, said curve being concave in a Southeasterly direction and having a central angle of 8° 3' 58" and a radius of 4658.80 feet; thence turn an angle to the left (135° 12' 07" to the chord of said curve) and run in a Southwesterly direction along the arc of said curve for a distance of 655.86 feet to a point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 610.40 feet to a point of beginning of a new curve, said latest curve being concave in a Northwesterly direction and having a central angle of 27° 51' 25" and a radius of 1096.76 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 533.24 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 1938.09 feet to the point of beginning of a new curve, said newest curve being concave in a Southeasterly direction and having a central angle of 49° 02' 18" and a radius of 1200.00 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 1027.06 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 761.05 feet to the point of beginning of a new curve, said latest curve being concave in a Northwesterly direction and having a central angle of 2° 33' 48" and a radius of 1171.75 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 52.42 feet to the point of ending of said curve; thence turn an angle to the left (94° 43' 14" from the chord of last mentioned curve) and run in a Southeasterly direction for a distance of 208.23 feet; thence turn an angle to the left of 5° 43' 14" and run in a Southeasterly direction for a distance of 234.97 feet; thence turn an angle to the left of 5° 34' 57" and run in an Easterly direction for a distance of 173.62 feet; thence turn an angle to the right of 0° 33' 02" and run in an Easterly direction for a distance of 110.55 feet; thence turn an angle to the left of 0° 47' 09" and run in an Easterly direction for a distance of 246.68 feet; thence turn an angle to the left of 7° 12' 56" and run in a Northeasterly direction for a distance of 145.73 feet; thence turn an angle to the right of 7° 19' 22" and run in an Easterly direction for a distance of 185.89 feet; thence turn an angle to the left of 2° 09' 19"



and run in an Easterly direction for a distance of 186.82 feet; thence turn an angle to the right of 0° 17' 24" and run in an Easterly direction for a distance of 446.17 feet; thence turn an angle to the left of 0° 38' 38" and run in an Easterly direction for a distance of 365.25 feet; thence turn an angle to the right of 3° 26' 54" and run in an Easterly direction for a distance of 333.61 feet; thence turn an angle to the right of 0° 3' 39" and run in an Easterly direction for a distance of 380.54 feet; thence turn an angle to the left of 0° 5' 58" and run in an Easterly direction for a distance of 284.93 feet, more or less, to the point of beginning.

District 5

Part of the West 1/2 of Section 30, Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Beginning at an existing 1/2" iron rebar being the locally accepted Southwest corner of the Southwest 1/4 of the Northwest 1/4 of said Section 30, Township 19 South, Range 1 East, Shelby County, Alabama, run in a Northerly direction along the accepted West line of said 1/4-1/4 section for a distance of 660.99 feet to an existing axel; thence turn an angle to the right of 2° 41' 25" and run in a Northerly direction for a distance of 523.27 feet to an existing 1/2" rebar; thence turn an angle to the left of 0° 2' 28" and run in a North direction for a distance of 317.48 feet; thence turn an angle to the left of 0° 00'15" and run in a Northerly direction for a distance of 392.89 feet; thence turn an angle to the right of 0° 1' 11" and run in a Northerly direction across Old Highway #280 for a distance of 80.75 feet; thence turn an angle to the right of 0° 2' 2" and run in a Northerly direction for a distance of 669.06 feet; thence turn an angle to the right of 90° 55' 26" and run in an Easterly direction for a distance of 220.15 feet; thence turn an angle to the right of 11° 17' 29" and run in a Southeasterly direction for a distance of 366.01 feet; thence turn an angle to the right of 96° 08' 36" and run in a Southwesterly direction for a distance of 337.43 feet; thence turn an angle to the left of 79° 50' 53" and run in a Southeasterly direction for a distance of 19.35 feet; thence turn an angle to the right of 84° 37' 59" and run in a Southwesterly direction for a distance of 360.88 feet to a point on a curve, said curve being the Northerly right-of-way line of Old Highway #280 and being concave in a Southwesterly direction and having a central angle of 3° 3' 37" and a radius of 2362.96 feet; thence turn an angle to the right (81° 33' 26" to the chord of said curve) and run in a Northwesterly direction along the arc of said curve and along the North right-of-way line of said Old Highway #280 for a distance of 126.21 feet; thence turn an angle to the left (91° 31' 48" from the chord of last mentioned curve) and run in a Southwesterly direction across Old Highway #280 for a distance of 80.0 feet to a point on the South right-of-way line of said Old Highway #280; thence turn an angle to the left of 13° 10' 30" and run in a Southerly direction for a distance of 419.73 feet; thence turn an angle to the left of 74° 31' 13" and run in a Southeasterly direction for a distance of 251.94 feet; thence turn an angle to the right of 74° 59' 06" and run in a Southerly direction for a distance of 630.37 feet; thence an angle to the left of 70° 47' 51" and run in a Southeasterly direction for a distance of 345.44 feet; thence turn an angle to the right of 70° 29' 54" and run in a Southerly direction for a distance of 401.56 feet; thence turn an angle to the left of 70° 29' 50" and run in a Southeasterly direction for a distance of 299.71 feet; thence turn an angle to the right of 70° 31' 21" and run in a Southerly direction for a distance of 362.84 feet to a point on the North right-of-way line of New U.S. Highway 280; thence turn an angle to the right of 98° 01' 47" and run in a Northwesterly direction along said North right-of-way line of U.S. Highway 280 for a distance of 223.91 feet to the point of beginning of a curve, said curve being concave in a Southwesterly direction and having a central angle of 1° 59' 22" and a radius of 22,955.61 feet; thence turn an angle to the left and run in a Northwesterly direction along the arc of said curve for a distance of 797.06 feet; thence turn an angle to the right (80° 04' 47" from the chord of last mentioned curve) and run in a Northerly direction for a distance of 91.21 feet, more or less, to the point of beginning.

Less and except an 80 foot right-of-way for Old Highway #280.

District 6

Part of the Southwest 1/4 of the Southwest 1/4 of Section 17, part of the South 1/2 of Section 18, part of Section 19, part of the West 1/4 of Section 20 and part of the North 1/4 of Section 30, all in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

20110628000187440 8/17 \$59.00 Shelby Cnty Judge of Probate, AL 06/28/2011 09:02:55 AM FILED/CERT

Commence at the Northwest corner of Section 19, Township 19 South, Range 1 East, Shelby County, Alabama, and run in a Southerly direction along the West line of said Section for a distance of 1289.96 feet to the point of beginning; thence turn an angle to the left of 125° 01' 50" and run in a Northeasterly direction for a distance of 6250.32 feet; thence turn an angle to the right of 120° 03' 43" and run in a Southeasterly direction for 3820.34 feet to the point of beginning of a curve, said curve being concave in a Southeasterly direction and having a central angle of 8° 3' 58" and a radius of 4658.80 feet; thence turn an angle to the right (44° 47' 53" to the chord of said curve) and run in a Southwesterly direction along the arc of said curve for a distance of 655.86 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 610.40 feet to the point of beginning of a new curve, said new curve being concave in a Northwesterly direction and having a central angle of 27° 51' 25" and a radius of 1096.76 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 533.24 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 1938.09 feet to the point of beginning of a new curve, said latest curve being concave in a Southeasterly direction and having a central angle of 49° 02' 18" and a radius of 1200.00 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 1027.06 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 761.05 feet; thence turn an angle to the right of 85° 16' 46" and run in a Northwesterly direction for a distance of 157.78 feet; thence turn an angle to the right of 78° 30' 04" and run in a Northerly direction for a distance of 1402.74 feet; thence turn an angle to the left of 0° 23' 47" and run in a Northerly direction for a distance of 881.08 feet; thence turn an angle to the left of 0° 1' 34" and run in a Northerly direction for a distance of 105.02 feet; thence turn an angle to the left of 0° 3' 55" and run in a Northerly direction for a distance of 350.30 feet; thence turn an angle to the left of 93° 34' 29" and run in a Southwesterly direction for a distance of 1519.79 feet; thence turn an angle to the right of 94° 21' 37" and run in a Northerly direction for a distance of 1321.79 feet, more or less, to the point of beginning.


District 7

Part of Section 18 and part of the Northwest 1/4 of Section 19, both in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Beginning at the Northwest corner of said Section 18 run in an Easterly direction along the North line of said Section for a distance of 2697.94 feet to the locally accepted Northeast corner of the Northeast 1/4 of the Northwest 1/4 of said Section 18; thence turn an angle to the right of 88° 07' 56" and run in a Southerly direction along the East line of the Northeast 1/4 of the Northwest 1/4 of said Section 18 for a distance of 1294.94 feet to the locally accepted Northwest corner of the Southwest 1/4 of the Northeast 1/4 of said Section 18; thence turn an angle to the left of 89° 40' 10" and run in an Easterly direction along the North line of said Southwest 1/4 of Northeast 1/4 for a distance for a distance 1311.04 feet to the Southwest corner of the Northeast 1/4 of the Northeast 1/4 of said Section 18; thence turn an angle to the left of 91° 23' 54" and run in a Northerly direction for a distance of 1303.70 feet to the locally accepted Northwest corner of northeast 1/4 of Northeast 1/4 of said Section 18; thence turn an angle to the right of 90° 41' 25" and run in an Easterly direction along the North line of said 1/4-1/4 section for a distance of 937.76 feet; thence turn an angle to the right of 86° 31' 22" and run in a southerly direction for a distance of 1193.02 feet; thence turn an angle to the right of 61° 19' 07" and run in a southwesterly direction for a distance of 347.39 feet; thence turn an angle to the left of 9° 15' 21" and run in a Southwesterly direction for a distance of 2755.12 feet; thence turn an angle to the left of 46° 56' 21" and run in a Southerly direction for a distance of 686.01 feet; thence turn an angle to the left of 35° 12' 39" and run in a Southeasterly direction for a distance of 605.40 feet; thence turn an angle to the right of 90° and run in a Southwesterly direction for a distance of 3666.77 feet to a point on the West line of Section 19; thence turn an angle to the right of 125° 01' 50" and run in a Northerly direction for a distance of 1289.96 feet to the Southwest corner of said Section 18; thence turn an angle to the left of 00° 38' 48" and run in a Northerly direction along the West line of said Section 18 for a distance of 5239.88 feet, more or less, to the point of beginning.

District 8

Part of Section 8 and part of Section 17 and part of Section 18, all in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:



Beginning at the Southwest corner of said Section 8 run in a Northerly direction along the West line of said Section 8 for a distance of 5211.77 feet to the Northwest corner of said Section 8; thence turn an angle to the right of 89° 00' 34" and run in an Easterly direction along the North line of said Section 8 for a distance of 3329.40 feet; thence turn an angle to the right of 79° 15' 02" and run in a Southeasterly direction for a distance of 2786.97 feet; thence turn an angle to the right of 60° 25' 51" and run in a Southwesterly direction for a distance of 2100.75 feet; thence turn an angle to the left of 45° 38' 19" and run in a Southerly direction for a distance of 288.89 feet; thence turn an angle to the left of 48° 45' 46" and run in a Southeasterly direction for a distance of 369.84 feet; thence turn an angle to the left of 36° 36' 25" and run in a Southeasterly direction for a distance of 480.08 feet; thence turn an angle to the right of 51° 57' 35" and run in a Southeasterly direction for a distance of 593.15 feet; thence turn an angle to the right of 68° 28' 43" and run in a Southwesterly direction for a distance of 1586.92 feet; thence turn an angle to the left of 69° 37' 23" and run in a Southeasterly direction for a distance of 180.69 feet; thence turn an angle to the right of 94° 18' and run in a Southwesterly direction for a distance of 2912.17 feet; thence turn an angle to the left of 67° 56' 14" and run in a Southerly direction for a distance of 262.95 feet; thence turn an angle to the right of 59° 56' 17" and run in a Southwesterly direction for a distance of 2585.21 feet; thence turn an angle to the right of 90° and run in a Northwesterly direction for a distance of 605.40 feet; thence turn an angle to the right of 35° 12' 39" and run in a Northerly direction for a distance of 686.01 feet; thence turn an angle to the right of 46° 56' 21" and run in a Northeasterly direction for a distance of 2755.12 feet; thence turn an angle to the right of 9° 15' 21" and run in a Northeasterly direction for a distance of 347.39 feet; thence turn an angle to the left of 61° 19' 07" and run in a Northerly direction for a distance of 1193.02 feet; thence turn an angle to the right of 93° 28' 38" and run in an Easterly direction along the North line of Section 18 for a distance of 374.67 feet, more or less, to the point of beginning.

District 9

Part of Section 8, part of Section 9 and also part of the Northwest 1/4 of the Northeast 1/4 of Section 17, all in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Beginning at the Northwest corner of said Section 9, Township 19 South, Range 1 East, run in an Easterly direction along the North line of said Section for a distance of 1979.51 feet; thence turn an angle to the right of 78° 43′ 55″ and run in a Southeasterly direction for a distance of 2552.34 feet; thence turn an angle to the right of 69° 33′ 39″ and run in a Southwesterly direction for a distance of 5139.57 feet; thence turn an angle to the right of 93° 22′12″ and run in a Northwesterly direction for a distance of 593.15 feet; thence turn an angle to the left of 51° 57′ 35″ and run in a Northwesterly direction for a distance of 480.08 feet; thence turn an angle to the right of 36° 36′ 25″ and run in a Northwesterly direction for a distance of 369.84 feet; thence turn an angle to the right of 48° 45′ 46″ and run in a Northerly direction for a distance of 288.89 feet; thence turn an angle to the right of 45° 38′ 19″ and run in a Northwesterly direction for a distance of 2100.75 feet; thence turn an angle to the left of 60° 25′ 51″ and run in a Northwesterly direction for a distance of 2786.97 feet to a point on the North line of Section 8; thence turn an angle to the right of 100° 44′ 58″ and run in an Easterly direction along the North line of said Section 8 for a distance of 1723.78 feet, more or less, to the point of beginning.

District 10

The Southeast 1/4 of the Southeast 1/4 of Section 4 and part of Section 9, both in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

Beginning at an existing 1/2" iron rebar being the locally accepted Southeast corner of said Section 4, run in a Northerly direction along the East line of the Southeast 1/4 of the Southeast 1/4 of said Section 4 for a distance of 1335.68 feet to an existing 5/8" rebar being the locally accepted Northeast corner of the Southeast 1/4 of Southeast 1/4 of said Section 4; thence turn an angle to the left of 89° 06' 48" and run in a Westerly direction along the North line of said Southeast 1/4 of Southeast 1/4 of said Section 4 for a distance of 1330.88 feet to an existing 5/8" iron rebar being the locally accepted Northwest corner of said Southeast 1/4 of Southeast 1/4 of said Section 4; thence turn an angle to the left of 88° 57' 35" and run in a Southerly direction along the West line of said 1/4-1/4 section for a distance of 1335.98 feet to an existing 5/8" iron rebar being the locally accepted Southwest corner of said Southeast 1/4 of Southeast 1/4 of said Section 4; thence turn an angle to the right of 87°


20110628000187440 10/17 \$59.00 Shelby Cnty Judge of Probate, AL 06/28/2011 09:02:55 AM FILED/CERT

16' 01" and run in a Westerly direction along the North line of Section 9 for a distance of 1936.16 feet; thence turn an angle to the left of 101° 16' 05" and run in a Southeasterly direction for a distance of 4285.63 feet to a point on a curve, said curve being concave in a Southeasterly direction and having a central angle of 26° 01' 51" and a radius of 2000.00 feet; thence turn an angle to the left (121° 57' 54" to the chord of said curve) and run in a Northeasterly direction along the arc of said cure for a distance of 908.64 feet to the point of ending of said curve; thence run in a Northeasterly direction along the line tangent to the end of said curve for a distance of 2031.75 feet to the point of beginning of a new curve, said latest curve being concave in a Southeasterly direction and having a central angle of 10° 14' 20" and a radius of 1600.00 feet; thence turn an angle to the right and run in a Northeasterly direction along the arc of said curve for a distance of 285.92 feet; thence turn an angle to the left (69° 34' 54" from last mentioned chord line) and run in a Northwesterly direction for a distance of 2409.93 feet, more or less, to the point of beginning.

District 11

Part of the Southeast 1/4 of the Southeast 1/4 of Section 8 and part of the South 1/2 of Section 9 and part of Section 16 and part of the East 1/4 of Section 17, all in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

From the Northwest corner of Section 9, Township 19 South, Range 1 East, Shelby County, Alabama, run in an Easterly direction along the North line of said Section 9 for a distance of 1979.51 feet; thence turn an angle to the right of 78° 43' 55" and run in a Southeasterly direction for a distance of 3495.65 feet to the point of beginning; thence continue in a Southeasterly direction along the last mentioned course for a distance of 789.97 feet to a point on a curve, said curve being concave in a Southeasterly direction and having a central angle of 12° 32' 29" and a radius of 2000.00 feet; thence turn an angle to the right (38° 44' 56" to the chord of said curve) and run in a Southwesterly direction along the arc of said curve for a distance of 437.77 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 241.03 feet to the point of beginning of a new curve, said new curve being concave in a Northwesterly direction and a having a central angle of 28° 05' 45" and a radius of 1600.00 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 784.58 feet to the point of ending of said curve; thence continue in a Southwesterly direction along the line tangent to the end of said curve for a distance of 402.29 feet to the point of beginning of another curve, said latest curve being concave in a Southeasterly direction and having a central angle of 19° 42' 02" and a radius of 1616.91 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 555.96 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 1271.86 feet to the point of beginning of another curve, said new curve being concave in a Northwesterly direction and having a central angle of 37° 09' 30" and a radius of 2394.39 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 1552.84 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 108.10 feet; thence turn an angle to the right of 90° and run in a Northwesterly direction for a distance of 93.60 feet to the point of beginning of a new curve, said latest curve being concave in an Easterly direction and having a central angle of 27° 16' 49" and a radius of 300.00 feet; thence turn an angle to the right and run in a Northwesterly and Northerly direction along the arc of said curve for a distance of 142.84 feet to the point of ending of said curve; thence run in a Northerly direction along the line tangent to the end of said curve for a distance of 61.53 feet to the point of beginning of a new curve, said latest curve being concave in a Westerly direction and having a central angle of 27° 39' 08" and a radius of 300.00 feet; thence turn an angle to the left and run in a Northerly and Northwesterly direction along the arc of said curve for a distance of 144.79 feet to the point of ending of said curve; thence run in a Northwesterly direction along the line tangent to the end of said curve for a distance of 188.90 feet to the point of beginning of a new curve, said new curve being concave in a Northeasterly direction and having a central angle of 24° 36' 29" and a radius of 300.00 feet; thence turn an angle to the right and run in a Northwesterly and Northerly direction along the arc of said curve for a distance of 128.85 feet to the point of ending of said curve; thence run in a Northerly direction along the line tangent to the end of said curve for a distance of 178.35 feet to the point of beginning of another curve, said latest curve being concave in a Southwesterly direction and having a central angle of 31° 31' 25" and a radius of 400.00 feet; thence turn an angle to the left and run in a Northerly and Northwesterly direction along the arc of said curve for a distance of 220.08 feet to the point of ending of said curve; thence run in a Northwesterly direction along the line tangent to the end of said curve for a distance of 306.80 feet to the point of beginning of a curve, said curve being concave in




a Northeasterly direction and having a central angle of 16° 01' 05" and a radius of 800.00 feet; thence turn an angle to the right and run in a Northwesterly direction along the arc of said curve for a distance of 223.65 feet to the point of ending of said curve; thence continue in a Northwesterly direction along the line tangent to the end of said curve for a distance of 156.04 feet to the point of beginning of another curve, said curve being concave in an Easterly direction and having a central angle of 48° 26' 50" and a radius of 800.00 feet; thence turn an angle to the right and run in a Northwesterly, Northerly and Northeasterly direction along the arc of said curve for a distance of 676.45 feet to the point of ending of said curve; thence run in Northeasterly direction along the line tangent to the end of said curve for a distance of 800.76 feet to the point of beginning of a new curve, said latest curve being concave in a Southeasterly direction and having a central angle of 50° 37' 38" and a radius of 899.76 feet; thence turn an angle to the right and run in a Northeasterly direction along the arc of said curve for a distance of 795.04 feet to the point of ending of said curve; thence run in a Northeasterly direction along the line tangent to the end of said curve for a distance of 213.31 feet to the point of beginning of another curve, said latest curve being concave in a Northwesterly direction and having a central angle of 22° 28' 40" and a radius of 799.16 feet; thence turn an angle to the left and run in a Northeasterly direction along the arc of said curve for a distance of 313.52 feet to the point of ending of said curve; thence continue in a Northeasterly direction along the line tangent to the end of said curve for a distance of 558.81 feet to the point of beginning of another curve, said latest curve being concave in a Northwesterly direction and having a central angle of 13° 19' 32" and a radius of 5018.65 feet; thence turn an angle to the left and run in a Northeasterly direction along the arc of said curve for a distance of 1167.21 feet to the point of ending of said curve; thence run in a Northeasterly direction along the line tangent to the end of said curve for a distance of 599.84 feet, more or less, to the point of beginning.

District 12

Part of Section 17, part of the East 1/4 of Section 18 and part of the Northwest 1/4 of Section 20, all in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:

From the Northeast corner of Section 18, Township 19 South, Range 1 East, Shelby County, Alabama, run in an Westerly direction along the North line of said Section 18 for a distance of 374.67 feet; thence turn an angle to the left of 93° 28' 38" and run in a Southerly direction for a distance of 1193.02 feet; thence turn an angle to the right of 61° 19' 07" and run in a Southwesterly direction for a distance of 347.39 feet; thence turn an angle to the left of 9° 15' 21" and run in a Southwesterly direction for a distance of 2755.12 feet; thence turn an angle to the left of 46° 56' 21" and run in a Southerly direction for a distance of 686.01 feet; thence turn an angle to the left of 35° 12' 39" and run in a Southeasterly direction for a distance of 605.40 feet; thence turn an angle to the left of 90° and run in a Northeasterly direction for a distance of 2585.21 feet to the point of beginning; thence turn an angle to the left of 59° 56' 17" and run in a Northwesterly direction for a distance of 262.95 feet; thence turn an angle to the right of 67° 56' 14" and run in a Northeasterly direction for a distance of 2912.17 feet; thence turn an angle to the right of 85° 42' and run in a Southeasterly direction for a distance of 444.51 feet; thence turn an angle to the left of 90° and run in a Northeasterly direction for a distance of 162.81 feet to a point of beginning of a curve, said curve being concave in a Northwesterly direction and having a central angle of 12° 11' 34" and a radius of 1000.00 feet; thence turn an angle to the left and run in a Northeasterly direction along the arc of said curve for a distance of 212.80 feet to the point of ending of said curve; thence run in a Northeasterly direction along the line tangent to the end of said curve for a distance of 451.24 feet to the point of beginning of a new curve, said latest curve being concave in a Southeasterly direction and having a central angle of 45° 51' 13" and a radius of 700.00 feet; thence turn an angle to the right and run in a Northeasterly and Easterly direction along the arc of said curve for a distance of 560.21 feet to the point of ending of said curve; thence run in an Easterly direction along the line tangent to the end of said curve for a distance of 463.54 feet to a point on a curve, said curve being concave in an Easterly direction and having a central angle of 18° 58' 45" and a radius of 800.00 feet; thence turn an angle to the right (80° 30' 37" to the chord of said curve) and run in a Southerly and Southeasterly direction along the arc of said curve for a distance of 265.0 feet to the point of ending of said curve; thence run in a Southeasterly direction along the line tangent to the end of said curve for a distance of 156.04 feet to the point of beginning of a new curve, said latest curve being concave in a Northeasterly direction and having a central angle of 16° 01' 05" and a radius of 800.00 feet; thence turn an angle to the left and run in a Southeasterly direction along the arc of said curve for a distance of 223.65 feet to the point of ending of said curve; thence run in a Southeasterly direction along the line tangent to the end of said curve for a distance of 306.80 feet to the point of beginning of a new curve, said new curve being concave in a Westerly direction and having a central angle of 31° 31' 25" and a radius of 400.00 feet; thence turn an angle to the right and run in a Southeasterly and Southerly direction along the




arc of said curve for a distance of 220.08 feet to the point of ending of said curve; thence continue in a Southerly direction along the line tangent to the end of said curve for a distance of 178.35 feet to the point of beginning of another curve, said new curve being concave in a Northeasterly direction and having a central angle of 24° 36' 29" and a radius of 300.00 feet; thence turn an angle to the left and run in a Southerly and Southeasterly direction along the arc of said curve for a distance of 128.85 feet to the point of ending of said curve; thence continue in a Southeasterly direction along the line tangent to the end of said curve for a distance of 188.90 feet to the point of beginning of another curve, said latest curve being concave in a Southwesterly direction and having a central angle of 27° 39' 08" and a radius of 300.00 feet; thence turn an angle to the right and run in a Southeasterly and Southerly direction along the arc of said curve for a distance of 144.79 feet to the point of ending of said curve; thence continue in a Southerly direction along the line tangent to the end of said curve for a distance of 61.53 feet to the point of beginning of another curve, said latest curve being concave in an Easterly direction and having a central angle of 27° 16' 49" and a radius of 300.00 feet; thence turn an angle to the left and run in a Southerly and Southeasterly direction along the arc of said curve for a distance of 142.84 feet to the point of ending of said curve; thence continue in a Southeasterly direction along the line tangent to the end of said curve for a distance of 93.60 feet; thence turn an angle to the right of 90° and run in a Southwesterly direction for a distance of 1945.31 feet to the point of beginning of a curve, said curve being concave in a Southeasterly direction and having a central angle of 22° 01' 51" and a radius of 3000.00 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 1153.53 feet to a point of reverse curve, said latest curve being concave in a Northwesterly direction and having a central angle of 18° 24' 26" and a radius of 3000.00 feet; thence turn an angle to the right and run in a southwesterly direction along the arc of said curve for a distance of 963.79 feet to another point of reverse curve, said newest curve being concave in a Southeasterly direction and having a central angle of 39° 40' 20" and a radius of 1495.55 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 1035.54 feet to another point of reverse curve, said newest curve being concave in a Northwesterly direction and having a central angle of 23° 51' 40" and a radius of 2265.19 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 943.35 feet; thence turn an angle to the right (130° 30' 28" from the chord of last mentioned curve) and run in a Northwesterly direction for a distance of 3820.34 feet, more or less, to the point of beginning.

District 13

Part of the Southeast 1/4 of Section 8, part of Section 9 and part of Section 17, all in Township 19 South, Range 1 East, Shelby County, Alabama, being more particularly described as follows:


From the Northwest corner of Section 9, Township 19 South, Range 1 East, Shelby County, Alabama, run in an Easterly direction along the North line of said Section 9 for a distance of 1979.51 feet; thence turn an angle to the right of 78° 43' 55" and run in a Southeasterly direction for a distance of 2552.34 feet to the point of beginning; thence continue in a Southeasterly direction along the last mentioned course for a distance of 943.31 feet; thence turn an angle to the right of 59° 42' 22" and run in a Southwesterly direction for a distance of 599.84 feet to the point of beginning of a curve, said curve being concave in a Northwesterly direction and having a central angle of 13° 19' 32" and a radius of 5018.65 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 1167.21 feet to the point of ending of said curve; thence run in a southwesterly direction along the line tangent to the end of said curve for a distance of 558.81 feet to the point of beginning of a new curve, said latest curve being concave in a Northwesterly direction and having a central angle of 22° 28' 40" and a radius of 799.16 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 313.52 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 213.31 feet to the point of beginning of another curve, said latest curve being concave in a Southeasterly direction and having a central angle of 50° 37' 38" and a radius of 899.76 feet; thence turn an angle to the left and in a Southwesterly direction along the arc of said curve for a distance of 795.04 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 800.76 feet to the point of beginning of another curve, said curve being concave in a Southeasterly direction and having a central angle of 29° 28' 05" and a radius of 800.00 feet; thence turn an angle to the left and run in a Southwesterly direction along the arc of said curve for a distance of 411.45 feet; thence turn an angle to the right (75° 15' 58" from the chord of last mentioned curve) and run in a Northwesterly direction for a distance of 463.54 feet to the point of beginning of a curve, said curve being concave in a Southerly direction and having a central angle of 45° 51' 13" and a



radius of 700.00 feet; thence turn an angle to the left and run in a Westerly and Southwesterly direction along the arc of said curve for a distance of 560.21 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 451.24 feet to the point of beginning of another curve, said latest curve being concave in a Northwesterly direction and having a central angle of 12° 11' 34" and a radius of 1000.00 feet; thence turn an angle to the right and run in a Southwesterly direction along the arc of said curve for a distance of 212.80 feet to the point of ending of said curve; thence run in a Southwesterly direction along the line tangent to the end of said curve for a distance of 162.81 feet; thence turn an angle to the right of 90° and run in a Northwesterly direction for a distance of 625.20 feet; thence turn an angle to the right of 69° 37' 23" and run in a Northeasterly direction for a distance of 5139.57 feet, more or less, to the point of beginning.

District 14

From a 2" solid bar accepted as the S. W. corner of Section 2, Township 19 South, Range 1 East, run thence Grid North 89° 27' 27" East along the South boundary of said Section 2 for a distance of 4009.02 feet to a 1/2" rebar on the Northwesterly boundary of Shelby County Highway #55 (80 feet R.O.W.), said point being on a curved boundary concave right having a centerline delta angle of 15° 58 ' 23" and tangents of 427.62 feet, said point being South 89° 27' 27" West 1277.19 feet from a 1/2" rebar accepted as the S. E. corner of said Section 2; thence run a chord bearing of North 49° 58' 14" East for a chord distance of 697.25 feet to a 1/2" rebar at the P.T.; thence run North 56° 27' 11" East for a distance of 265.57 feet to a 1/2" rebar at the P.C. of a curve concave left having a centerline delta angle of 24° 07' 11" and tangents of 281.85 feet; thence run a chord bearing of North 44° 23' 36" East for a chord distance of 534.55 feet to a 1/2" rebar at the P.T.; thence run North 32° 20'00" East for a distance of 205.25 feet to a 1/2" rebar at the P.C. of a curve concave right having a centerline delta angle of 18° 36' 35" and tangents of 300.0 feet; thence run a chord bearing of North 41° 38' 17" East for a chord distance of 605.04 feet to a 1/2" rebar at the P.T.; thence run North 50° 56' 35" East for a distance of 335.14 feet to a 1/2" rebar at the P.C. of a curve concave left having a centerline delta angle of 27° 11' 29" and tangents of 490.0 feet; thence run a chord bearing of North 37° 20' 50" East for a chord distance of 933.73 feet to a 1/2" rebar at the P.T.; thence run North 23° 45' 06" East along the boundary of said County Highway #55 a distance of 1344.32 feet to a 1/2" rebar; thence run North 89° 59' 04" West for a distance of 531.64 feet to a 1/2" rebar; thence run North 01° 05' 14" East for a distance of 200.0 feet to a 1/2" rebar on the North boundary of the SW 1/4-NW 1/4 of Section 1, Township 19 South, Range 1 East; thence run North 89° 59' 04" West for a distance of 1116.48 feet to a 1/2" rebar at the N.E. corner of the SE 1/4-NE 1/4 of Section 2, Township 19 South, Range 1 East; thence run South 89° 04' 03" West for a distance of 2662.85 feet to a 1/2" rebar at the S.E. corner of the NE 1/4-NW 1/4 of aforementioned Section 2; thence run North 00° 59' 43" East for a distance of 1308.19 feet to a 1/2" rebar accepted as the S. E. corner of the SE 1/4-SW 1/4 of Section 35, Township 19 South, Range 1 East; thence run North 00° 24' 36" West for a distance of 2617.98 feet to a 1/2" rebar accepted as the N.E. corner of the NE 1/4-SW 1/4 of Section 35, Township 19 South, Range 1 East; thence run South 88° 46' 50" West for a distance of 2598.54 feet to a 1/2" rebar accepted as the N.W. corner of the NW 1/4-SW 1/4 of said Section 35; thence run South 89° 29' 13" West for a distance of 1311.80 feet to a 5/8" rebar accepted as the N.W. corner of the NE 1/4-SE 1/4 of Section 34, Township 19 South, Range 1 East; thence run South 00° 17' 15" West for a distance of 1316.77 feet to a 5/8" rebar at the N.W. corner of the SE 1/4-SE 1/4 of said Section 34; thence run South 00° 31' 49" West for a distance of 1288.53 feet to a 1" pipe at the S. W. corner of said SE 1/4-SE 1/4; thence run North 89° 17' 24" East for a distance of 1278.06 feet to a 1" pipe at the S. W. corner of Section 35, Township 19 South, Range 1 East; thence run North 89° 10' 23" East for a distance of 166.83 feet to a 5/8" rebar; thence run South 01° 03' 46" East for a distance of 1328.39 feet to a 5/8" rebar; thence run North 89° 32' 33" West for a distance of 164.77 feet to a 5/8" rebar; thence run South 00° 13' 30" East for a distance of 1313.93 feet to a 1" pipe accepted as the S. W. corner of the SW 1/4-NW 1/4 of said Section 35; thence run North 89° 49' 25" East for a distance of 1298.78 feet to a 1" pipe accepted as the S. W. corner of the SE 1/4-NW 1/4 of said Section 35; thence run South 00° 01' 35" West for a distance of 1308.87 feet to a 1/2" pipe accepted as the N.E. corner of the SW 1/4-SW 1/4 of Section 35; thence run North 89° 53' 14" West for a distance of 1295.83 feet to a 5/8" rebar accepted as the N.W. corner of said SW 1/4-SW 1/4; thence run South 04° 19' 20" West for a distance of 1314.27 feet to the POINT OF BEGINNING of herein described parcel of land.



District 15

From a 2" solid bar at the S. E. corner of Section 3, Township 19 South, Range 1 East, being the Point of Beginning of herein described parcel of land, run thence Grid South 89° 48' 57" West for a distance of 5254.95 feet to a 1/2" rebar at the S. W. corner of said Section 3; thence run North 00° 19' 07" West for a distance of 1245.68 feet to a 5/8" rebar locally accepted as the S. W. corner of the NW 1/4-SW 1/4 of said Section 3; thence run North 00° 03' 36" East for a distance of 1381.19 feet to a 5/8" rebar locally accepted as the N.W. corner of said NW 1/4-SW 1/4; thence run North 89° 22' 55" East for a distance of 2517.76 feet to a 5/8" rebar locally accepted as the S. W. corner of the SW 1/4-NE 1/4 of said Section 3; thence run North 01° 23' 35" East for a distance of 1450.57 feet to a 5/8" rebar locally accepted as the N.W. corner of said SW 1/4-NE 1/4; thence run South 89° 36' 33" East for a distance of 1480.71 feet to a 5/8" rebar locally accepted as the S. W. corner of the NE 1/4-NE 1/4 of said Section 3; thence run North 00° 40' 48" East for a distance of 1158.31 feet to a 1" pipe locally accepted as the N.W. corner of said NE 1/4-NE 1/4; thence run North 89° 17' 24" East for a distance of 1278.06 feet to a 1" pipe at the N.E. corner of Section 3, Township 19 South, Range 1 East; thence run South 01° 09' 15" East for a distance of 1324.71 feet to a 5/8" rebar locally accepted as the N.E. corner of the SE 1/4-NE 1/4 of said Section 3; thence run South 00° 13' 30" East for a distance of 1313.93 feet to a 1" pipe locally accepted as the N.E. corner of the NE 1/4-SE 1/4 of said Section 3; thence run South 00° 06' 12" East for a distance of 1302.33 feet to a 5/8" rebar locally accepted as the N.E. corner of the SE 1/4-SE 1/4 of said Section 3; thence run South 04° 19' 20" West for a distance of 1314.27 feet to a 2" solid bar at the N.W. corner of Section 11, Township 19 South, Range 1 East; thence run North 89° 27' 27" East along the North boundary of said Section 11 for a distance of 4009.02 feet to a 1/2" rebar on the Northwesterly boundary of Shelby County Highway #55 (80' R.O.W.), said point being South 89° 27' 27" West a distance of 1277.19 feet from a 1/2" rebar at the N.E. corner of said Section 11, said point being on a curve concave left having a delta angle of 15° 58' 23" and a radius of 3087.84 feet; thence run a chord bearing of South 41° 58' 59" West for a chord distance of 162.08 feet to a 1/2" rebar at the P.T. thence run South 40° 28' 48" West along said highway boundary for a distance of 514.56 feet to a 1/2" rebar at the P.C. of a curve concave left having a delta angle of 14° 57' 51" and a radius of 3041.71 feet; thence run a chord bearing of South 32° 59' 52" West for a chord distance of 792.15 feet to a 1/2" rebar at the P.T.; thence run South 25° 30′ 57" West along said highway boundary for a distance of 1110.60 feet to a 1/2" rebar at the P.C. of a curve concave right having a delta angle of 31° 34' 29" and a radius of 1479.19 feet; thence run a chord bearing of South 41° 18' 11" West for a chord distance of 804.88 feet to the P.T.; thence run South 57° 05' 26" West along said highway boundary for a distance of 165.06 feet to the P.C. of a curve concave left having a delta angle of 12° 42' 27" and a radius of 3247.19 feet; thence run a chord bearing of South 50° 44' 12" West for a chord distance of 718.71 feet to the P.T.; thence run South 44° 22' 59" West along said highway boundary for a distance of 447.39 feet to a 1/2" rebar at the P.C. of a curve concave right having a delta angle of 18° 10' 23" and a radius of 2488.09 feet; thence run a chord bearing of South 53° 28' 11" West for a chord distance of 785.88 feet to the P.T.; thence run South 62° 33' 22" West along said highway boundary for a distance of 238.84 feet to the P.C. of a curve concave left having a delta angle of 29° 54' 31" and a radius of 1981.67 feet; thence run a chord bearing of South 61° 38′ 18″ West for a chord distance of 63.50 feet to a 1/2" rebar on said curve boundary and the West boundary of Section 11, Township 19 South, Range 1 East, said point North 02° 57' 33" West a distance of 1097.81 feet from a 3/4" rebar at the S.W. corner of said Section 11; thence run North 02° 57' 33" West for a distance of 4223.16 feet along the West boundary of said Section 11 to the Point of Beginning of herein described parcel of land.

District 16

From a 3/4" rebar at the S.E. corner of Section 10, Township 19 South, Range 1 East, run thence Grid North 02° 57' 33" West for a distance of 1097.81 feet to a 1/2" rebar on the Northerly boundary of Shelby County Highway #55 (80 foot R. O. W.), being the Point of Beginning of herein described parcel of land; thence continue North 02° 57' 33" West for a distance of 4223.16 feet to a 2" solid bar at the N.E. corner of said Section 10; thence run South 89° 48' 57" West for a distance of 5254.95 feet to a 1/2" rebar at the N.W. corner of said Section 10; thence run South 05° 46' 59" East for a distance of 2797.81 feet to a 5/8" rebar locally accepted as the N.W. corner of the SW 1/4 of said Section 10, Township 19 South, Range 1 East; thence run South 89° 15' 39" East for a distance of 1335.82 feet to a 2" solid bar locally accepted as the N.W. corner of the NE 1/4-SW 1/4 of said Section 10; thence run South 00° 08' 05" West for a distance of 967.02 feet to a 1/2" rebar that is North 00° 08' 05" East a distance of 330.00 feet from a 1" crimped pipe locally accepted as the N.W. corner of the SE 1/4-SW 14/ of said Section 10; thence run North 81° 54' 39" East for a distance of 330.00 feet to a 1/2" rebar; thence run South 00° 08' 05" West

20110628000187440 15/17 \$59.00 Shelby Cnty Judge of Probate, AL 06/28/2011 09:02:55 AM FILED/CERT

Exhibit A - 10

for a distance of 330.00 feet to a 5/8" rebar; thence run North 81° 54' 39" East for a distance of 592.39 feet to a 1" pipe; thence continue North 81° 54' 39" East for a distance of 25.00 feet to a point in the center of Muddy Prong Creek; thence run South 49° 39' 48" West along the centerline of said creek for a distance of 123.72 feet and the following courses: South 67° 15' 05" West for a distance of 98.25 feet; South 34° 28' 00" West for a distance of 76.15 feet; South 47° 52' 47" West for a distance of 97.82 feet; South 44° 06' 01" East for a distance of 126.64 feet; South 07° 45' 31" West for a distance of 63.92 feet; South 89° 33' 11" West for a distance of 155.87 feet; South 65° 50' 00" West for a distance of 53.57 feet; South 19° 58' 41" East for a distance of 63.03 feet; South 52° 59' 56" East for a distance of 142.00 feet; South 37° 35' 05" West for a distance of 40.89 feet; North 79° 18' 57" West for a distance of 142.67 feet; South 07° 07' 28" West for a distance of 50.32 feet; South 17° 49' 47" East for a distance of 167.50 feet; South 16° 33' 23" West for a distance of 57.84 feet; South 80° 33' 28" West for a distance of 56.77 feet; South 00° 29' 00" East for a distance of 107.48 feet; South 02° 56' 07" West for a distance of 166.77 feet; South 38° 05' 38" East for a distance of 58.41 feet; South 06° 45' 04" East for a distance of 44.52 feet; South 79° 47' 31" West for a distance of 78.45 feet; South 19° 02' 16" East for a distance of 86.89 feet; thence run South 03° 56' 06" East along said creek centerline for a distance of 126.59 feet; thence run North 81° 51' 14" East for a distance of 30.00 feet to a 1" pipe; thence continue North 81° 51' 14" East for a distance of 730.17 feet to a fence corner post; thence run South 88° 54' 11" East for a distance of 1662.43 feet to a 1/2" rebar on the Northwesterly boundary of Shelby County Highway #55 (80 foot R.O.W.); thence run North 32° 34' 51" East along said highway boundary for a distance of 550.37 feet to a 1/2" rebar at the P.C. of a curve concave right having a delta angle of 23° 54' 31" and a radius of 1981.67 feet; thence run a chord bearing of North 34° 12' 54" East for a chord distance of 108.30 feet to a 1/2" rebar on said curve boundary; thence run North 14° 30' 04" West for a distance of 113.06 feet to a 1" square bar; thence run North 02° 44' 44" East for a distance of 364.84 feet to a 1" square bar; thence run North 88° 28' 48" East for a distance of 429.44 feet to a 1" square bar; thence run South 23° 44' 07" West for a distance of 97.06 feet to a 1/2" rebar on aforementioned curve boundary; thence run a chord bearing of North 56° 12' 25" East for a chord distance of 311.84 feet to the POINT OF BEGINNING of herein described parcel of land.

EXHIBIT B

(Existing Leases)

None.

