UCC FINANCING STATEMENT AMENDN FOLLOWINSTRUCTIONS	/ENT				
A. NAME & PHONE OF CONTACT AT FILER (optional) Liz Gibbons					
B. E-MAIL CONTACT AT FILER (optional)					
lgibbons@gibbonslawllc.com C. SEND ACKNOWLEDGMENT TO: (Name and Address)		20160831000315200 1/4 \$.00 Shelby Cnty Judge of Probate, AL			
Liz Gibbons Gibbons Law LLC	4.11	Shelby 08/31/	Cnty Judge 2016 08:15:3	of Probate, 2 AM FILED/C	ERT
100 Corporate Parkway, Suite 125 Birmingham, Alabama 35242					
1a. INITIAL FINANCING STATEMENT FILE NUMBER		1b. 7 This FINANCING	E SPACE IS FOR		
Instrument #20150818000287460		(or recorded) in the	8 KEAL ESTATE RE	CORDS	e Debtor's name in item 13
2. Z TERMINATION: Effectiveness of the Financing Statement identif	ied above is terminated	with respect to the security	interest(s) of Secu	red Party authorizir	ng this Termination
3. ASSIGNMENT (full or partial): Provide name of Assignee in item For partial assignment, complete items 7 and 9 and also indicate a			name of Assignor in	item 9	
4. CONTINUATION: Effectiveness of the Financing Statement idea continued for the additional period provided by applicable law	ntified above with respe	ct to the security interest(s)	of Secured Party a	uthorizing this Cont	tinuation Statement is
5. PARTY INFORMATION CHANGE:					.,
Check one of these two boxes.	heck <u>one</u> of these three — CHANGE name and/o	boxes to: or address: Complete An 7a or 7b and item 7c	DD name: Complete	itemOELETE r	name: Give record name
This Change affects Debtor or Secured Party of record 6. CURRENT RECORD INFORMATION: Complete for Party Information			a or 70, <u>and</u> item 70	T to be dete	teo in tem da or do
6a. ORGANIZATION'S NAME					
OR 6b. INDIVIDUAL'S SURNAME	FIRST PERS	ADDITIONA	ADDITIONAL NAME(S)/INITIAL(S) SUFFIX		
7. CHANGED OR ADDED INFORMATION: Complete for Assignment or Par 7a. ORGANIZATION'S NAME	ty information Change - provid	te only <u>one</u> name (7s or 7b) (use exa	ict, fuil name, do not omit	modify, or abbreviate an	y part of the Debtor's name)
OR 76. INDIVIDUAL'S SURNAME	······································	<u> </u>		<u> </u>	
INDIVIDUAL'S FIRST PERSONAL NAME	<u> </u>	······································			
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)	<u></u>	······································	······································	, , , , , , , , , , , , , , , , , , ,	SUFFIX
7c. MAILING ADDRESS	ICITY		STATE POSTAL CODE		COUNTRY
7¢, WAILING ADDRESS					
8. COLLATERAL CHANGE: Also check one of these four boxes	ADD collateral	DELETE collateral	RESTATE COV	ered collateral	ASSIGN collateral
Indicate collateral:					
9. NAME OF SECURED PARTY OF RECORD AUTHORIZING If this is an Amendment authorized by a DEBTOR, check here and	THIS AMENDMENT: provide name of author		or 9b) (name of Assi	nor, if this is an Ass	signment)
If this is an Amendment authorized by a DEBTOR, check here and and 9a. ORGANIZATION'S NAME			or 9b) (name of Assi	gnor, if this is an Ass	signment)
If this is an Amendment authorized by a DEBTOR, check here and		izing Debtor		anor, if this is an Ass	

UCC FINANCING STATEMENT AMENDMENT ADDENDUM FOLLOW INSTRUCTIONS 11. INITIAL FINANCING STATEMENT FILE NUMBER: Same as item 1a on Amendment form Instrument #20150818000287460 12. NAME OF PARTY AUTHORIZING THIS AMENDMENT: Same as item 9 on Amendment form 12a. ORGANIZATION'S NAME ServisFirst Bank Shelby Cnty Judge of Probate, AL 12b. INDIVIDUAL'S SURNAME 08/31/2016 08:15:32 AM FILED/CERT FIRST PERSONAL NAME SUFFIX ADDITIONAL NAME(S)/INITIAL(S) THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY 13. Name of DEBTOR on related financing statement (Name of a current Debtor of record required for indexing purposes only in some filing offices - see Instruction item 13): Provide only one Debtor name (13a or 13b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); see Instructions if name does not fit 13a, ORGANIZATION'S NAME Dunnavant Commercial, LLC 13b. INDIVIDUAL'S SURNAME ADDITIONAL NAME(S)/INITIAL(S) SUFFIX FIRST PERSONAL NAME 14. ADDITIONAL SPACE FOR ITEM 8 (Collateral): 17. Description of real estate: 15. This FINANCING STATEMENT AMENDMENT: Is filed as a fixture filing See Exhibit A attached hereto for description of real covers as-extracted collateral covers timber to be cut 16. Name and address of a RECORD OWNER of real estate described in item 17 estate. (if Debtor does not have a record interest):

18. MISCELLANEOUS:

EXHIBIT A

DESCRIPTION OF LAND

All that part of the Northeast quarter of the Southwest quarter of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama, lying West of Shelby County Highway Number 41, LESS AND EXCEPT that part known as Dunnavant Square as recorded in Map Book 39, on Page 119-A, B & C in the Office of the Judge of Probate of Shelby County, Alabama.

BEING ALSO DESCRIBED BY METES AND BOUNDS PURSUANT TO THAT TOPOGRAPHIC AND BOUNDARY SURVEY BY ENGINEERING DESIGN GROUP, JOESPH SCHIFANO, III, ALABAMA LICENSE NUMBER 23661, DATED JULY 27, 2015, AS PROJECT THOROOO7, AS FOLLOWS:

Parcel A:

A part of the NE 1/4 of the SW 1/4 of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

BEGIN at a 5/8" rebar capped Weygand at the SW corner of Lot 40A of Dunnavant Square Resurvey as recorded in Map Book 42 Page 123 A and B in the Office of the Judge of Probate in Shelby County, Alabama; thence N 78°18'00" E along the southern line of Lot 40A for a distance of 92.79 feet to a 3/4" rebar at the SE corner of Lot 40A; thence N 11'29'50" W along the eastern line of Lot 40A a distance of 65.07 feet to a rebar capped Arrington at the SE corner of Lot 42A; thence N 11*44'35" W along the eastern line of Lot 42A for a distance of 49.16 feet to a rebar capped EDG a point of curve to the right having a central angle of 31'29'08" and a radius of 122.00 feet, said curve subtended by a chord bearing N 3.59'59" E and a chord distance of 67.04 feet; thence along the arc of said curve and along the eastern line of Lots 42A and 44A a distance of 66.20 feet to a rebar capped EDG; thence N 19°44'33" E along the eastern line of Lot 44A and 46A, and also along the eastern line of Lot 47-A of Resurvey Lots 37, 38, 47, & 48 Dunnavant Square as recorded in Map Book 41 Page 155 in the Office of the Judge of Probate in Shelby County, Alabama to a rebar capped SSI at the NE corner of Lot 47-A, said point being on the southern right-of-way of Carlow Lane and on a non tangent curve to the left having a central angle of 11'06'42" and a radius of 280.00 feet, said curve subtended by a chord bearing N 86'03'17" E and a chord distance of 54.22 feet; thence along the arc of said curve and along said right-of-way a distance of 54.30 feet to a rebar capped Weygand; thence N 80°47'50" E along said right-of-way a distance of 239.56 feet to a rebar capped Weygand at a point of curve to the right having a central angle of 7°49'32" and a radius of 219.96 feet, said curve subtended by a chord bearing N 84°34'08" E and a chord distance of 30.02 feet; thence along the arc of said curve and along said right-of-way a distance of 30.04 feet to a rebar capped Weygand at a point of compound curve having a central angle of 92°29'32" and a radius of 25.00 feet, said curve subtended by a chord bearing S 45'09'14" E and a chord distance of 36.12 feet; thence along the arc of said curve and along said right-of-way a distance of 40.36 feet to a rebar capped Weygand at the intersection of said right-of-way and the western right-of-way of Shelby County Hwy. 41, said point being a point of compound curve having a central angle of 19°00'14" and a radius of 2492.71 feet, said curve subtended by a chord bearing S 10'39'32" W and a chord distance of 823.00 feet; thence leaving Carlow Lane right-of-way, along the western right-of-way of Shelby County Hwy. 41, and along the arc of said curve a distance of 826.79 feet to 5/8" rebar; thence S 89°42'35" W leaving said right-ofway a distance of 164.44 feet to a rebar capped Weygand on the eastern right-of-way of Connaught Place; thence N 0°14'33" W along said right-of-way a distance of 205.81 feet to a 1/2" rebar at a point of curve to the right having a central angle of 21°14'19" and a chord distance of 81.08 feet, said curve subtended by a chord bearing N 10°22'37" E and a chord distance of 81.08 feet; thence along the arc of said curve and along said right-of-way a distance of 81.55 feet to a rebar capped EDG; thence N 20'59'46" E along said right-of-way a distance of 46.01 feet to a rebar capped EDG at the intersection of said right-of-way and the northeastern right-of-way of Dublin Way; thence N 69°00'14" W leaving Connaught Place rightof-way and along the northeastern right-of-way of Dublin Way a distance of 98.08 feet to a rebar capped

> 20160831000315200 3/4 \$.00 20160831000315200 3/4 \$.00 Shelby Cnty Judge of Probate, AL 08/31/2016 08:15:32 AM FILED/CERT

3

EDG at a point of curve to the right having a central angle of 20°19'21" and a radius of 170.00 feet, said curve subtended by a chord bearing N 58°50'34" W and a chord distance of 59.98 feet; thence along the arc of said curve and along said right-of-way a distance of 60.30 feet to a rebar capped EDG; thence N 78°27'27" E along said right-of-way a distance of 4.63 feet to a rebar capped EDG; thence N 11°19'07" W along said right-of-way a distance of 40.00 feet to a rebar capped EDG; thence S 78°27'27" W along said right-of-way a distance of 27.31 feet to a rebar capped EDG on a curve to the right having a central angle of 7'34'31" and a radius of 170.00 feet, said curve subtended by a chord bearing N 29'22'31" W and a chord distance of 22.46 feet; thence along the arc of said curve and along said right-of-way a distance of 22.48 feet to the POINT OF BEGINNING.

Parcel B

A part of the NE 1/4 of the SW 1/4 of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

BEGIN at a rebar capped SSI at the SE corner of Lot 50A of Dunnavant Square Resurvey as recorded in Map Book 42 Page 123 A and B in the Office of the Judge of Probate in Shelby County; thence N 6'59'08" E along the eastern line of Lots 50A, 52A, 54A, and Common Area 3, Lots 55, 56, 57, and 58 of Dunnavant Square as recorded in Map Book 39 Page 119 A, B and C in the Office of the Judge of Probate in Shelby County for a distance of 350.07 feet to a rebar capped EDG at the NE corner of Lot 58 said point being on the southern right-of-way of Monaghan Drive; thence S 82°56'19" E along said right-ofway a distance of 114.30 feet to a rebar capped Weygand at the intersection of said right-of-way and the eastern right-of-way of Donegal Place; thence N 1'28'21" E, leaving said Monaghan Drive right-of-way and along the eastern right-of-way of Donegal Place right-of-way, a distance of 139.52 feet to a rebar capped Weygand at the intersection of said right-of-way and the north line of NE 1/4 of the SW 1/4 of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama; thence N 89'26'24" E leaving said Donegal Place right-of-way and along the north line of said 1/4-1/4 section a distance of 187.55 feet to a rebar capped Weygand at the intersection of said 1/4-1/4 section and the western right-of-way of Shelby County Hwy. 41; thence S 0'25'55" W leaving said 1/4-1/4 section and along the western rightof-way of Shelby County Hwy. 41 right-of-way a distance of 404.78 feet to a rebar capped Weygand at the intersection of said right-of-way and the northern right-of-way of Carlow Lane, said point also being a point of curve to the right having a central angle of 90'00'13" and a radius of 25.00 feet, said curve subtended by a chord bearing S 45°21'56" W and a chord distance of 35.36 feet; thence leaving said Shelby County Hwy. 41 right-of-way, along the northern right-of-way of Carlow Lane, and along the arc of said curve a distance of 39.27 feet to a rebar capped Weygand at a point of reverse curve having a central angle of 8'33'40" and a radius of 280.00 feet, said curve subtended by a chord bearing S 85°01'03" W and a chord distance of 41.80 feet; thence along the arc of said curve and along said rightof-way a distance of 41.84 feet to a rebar capped Weygand; thence S 80°43'46" W along said right-ofway a distance of 239.41 feet to a rebar capped Weygand at a point of curve to the right having a central angle of 10"43"10" and a radius of 220.00 feet, said curve subtended by a chord bearing S 85'55'33" W and a chord distance of 41.10 feet; thence along the arc of said curve and along said right-of-way a distance of 41.16 feet to the POINT OF BEGINNING.

> 20160831000315200 4/4 \$.00 20160831000315200 4/4 \$.00 Shelby Cnty Judge of Probate, AL 08/31/2016 08:15:32 AM FILED/CERT