UCC FINANCING STATEMENT AMENDME	NT				
A NAME & PHONE OF CONTACT AT FILER (optional) Liz Gibbons					
B E-MAIL CONTACT AT FILER (optional)					
igibbons@gibbonslawlic.com					
C. SEND ACKNOWLEDGMENT TO (Name and Address)				124   34   14   14   14   14   14   14   1	
Liz Gibbons					
Gibbons Law LLC	1		5000446940		
100 Corporate Parkway, Suite 125		Shelby 12/15/2	017 08 39:5	4 AM FILED/CERT	
Birmingham, Alabama 35242	1				
L		THE ABOV	E SDACE IS SC	R FILING OFFICE USE	ON: V
1a INITIAL FINANCING STATEMENT FILE NUMBER				ENDMENT is to be filed [for	
#20160831000315240		(or recorded) in th	HO REAL ESTATE		
2 TERMINATION: Effectiveness of the Financing Statement identified a Statement	bove is terminated	with respect to the securit	y interest(s) of Se	cured Party authorizing this	Termination
ASSIGNMENT (full or partial) Provide name of Assignee in item 7s of For partial assignment, complete items 7 and 9 and also indicate affects.		_	name of Assignor	r in item 9	
4. CONTINUATION: Effectiveness of the Financing Statement identified continued for the additional period provided by applicable law	above with respe	ct to the security interest(s	) of Secured Party	authorizing this Continuate	on Statement is
5. PARTY INFORMATION CHANGE:					
Check one of these two poxes	<u>one</u> of these three ANGE name and/o		ADD name Comple	ete item DELETE name	Give record name
This Change affects Debtor or Secured Party of record item	n 6a or 6b <u>and</u> iten	n 7a or 7b <u>and</u> item 7c 7	7a or 7b and item 7	to be deleted in	
6 CURRENT RECORD INFORMATION: Complete for Party Information Ct 6a ORGANIZATION'S NAME	nange - provi <b>de o</b> ni	y <u>one</u> name (6a or 6b)	<del></del>		
Thornton, Inc.					
56 INDIVIDUAL'S SURNAME	FIRST PERSO	NAL NAME	ADDITIO	NAL NAME(S)/INITIAL(S)	SUFFIX
7 CHANGED OR ADDED INFORMATION: Compete for Assignment or Party office	mation Change - provid	e only <u>one</u> name (7a or 7b) (use ex	act full name, do not o	ms modify or abbreviate any part of	f the Debtor's name;
78 ORGANIZATION'S NAME					
OR 75 INDIVIDUAL'S SURNAME		<del></del> .			
INDIVIDUAL'S FIRST PERSONAL NAME			· · · · · · · · · · · · · · · · · · ·	<del></del>	<del></del>
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)					SUFFIX
7- MANUMO ADDOCCO	CITY		STATE	POSTAL CODE	COUNTRY
7c MAILING ADDRESS			3.7.12		
8 COLLATERAL CHANGE. Also check one of these four boxes	ADD collateral	DELETE collateral	RESTATE	covered collateral	ASSIGN collateral
Indicate collateral					
9 NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS	AMENDMENT	Provide only one name /9a	or 9h) (name of A	ssignor if this is an Assignm	ent)
	de name of author		The service of A	grading and a congruence	
9a ORGANIZATION'S NAME					_
Synovus Bank	· · · · · · · · · · · · · · · · · · ·		[ABBITIC	MIA) NAME (CORN TIAL (C)	lenteiv
96 INDIVIDUAL'S SURNAME	FIRST PERS	DNAL NAME	ADDITK	DNAL NAME(S)ЛN TIAL(S)	SUFFIX
<u></u>					
10 OPTIONAL FILER REFERENCE DATA:  Estad in Shalby County: Alabama (res FR01-01389 / 1	nost to CDA1	-01622)			
Filed in Shelby County, Alabama (re: FR01-01389 / )	hase on SMA1	-010225			

# **FOLLOW INSTRUCTIONS**

UCC FINANCING STATEMENT AMENDMENT ADDENDUM

	INITIAL FINANCING STATEMENT FILE NUMBER: Sam 20160831000315240	e as item 1a on Amendment form	
12.	NAME OF PARTY AUTHORIZING THIS AMENDMENT:	Same as item 9 on Amendment form	
	12a ORGANIZATION'S NAME	· • · · · · · · · · · · · · · · · · · ·	
	Synovus Bank		
OR:	125. INDIVIDUAL'S SURNAME		20171215000446940 2/8 \$44.00 Shelby Cnty Judge of Probate, AL
	FIRST PERSONAL NAME		12/15/2017 08:39.54 AM FILED/CERT
	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
		•	THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY
13.	Name of DEBTOR on related financing statement (Name one Debtor name (13a or 13b) (use exact, full name, do not omi		ndexing purposes only in some filing offices - see Instruction item 13). Provide onli for's name), see Instructions if name does not fit.
	13a. ORGANIZATION'S NAME		
	Dunnavant Commercial, LLC		
OR	13b INDIVIDUAL'S SURNAME	FIRST PERSONAL NAM	ADDITIONAL NAME(S)/INITIAL(S) SUFFIX
14.	ADDITIONAL SPACE FOR ITEM 8 (Collateral).		

This FINANCING STATEMENT AMENDMENT.	17. Description of real estate
covers timber to be cut covers as-extracted collateral s filed as a fixture filing Name and address of a RECORD OWNER of real estate described in item 17 (if Debtor does not have a record interest)	See Exhibit A attached hereto

## EXHIBIT "A" LEGAL DESCRIPTION OF LAND


#### PARCEL I:

All that part of the Northeast quarter of the Southwest quarter of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama, lying West of Shelby County Highway Number 41, LESS AND EXCEPT that part known as Dunnavant Square as recorded in Map Book 39, on Page 119-A, B & C in the Office of the Judge of Probate of Shelby County, Alabama. More particularly described as follows:

#### Tract A:

A part of the NE 1/4 of the SW 1/4 of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

BEGIN at a 5/8" rebar capped Weygand at the SW corner of Lot 40A of Dunnavant Square Resurvey as recorded in Map Book 42 Page 123 A and B in the Office of the Judge of Probate in Shelby County, Alabama; thence N 78°18'00" E along the southern line of Lot 40A for a distance of 92.79 feet to a 3/4" rebar at the SE corner of Lot 40A; thence N 11°29'50" W along the eastern line of Lot 40A a distance of 65.07 feet to a rebar capped Arrington at the SE corner of Lot 42A; thence N 11°44'35" W along the eastern line of Lot 42A for a distance of 49.16 feet to a rebar capped EDG a point of curve to the right having a central angle of 31°29'08" and a radius of 122.00 feet, said curve subtended by a chord bearing N 3°59'59" E and a chord distance of 67.04 feet; thence along the arc of said curve and along the eastern line of Lots 42A and 44A a distance of 66.20 feet to a rebar capped EDG; thence N 19°44'33" E along the eastern line of Lot 44A and 46A, and also along the eastern line of Lot 47-A of Resurvey Lots 37, 38, 47, & 48 Dunnavant Square as recorded in Map Book 41 Page 115 in the Office of the Judge of Probate in Shelby County, Alabama to a rebar capped SSI at the NE corner of Lot 47-A, said point being on the southern right-of-way of Carlow Lane and on a non tangent curve to the left having a central angle of 11 Degrees 06'42" and a radius of 280.00 feet, said curve subtended by a chord bearing N 86° 03' 17" E and a chord distance of 54.22 feet; thence along the arc of said curve and along said right-of-way a distance of 54.30 feet to a rebar capped Weygand; thence N 80°47'50" E along said right-of-way a distance of 239.56 feet to a rebar capped Weygand at a point of curve to the right having a central angle of 7°49'32" and a radius of 219.96 feet, said curve subtended by a chord bearing N 84°34'08" E and a chord distance of 30.02 feet; thence along the arc of said curve and along said right-of-way a distance of 30.04 feet to a rebar capped Weygand at a point of compound curve having a central angle of 92°29'32" and a radius of 25.00 feet, said curve subtended by a chord bearing S 45°09'14" E and a chord distance of 36.12 feet; thence along the arc of said curve and along said right-of-way a distance of 40.36 feet to a rebar capped Weygand at the intersection of said right-of-way and the western right-ofway of Shelby County Hwy. 41, said point being a point of compound curve having a central angle of 19°00'14" and a radius of 2492.71 feet, said curve subtended by a chord bearing S 10°39'32" W and a chord distance of 823.00 feet; thence leaving Carlow Lane right-of-way, along the western right-of-way of Shelby County Hwy. 41, and along the arc of said curve a distance of 826.79 feet to 5/8" rebar; thence S 89°42'35" W leaving said rightof-way a distance of 164.44 feet to a rebar capped Weygand on the eastern right-of-way of Connaught Place; thence N 0°14'33" W along said right-of-way a distance of 205.81 feet to a 1/2" rebar at a point of curve to the right having a central angle of 21°14'19" and a chord distance of 81.08 feet, said curve subtended by a chord bearing N 10°22'37" E and a chord distance of 81.08 feet; thence along the arc of said curve and along said rightof-way a distance of 81.55 feet to a rebar capped EDG; thence N 20°59'46" E along said right-of-way a distance of 46.01 feet to a rebar capped EDG at the intersection of said right-of-way and the northeastern right-of-way of Dublin Way; thence N 69°00'14" W leaving Connaught Place right-of-way and along the northeastern right-ofway of Dublin Way a distance of 98.08 feet to a rebar capped EDG at a point of curve to the right having a central angle of 20°19'21" and a radius of 170.00 feet, said curve subtended by a chord bearing N 58°50'34" W and a chord distance of 59.98 feet; thence along the arc of said curve and along said right-of-way a distance of 60.30 feet to a rebar capped EDG; thence N 78°27'27" E along said right-of-way a distance of 4.63 feet to a rebar capped EDG; thence N 11°19'07" W along said right-of-way a distance of 40.00 feet to a rebar capped EDG; thence S 78°27'27" W along said right-of-way a distance of 27.31 feet to a rebar capped EDG on a curve to the



right having a central angle of 7°34'31" and a radius of 170.00 feet, said curve subtended by a chord bearing N 29°22'31" W and a chord distance of 22.46 feet; thence along the arc of said curve and along said right-of-way a distance of 22.48 feet to the POINT OF BEGINNING.

#### Tract B:

A part of the NE 1/4 of the SW 1/4 of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama, being more particularly described as follows:

BEGIN at a rebar capped SSI at the SE corner of Lot 50A of Dunnavant Square Resurvey as recorded in Map Book 42 Page 123 A and B in the Office of the Judge of Probate in Shelby County; thence N 6°59'08" E along the eastern line of Lots 50A, 52A, 54A, and Common Area 3, Lots 55, 56, 57, and 58 of Dunnavant Square as recorded in Map Book 39 Page 119 A, B and C in the Office of the Judge of Probate in Shelby County for a distance of 350.07 feet to a rebar capped EDG at the NE corner of Lot 58 said point being on the southern rightof-way of Monaghan Drive; thence S 82°56'19" E along said right-of-way a distance of 114.30 feet to a rebar capped Weygand at the intersection of said right-of-way and the eastern right-of-way of Donegal Place; thence N 1°28'21" E, leaving said Monaghan Drive right-of-way and along the eastern right-of-way of Donegal Place right-of-way, a distance of 139.52 feet to a rebar capped Weygand at the intersection of said right-of-way and the north line of NE 1/4 of the SW 1/4 of Section 3, Township 19 South, Range 1 West, Shelby County, Alabama; thence N 89°26'24" E leaving said Donegal Place right-of-way and along the north line of said 1/4-1/4 section a distance of 187.55 feet to a rebar capped Weygand at the intersection of said 1/4-1/4 section and the western rightof-way of Shelby County Hwy. 41; thence S 0°25'55" W leaving said 1/4-1/4 section and along the western rightof-way of Shelby County Hwy. 41 right-of-way a distance of 404.78 feet to a rebar capped Weygand at the intersection of said right-of-way and the northern right-of-way of Carlow Lane, said point also being a point of curve to the right having a central angle of 90°00'13" and a radius of 25.00 feet, said curve subtended by a chord bearing S 45°21'56" W and a chord distance of 35.36 feet; thence leaving said Shelby County Hwy. 41 right-ofway, along the northern right-of-way of Carlow Lane, and along the arc of said curve a distance of 39.27 feet to a rebar capped Weygand at a point of reverse curve having a central angle of 8°33'40" and a radius of 280.00 feet, said curve subtended by a chord bearing S 85°01'03" W and a chord distance of 41.80 feet; thence along the arc of said curve and along said right-of-way a distance of 41.84 feet to a rebar capped Weygand; thence S 80°43'46" W along said right-of-way a distance of 239.41 feet to a rebar capped Weygand at a point of curve to the right having a central angle of 10°43'10" and a radius of 220.00 feet, said curve subtended by a chord bearing S 85'55'33" W and a chord distance of 41.10 feet; thence along the arc of said curve and along said right-of-way a distance of 41.16 feet to the POINT OF BEGINNING.

Situated in Shelby County, Alabama.

PARCEL IIA:

Intentionally Deleted.

PARCEL IIB:

Intentionally Deleted.

### 20171215000446940 4/8 \$44.00 Shelby Cnty Judge of Probate, AL 12/15/2017 08.39:54 AM FILED/CERT

#### PARCEL III:

Part of the S ½ of Section 23, Township 15 South, Range 3 West, Jefferson County, Alabama, being more particularly described as follows:


Commence at the SW corner of said Section 23 and run in an easterly direction along the south line of said Section 23 for a distance of 1323.0 feet to an existing 2" open top iron pipe being the point of beginning; thence turn an angle to the left of 0°3'25" and run in an easterly direction along the south line of said section for a distance of 1320.82 feet to an existing 1-1/2" open iron pipe; thence turn an angle to the left of 0°2'13" and run in an easterly direction along the south line of said section for a distance of 296.39 feet to a point on the curved southwest right-of-way line of U.S. Highway No. 31, said curve being concave in a southwesterly direction and having a central angle of 5°57'21" and a radius of 7662.95 feet; thence turn an angle to the left (114°07'47" to the

chord of said curve) and run in a northwesterly direction along the arc of said curve and along the southwest right-of-way line of said U.S. Highway No. 31 for a distance of 796.54 feet: thence turn an angle to the left (19°01'56" from the chord of last mentioned curve) and run in a northwesterly direction along the southwest right-of-way line of said U.S. Highway No. 31 for a distance of 79.30 feet; thence turn an angle to the right of 16°03'15" and run in a northwesterly direction along the southwest right-of-way line of said U.S. Highway No. 31 for a distance of 367.36 feet; thence turn an angle to the left of 153°39'15" and run in a southerly direction for a distance of 374.77 feet to an existing 1-1/2" open top iron pipe; thence turn an angle to the right of 90°11'19" and run in a westerly direction for a distance of 529.10 feet to an existing 1" open top iron pipe; thence turn an angle to the left of 90°06'45" and run in a southerly direction for a distance of 80.57 feet; thence turn an angle to the right of 90°43'22" and run in a westerly direction for a distance of 574.07 feet; thence turn an angle to the left of 92°25'25" and run in a southerly direction for a distance of 650.95 feet, more or less, to the point of beginning.

#### PARCEL IV:

A parcel of land situated in the SW 1/4 of Section 21, the SE 1/4 of Section 20, the NW 1/4 of Section 28 and the N 1/2 of Section 29, all in Township 20 South, Range 5 West, Jefferson and Tuscaloosa County, Alabama and being more particularly described as follows:

Begin at the NW corner of the SW 1/4 of the SW 1/4 of Section 21, Township 20 South, Range 5 West, said point being the point of beginning; thence N 55° 09' 56" E, a distance of 816.67 feet; thence N 57° 56' 03" E, a distance of 290.60 feet to the Westerly right of way line of Kimbrell Cutoff Road; thence S 32° 18' 34" E, along said right of way, a distance of 299.96 feet; thence S 32° 17' 06" E, along said right of way, a distance of 461.55 feet to the point of curve to the right having a radius of 2,313.42 feet, a central angle of 10° 21' 58" and subtended by a chord which bears S 27° 08' 36" E, a chord distance of 417.98 feet; thence Southeasterly along the arc and said right of way, a distance of 418.55 feet; thence S 22° 02' 19" E, right of way, a distance of 374.96 feet; thence S 21° 47' 21" E, along said right of way, a distance of 23.98 feet; thence S 37° 00' 15" W, and leaving said right of way, a distance of 410.08 feet; thence S 45° 56' 45" E, a distance of 277.27 feet; thence S 37° 03' 38" W, a distance of 409.55 feet; thence S 52° 56' 40" E, a distance of 396.36 feet to the Northerly right of way line of Southern Railroad; thence S 36° 07' 35" W, along said right of way, a distance of 1,230.48 feet; thence S 34° 58' 17" W, along said right of way, a distance of 590.80 feet; thence S 34° 36' 40" W, along said right of way, a distance of 486.28 feet; thence N 43° 38' 43" W, and leaving said right of way, a distance of 230.82 feet; thence S 43° 35' 52" W, a distance of 603.57 feet; thence N 88° 48' 08" W, a distance of 1,152.66 feet; thence continue Westerly along said line, a distance of 690.51 feet to the Easterly right of way line of Tannehill Parkway; thence N 28° 28' 28" W, along said right of way, a distance of 195.59 feet; thence N 46° 36' 47" W, along said right of way, a distance of 105.63 feet; thence N 66° 29' 06" W, along said right of way, a distance of 116.26 feet; thence N 72° 48' 51" W, along said right of way, a distance of 208.49 feet; thence N 37° 37' 09" W, along said right of way, a distance of 138.06 feet; thence N 13° 34' 40" W along said right of way, a distance of 180.72 feet; thence N 02' 09' 26" W, along said right of way, a distance of 165.26 feet; thence N 02° 12' 16" E, along said right of way, a distance of 375.50 feet; thence N 04° 53' 08" W, along said right of way, a distance of 170.31 feet; thence N 02° 30' 26" E, along said right of way, a distance of 147.26 feet to a point of curve to the left having a radius of 511.25 feet, a central angle of 09° 24' 17" and subtended by a chord which bears N 02° 11' 43" W, a chord distance of 83.82 feet; thence Northerly along the arc and along said right of way, a distance of 83.92 feet; thence N 06° 53' 50" W, along said right of way, a distance of 155.34 feet to the point of curve to the right having a radius of 169.81 feet, a central angle of 75° 12' 11" and subtended by a chord which bears N 30° 41' 50" E, a chord distance of 207.22 feet; thence Northeasterly along the arc and said right of way, a distance of 222.88 feet; thence N 68° 17' 31" E, along said right of way, a distance of 70.74 feet to the point of curve to the left having a radius of 193.06 feet, a central angle of 33° 08' 58" and subtended by a chord which bears N 51° 43' 25" E, a chord distance of 110.15 feet; thence Northeasterly along the arc and said right of way, a distance of 111.70 feet; thence N 35° 09' 20" E, along said right of way, a distance of 59.35 feet to a point of curve to the left having a radius of 377.00 feet, a central angle of 17° 08' 06" and subtended by a chord which bears N 26° 35' 17" E, a distance of 112.33 feet; thence Northeasterly along the arc and said right of way, a distance of 112.75 feet; thence S 71° 57' 10" E, and leaving said right of way, a distance of 489.36 feet; thence N 78° 15' 46" E, a distance of 88.55 feet; thence N 46°



03' 56" E, a distance of 54.67 feet; thence N 02° 48' 17" E, a distance of 278.17 feet; thence N 38° 01' 25" E, a distance of 410.65 feet; thence N 89° 14' 07" W, a distance of 130.71 feet; thence N 02°41' 43" E, a distance of 1,330.62 feet; thence S 88° 53' 22" E, a distance of 1,565.20 feet to the point of beginning.


Less and except the following described property;

Commence at the Northeast corner of Southeast quarter of the Southeast Quarter of Section 20, Township 20 South, Range 5 West, Tuscaloosa County, Alabama and run thence N 89° 34′ 49″ W along the North line of said quarter-quarter section a distance of 653.96 feet to a point; thence run S 18° 26′ 21″ E a distance of 153.99 feet to a point; thence run S 41° 35′ 26″ E a distance of 504.73 feet to a set rebar corner and the point of beginning of the property, thence run S 20′ 00′ 55″ W a distance of 160.82 feet to a set rebar corner; thence run S 82° 05′ 26″ E a distance of 549.95 feet to a set rebar corner; thence run N 01° 30′ 56″ E a distance of 532.75 feet to a set rebar corner; thence run S 37° 25′ 59″ W a distance of 381.33 feet to a set capped rebar corner; thence run S 47° 46′ 43″ W a distance of 32.33 feet to a set rebar corner; thence run N 85° 40′ 32″ W a distance of 248.74 feet to the point of beginning.

Commence at the Northeast corner of Southeast quarter of the Southeast Quarter of Section 20, Township 20 South, Range 5 West, Tuscaloosa County, Alabama and run thence N 89° 34′ 49" W along the North line of said quarter-quarter section a distance of 653.96 feet to a point; thence run S 18° 26′ 21" E a distance of 153.99 feet to a point; thence run S 41° 35′ 26" E a distance of 504.73 feet to a set rebar corner; thence run S 20° 00′ 55" W a distance of 160.82 feet to a set rebar corner; thence run S 82° 05′ 26" E a distance of 549.95 feet to a set rebar corner; thence run S 42° 28′ 32" E a distance of 158.32 feet to a point; thence run S 38° 27′ 21" W a distance of 589.94 feet to a set rebar corner and the point of beginning of the property; thence run S 38° 27′ 21" W a distance of 589.94 feet to a rebar corner; thence N 89° 26′ 39" E a distance of 328.85 feet to a set rebar corner; thence run S 54° 05′ 38" E a distance of 179.19 feet to a set rebar corner; thence run N 12° 46′ 59" E a distance of 375.97 feet to a set rebar corner; thence run N 09° 23′ 47" W a distance of 91.01 feet to a set rebar corner; thence run S 87° 14′ 11" W a distance of 71.58 feet to a set rebar corner; thence run N 61° 46′ 31" W a distance of 55.65 feet to a set capped rebar corner; thence run N 36° 23′ 44" W a distance of 50.04 feet to a set capped rebar corner; thence run N 29° 38′ 02" W to the point of beginning.

#### LESS AND EXCEPT:

- a. The Survey of Olmsted Place at Tannehill Preserve, Sector 1, as recorded in Plat Book 2008, Page 22, in the Office of the Judge of Probate of Tuscaloosa, Alabama and in Map Book 44, Page 63 in the Office of the Judge of Probate of Jefferson County, Alabama.
- b. The Survey of Olmsted Place at Tannehill Preserve, Sector 2A, as recorded in Plat Book 2012, Page 48, in the Office of the Judge of Probate of Tuscaloosa, Alabama.
- c. The Survey of Downing Park at Tannehill Preserve, Sector 1, as recorded in Plat Book 2007, Page 233, in the Office of the Judge of Probate of Tuscaloosa, Alabama.
- d. The Survey of Downing Park at Tannehill Preserve, Sector 2A, as recorded in Plat Book 2012, Page 46, in the Office of the Judge of Probate of Tuscaloosa, Alabama.
- e. The Survey of Wrey Point at Tannehill Preserve as recorded in Map Book 44, Page 74 in the Office of the Judge of Probate of Jefferson County, Alabama.
- f. The Survey of Estates at Tannehill Preserve as recorded in Map Book 44, Page 53 in the Office of the Judge of Probate of Jefferson County, Alabama.
- g. That portion conveyed to The Town of Lake View, Alabama in that certain deed recorded in Deed Book 2007, Page 7190 in the Office of the Judge of Probate of Tuscaloosa, Alabama and described as:
  - A parcel of land situated in the NE 1/4 Section 29, Township 20 South, Range 5 West, Tuscaloosa County, Alabama, and being more particularly described as follows:



Commence at the NE corner of Section 29, Township 20 South, Range 5 West, Tuscaloosa County, Alabama; thence S41°03'57"W, a distance of 2,411.73'; thence S26°28'08"E, a distance of 103.14' to the POINT OF BEGINNING; thence continue southeasterly along said line, a distance of 131.98' to a point of curve to the left having a radius of 325.00' and a central angle of 16°22'47", said curve subtended by a chord bearing S34°39'31"E and a chord distance of 92.59; thence southeasterly along the arc of said curve a distance of 92.91' to a point of reverse curve having a radius of 15.00' and a central angle of 83°14'37", said curve subtended by a chord bearing S01°13'36"E and a chord distance of 19.93'; thence southerly along the arc of said curve, a distance of 21.79'; thence S40°23'42"W, a distance of 168.73' to a point of curve to the right having a radius of 150.00' and a central angle of 11°52'25", said curve subtended by a chord bearing S46°19'54"W and a chord distance of 31.03; thence southwesterly along the arc of said curve a distance of 31.09'; thence N24°23'16"W, a distance of 73.00'; thence N79°44'10"W, a distance of 24.78'; thence S65°36'44"W, a distance of 42.87'; thence N69°44'04"W, a distance of 219.97'; thence N36°09'13"W, a distance of 141.41' to the point of curve of a non tangent curve to the left, having a 39°01'41" of and a radius of 175.00', said curve subtended by a chord bearing N64°32'16"E and a chord distance of 116.91; thence northeasterly along the arc of said curve a distance of 119.20'; thence N45°01'25"E, a distance of 123.98' to a point of curve to the right having a radius of 175.00' and a central angle of 18°30'28", said curve subtended by a chord bearing N54°16'39"E and a chord distance of 56.28'; thence northeasterly along the arc of said curve a distance of 56.53'; thence S35°18'40"E, a distance of 119.56'; thence N63°31'52"E, a distance of 106.33' to the POINT OF BEGINNING.

- h. That portion conveyed to The Lake View Fire Protection District in that certain deed recorded in Deed Book 2007, Page 11390 in the Office of the Judge of Probate of Tuscaloosa, Alabama and described as:
  - Commence at the NE corner of Section 29, Township 20 South, Range 5 West, Tuscaloosa County, Alabama; thence S41°03'57"W, a distance of 2,411.73' to the POINT OF BEGINNING; thence S26°28'08"E, a distance of 103.14'; thence S63°31'52"W, a distance of 106.33'; thence N35°18'40"W, a distance of 119.56'; thence N63°31'52"E, a distance of 109.71' to a point of curve to the right having a radius of 15.00' and a central angle of 90°00'00", said curve subtended by a chord bearing S71°28'08"E and a chord distance of 21.21'; thence easterly along the arc of said curve a distance of 23.56' to the point of beginning
- i. That portion conveyed to The Tannehill Preserve Owner's Association, Inc. in that certain deed recorded in Deed Book 2009, Page 13685 in the Office of the Judge of Probate of Tuscaloosa, Alabama and described as:

#### THE SWIMMING POOL PROPERTY:

Part of the NE ¼ of the NE ¼ of Section 29, Township 20 South, Range 5 West, Tuscaloosa County, Alabama, being more particularly described as follows:

From an existing iron rebar set by Weygand being the NW corner of Lot 2-90, Olmsted Place at Tannehill Preserve Sector I, a map of which is recorded in the Office of the Judge of Probate, Tuscaloosa County, Alabama, in Map Book 2008, Pages 22 and 23, run in a northeasterly direction along the north line of said Lot 2-90 for a measured distance of 100.09 feet to the most northerly corner of said lot; thence continue in a northeasterly direction along last mentioned course for a distance of 12.0 feet to an existing cross chiseled in the gutter; thence turn an angle to the right of 87°-29'-09" and run in a southeasterly direction for a distance of 279.89 feet to an existing cross cut in a concrete walk being on the south right-of-way line of Central Park Drive as shown on said recorded plat and being the point of beginning; thence turn an angle to the right of 24°-25'-45" and run in a southerly direction for a distance of 34.10 feet to an existing iron rebar set by Weygand; thence turn an angle to the right of 38°-44'-33" and run in a southwesterly direction for a distance of 200.40 feet to an existing cross cut in a concrete walk; thence turn an angle to the left of 90°-37'-07" and run in a southeasterly direction for a distance of 79.65 feet to an existing iron rebar set by Weygand; thence turn an angle to the left of 89°-38'-48" and run in a northeasterly direction

12/15/2017 08:39:54 AM FILED/CERT

for a distance of 188.33 feet to an existing iron rebar set by Weygand; thence turn an angle to the left of 20°-19'-37" and run in a northeasterly direction for a distance of 19.86 feet to an existing iron rebar set by Weygand; thence turn an angle to the left of 17°-55'-27" and run in a northerly direction for a distance of 76.19 feet to an existing cross cut in a concrete walk and being on the south right-of-way line of Central Park Drive, said south right-of-way line being on a curve, said curve being concave in a northerly direction and having a central angle of 4°-14'-10" and a radius of 825.0 feet; thence turn an angle to the left and run in a westerly direction along the curved southerly right-of-way line of Central Park Drive for a distance of 61.00 feet, more or less, to the point of beginning.

#### PARCEL V:

- A. Intentionally Deleted.
- B. Intentionally Deleted.
- C. Lots 3-02, 3-03, 3-06, 3-12, 3-14, 3-17, 3-18, 3-19, 3-93, 3-94, 3-96, 3-127, 3-128, 3-129, 3-130, 3-131, 3-132, 3-133, 3-134 according to the Survey of Wrey Point at Tannehill Preserve as recorded in Map Book 44, Page 74 in the Office of the Judge of Probate of Jefferson County, Alabama.

#### PARCEL VI:

A. Lots 1-05 and 1-179 according to the subdivision plat of Downing Park at Tannehill Preserve, Sector 1, as recorded in Plat Book 2007, Page 233, in the Office of the Judge of Probate of Tuscaloosa County, Alabama.

Being a portion of the same property conveyed to Thornton New Home Sales, LLC by Warranty Deed from Tannehill Development, Inc., filed for record on December 17, 2007 in Deed Book 2007, Page 28212, said Probate Office.

- B. Intentionally Deleted.
- C. Lots 3-10 and 3-87, according to the Survey of Wrey Point at Tannehill Preserve as recorded in Map Book 44, Page 74 in the Office of the Judge of Probate of Jefferson County, Alabama.

#### PARCEL VII:

- A. Intentionally Deleted.
- B. Lot 1-19 according to the survey of Downing Park at Tannehill Preserve, Sector 1, as recorded in Plat Book 2007, Page 233, Office of the Judge of Probate of Tuscaloosa County, Alabama.

Being the same property conveyed to Logan Real Estate Holdings, LLC, by Warranty Deed from Thornton New Home Sales, LLC, filed for record on January 6, 2014 in Deed Book 2014, Page 116, and as corrected by instrument filed for record on April 11, 2014 in Deed Book 2014, Page 5037, said probate Office.

C. Intentionally Deleted.

#### **NOTE**: AS TO TUSCALOOSA PROPERTY:

Source of Title: Deed Book 2016, Page 6646; Deed Book 2016, Page 8394; Deed Book 2017, Page 28212; Deed Book 2008, Page 2484; Deed Book 2013, Page 7606; Deed Book 2014, Page 116; Deed Book 2014, Page 5037, and Deed Book 2014, Page 121.